
Plate 1 · A6 · GBR-885 — level 3 Check spectrum

Evidence 120,000 cps · raw 860,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 27%; M+2 4%; observed M+1 0%; M+2 0% (score 0.00)
HPLC-MS: product (69.5%)



Spectrum at 31.20 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · B1 · GBR-904 — level 3 Check spectrum

Evidence 100,000 cps · raw 240,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 29%; M+2 5%; observed M+1 0%; M+2 17% (score 0.00)
HPLC-MS: product (18.4%)



Spectrum at 136.20 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · B6 · GBR-909 — level 3 Check spectrum

Evidence 120,000 cps · raw 240,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 30%; M+2 5%; observed M+1 55%; M+2 12% (score 0.54)
HPLC-MS: product (27.3%)



Spectrum at 123.98 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · C10 · GBR-937 — level 3 Check spectrum

Evidence 240,000 cps · raw 920,000 cps · ions detected: [M+H]+
Isotopes [M+H]+: expected M+1 29%; M+2 4%; observed M+1 13%; M+2 0% (score 0.46)
possible carryover: previous ejection has 6.4x this signal at the product m/z
HPLC-MS: product (12.9%)



Spectrum at 161.46 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · C14 · GBR-941 — level 3 Check spectrum

Evidence 80,000 cps · raw 80,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 29%; M+2 9%; observed M+1 0%; M+2 0% (score 0.00)
HPLC-MS: no product (0.0%)



Spectrum at 171.53 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · C15 · GBR-942 — level 3 Check spectrum

Evidence 80,000 cps · raw 540,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 34%; M+2 6%; observed M+1 26%; M+2 0% (score 0.38)
HPLC-MS: product (99.9%)



Spectrum at 173.84 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · D3 · GBR-954 — level 3 Check spectrum

Evidence 200,000 cps · raw 440,000 cps · ions detected: [M+Na]+
Isotopes [M+H]+: expected M+1 31%; M+2 5%; observed M+1 18%; M+2 14% (score 0.49)
only [M+Na]+ pass the criteria
HPLC-MS: product (54.7%)



Spectrum at 251.59 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · D4 · GBR-955 — level 3 Check spectrum

Evidence 100,000 cps · raw 240,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 32%; M+2 6%; observed M+1 0%; M+2 17% (score 0.17)
HPLC-MS: no product (0.0%)



Spectrum at 248.62 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · D14 · GBR-965 — level 3 Check spectrum

Evidence 200,000 cps · raw 120,000 cps · ions detected: [M+Na]+
Isotopes [M+H]+: expected M+1 30%; M+2 9%; observed M+1 40%; M+2 50% (score 0.47)
starting-material ion overlaps the protonated/deprotonated product
HPLC-MS: no product (0.0%)



Spectrum at 223.86 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · E4 · GBR-979 — level 3 Check spectrum

Evidence 160,000 cps · raw 0 cps · ions detected: none
Isotopes [M+H]+: expected M+1 25%; M+2 3%; observed – (score nan)
HPLC-MS: no product (0.0%)



Spectrum at 266.45 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · E12 · GBR-987 — level 3 Check spectrum

Evidence 120,000 cps · raw 240,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 24%; M+2 35%; M+3 8%; observed M+1 12%; M+2 24%; M+3 20% (score 0.54)
HPLC-MS: no product (0.0%)



Spectrum at 286.43 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · E17 · GBR-992 — level 3 Check spectrum

Evidence 120,000 cps · raw 480,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 24%; M+2 3%; observed M+1 4%; M+2 4% (score 0.17)
HPLC-MS: product (27.5%)



Spectrum at 298.81 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · E18 · GBR-993 — level 3 Check spectrum

Evidence 160,000 cps · raw 580,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 25%; M+2 3%; observed M+1 57%; M+2 0% (score 0.44)
HPLC-MS: product (23.2%)



Spectrum at 301.29 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · F3 · GBR-1002 — level 3 Check spectrum

Evidence 120,000 cps · raw 680,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 26%; M+2 4%; observed M+1 4%; M+2 54% (score 0.17)
HPLC-MS: product (26.2%)



Spectrum at 371.61 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · F10 · GBR-1009 — level 3 Check spectrum

Evidence 180,000 cps · raw 420,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 26%; M+2 4%; observed M+1 38%; M+2 0% (score 0.68)
HPLC-MS: product (6.7%)



Spectrum at 353.78 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · F11 · GBR-1010 — level 3 Check spectrum

Evidence 140,000 cps · raw 280,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 26%; M+2 4%; observed M+1 50%; M+2 104% (score 0.52)
HPLC-MS: no product (0.0%)



Spectrum at 351.97 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · G1 · GBR-1024 — level 3 Check spectrum

Evidence 160,000 cps · raw 540,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 29%; M+2 4%; observed M+1 48%; M+2 18% (score 0.60)
HPLC-MS: product (44.8%)



Spectrum at 378.71 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · G3 · GBR-1026 — level 3 Check spectrum

Evidence 120,000 cps · raw 280,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 29%; M+2 5%; observed M+1 21%; M+2 67% (score 0.75)
HPLC-MS: product (32.0%)



Spectrum at 383.83 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · G10 · GBR-1033 — level 3 Check spectrum

Evidence 220,000 cps · raw 360,000 cps · ions detected: [M+H]+
Isotopes [M+H]+: expected M+1 28%; M+2 4%; observed M+1 33%; M+2 24% (score 0.84)
possible carryover: previous ejection has 6.1x this signal at the product m/z
HPLC-MS: product (7.6%)



Spectrum at 401.49 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · G11 · GBR-1034 — level 3 Check spectrum

Evidence 80,000 cps · raw 120,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 28%; M+2 4%; observed M+1 0%; M+2 25% (score 0.00)
HPLC-MS: no product (0.0%)



Spectrum at 403.80 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · G12 · GBR-1035 — level 3 Check spectrum

Evidence 100,000 cps · raw 200,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 29%; M+2 36%; M+3 10%; observed M+1 0%; M+2 0%; M+3 0% (score 0.00)
HPLC-MS: no product (0.0%)



Spectrum at 406.45 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · G13 · GBR-1036 — level 3 Check spectrum

Evidence 80,000 cps · raw 60,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 28%; M+2 36%; M+3 9%; observed – (score nan)
HPLC-MS: no product (0.0%)



Spectrum at 409.25 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · G14 · GBR-1037 — level 3 Check spectrum

Evidence 160,000 cps · raw 280,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 28%; M+2 9%; observed M+1 56%; M+2 33% (score 0.37)
HPLC-MS: no product (0.0%)



Spectrum at 411.40 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · G17 · GBR-1040 — level 3 Check spectrum

Evidence 80,000 cps · raw 400,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 29%; M+2 5%; observed M+1 13%; M+2 0% (score 0.47)
HPLC-MS: product (14.6%)



Spectrum at 419.32 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · H7 · GBR-1054 — level 3 Check spectrum

Evidence 80,000 cps · raw 580,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 27%; M+2 36%; M+3 9%; observed M+1 19%; M+2 10%; M+3 34% (score 0.42)
HPLC-MS: no product (0.0%)



Spectrum at 481.23 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · I10 · GBR-1081 — level 3 Check spectrum

Evidence 440,000 cps · raw 1,000,000 cps · ions detected: [M+H]+
Isotopes [M+H]+: expected M+1 24%; M+2 3%; observed M+1 50%; M+2 0% (score 0.48)
possible carryover: previous ejection has 21.8x this signal at the product m/z
HPLC-MS: no product (0.0%)



Spectrum at 521.35 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · I17 · GBR-1088 — level 3 Check spectrum

Evidence 80,000 cps · raw 240,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 25%; M+2 3%; observed M+1 25%; M+2 0% (score 1.00)
HPLC-MS: product (22.3%)



Spectrum at 538.85 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · J2 · GBR-1097 — level 3 Check spectrum

Evidence 120,000 cps · raw 540,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 28%; M+2 4%; observed M+1 10%; M+2 14% (score 0.35)
HPLC-MS: product (100.0%)



Spectrum at 613.80 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · J3 · GBR-1098 — level 3 Check spectrum

Evidence 140,000 cps · raw 340,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 27%; M+2 4%; observed M+1 54%; M+2 0% (score 0.51)
HPLC-MS: product (37.0%)



Spectrum at 611.49 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · J12 · GBR-1107 — level 3 Check spectrum

Evidence 160,000 cps · raw 120,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 27%; M+2 36%; M+3 9%; observed M+1 0%; M+2 125%; M+3 0% (score 0.10)
HPLC-MS: no product (0.0%)



Spectrum at 589.36 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · J13 · GBR-1108 — level 3 Check spectrum

Evidence 0 cps · raw 800,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 26%; M+2 36%; M+3 9%; observed M+1 17%; M+2 13%; M+3 0% (score 0.34)
HPLC-MS: no product (0.0%)



Spectrum at 586.56 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · J21 · GBR-1116 — level 3 Check spectrum

Evidence 80,000 cps · raw 100,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 27%; M+2 36%; M+3 9%; observed M+1 740%; M+2 240%; M+3 120% (score 0.09)
HPLC-MS: no product (0.0%)



Spectrum at 566.75 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · K10 · GBR-1129 — level 3 Check spectrum

Evidence 1,480,000 cps · raw 1,840,000 cps · ions detected: [M+H]+
Isotopes [M+H]+: expected M+1 25%; M+2 3%; observed M+1 42%; M+2 17% (score 0.61)
possible carryover: previous ejection has 18.4x this signal at the product m/z
HPLC-MS: product (16.7%)



Spectrum at 641.86 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · K11 · GBR-1130 — level 3 Check spectrum

Evidence 160,000 cps · raw 260,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 26%; M+2 3%; observed M+1 73%; M+2 8% (score 0.35)
HPLC-MS: no product (0.0%)



Spectrum at 644.01 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · K14 · GBR-1133 — level 3 Check spectrum

Evidence 80,000 cps · raw 340,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 25%; M+2 8%; observed M+1 20%; M+2 0% (score 0.40)
HPLC-MS: no product (0.0%)



Spectrum at 651.77 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · K18 · GBR-1137 — level 3 Check spectrum

Evidence 120,000 cps · raw 160,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 27%; M+2 4%; observed M+1 21%; M+2 0% (score 0.79)
HPLC-MS: product (21.0%)



Spectrum at 661.67 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · L2 · GBR-1145 — level 3 Check spectrum

Evidence 180,000 cps · raw 320,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 29%; M+2 5%; observed M+1 60%; M+2 25% (score 0.49)
HPLC-MS: product (17.5%)



Spectrum at 734.14 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · L10 · GBR-1153 — level 3 Check spectrum

Evidence 120,000 cps · raw 400,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 27%; M+2 4%; observed M+1 21%; M+2 0% (score 0.75)
HPLC-MS: no product (0.0%)



Spectrum at 714.33 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · L14 · GBR-1157 — level 3 Check spectrum

Evidence 180,000 cps · raw 200,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 27%; M+2 8%; observed M+1 41%; M+2 29% (score 0.48)
HPLC-MS: no product (0.0%)



Spectrum at 704.43 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · L15 · GBR-1158 — level 3 Check spectrum

Evidence 80,000 cps · raw 280,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 33%; M+2 6%; observed M+1 29%; M+2 43% (score 0.50)
HPLC-MS: no product (0.0%)



Spectrum at 701.95 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · M10 · GBR-1177 — level 3 Check spectrum

Evidence 540,000 cps · raw 1,300,000 cps · ions detected: [M+H]+
Isotopes [M+H]+: expected M+1 25%; M+2 3%; observed M+1 41%; M+2 31% (score 0.62)
possible carryover: previous ejection has 6.8x this signal at the product m/z
HPLC-MS: no product (0.0%)



Spectrum at 761.38 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · N16 · GBR-1207 — level 3 Check spectrum

Evidence 140,000 cps · raw 420,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 24%; M+2 3%; observed M+1 76%; M+2 44% (score 0.32)
HPLC-MS: no product (0.0%)



Spectrum at 819.00 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · O7 · GBR-1222 — level 3 Check spectrum

Evidence 80,000 cps · raw 80,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 23%; M+2 35%; M+3 7%; observed M+1 0%; M+2 100%; M+3 25% (score 0.22)
HPLC-MS: no product (0.0%)



Spectrum at 874.47 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · O10 · GBR-1225 — level 3 Check spectrum

Evidence 1,000,000 cps · raw 2,480,000 cps · ions detected: [M+H]+
Isotopes [M+H]+: expected M+1 22%; M+2 3%; observed M+1 31%; M+2 6% (score 0.70)
possible carryover: previous ejection has 8.6x this signal at the product m/z
HPLC-MS: no product (0.0%)



Spectrum at 881.57 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · O14 · GBR-1229 — level 3 Check spectrum

Evidence 120,000 cps · raw 360,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 22%; M+2 7%; observed M+1 19%; M+2 38% (score 0.52)
HPLC-MS: no product (0.0%)



Spectrum at 891.80 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · O19 · GBR-1234 — level 3 Check spectrum

Evidence 80,000 cps · raw 60,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 30%; M+2 9%; observed – (score nan)
HPLC-MS: no product (0.0%)



Spectrum at 904.02 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · P12 · GBR-1251 — level 3 Check spectrum

Evidence 80,000 cps · raw 360,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 26%; M+2 36%; M+3 9%; observed M+1 11%; M+2 25%; M+3 11% (score 0.64)
HPLC-MS: no product (0.0%)



Spectrum at 949.42 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 1 · P23 · GBR-1262 — level 3 Check spectrum

Evidence 180,000 cps · raw 220,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 26%; M+2 35%; M+3 9%; observed M+1 44%; M+2 83%; M+3 20% (score 0.48)
HPLC-MS: no signal (counted as not detected)



Spectrum at 921.52 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · A2 · GBR-1265 — level 3 Check spectrum

Evidence 2,160,000 cps · raw 5,460,000 cps · ions detected: [M+H]+
Isotopes [M+H]+: expected M+1 24%; M+2 3%; observed M+1 47%; M+2 74% (score 0.50)
starting-material ion overlaps the protonated/deprotonated product
HPLC-MS: no product (0.0%)



Spectrum at 21.79 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · A7 · GBR-1270 — level 3 Check spectrum

Evidence 0 cps · raw 1,060,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 27%; M+2 4%; observed M+1 43%; M+2 24% (score 0.64)
HPLC-MS: product (10.6%)



Spectrum at 34.22 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · A10 · GBR-1273 — level 3 Check spectrum

Evidence 240,000 cps · raw 240,000 cps · ions detected: [M+Na]+
Isotopes [M+H]+: expected M+1 25%; M+2 3%; observed M+1 60%; M+2 67% (score 0.41)
starting-material ion overlaps the protonated/deprotonated product
HPLC-MS: no product (0.0%)



Spectrum at 41.96 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · A17 · GBR-1280 — level 3 Check spectrum

Evidence 160,000 cps · raw 140,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 36%; M+2 7%; observed M+1 61%; M+2 22% (score 0.46)
HPLC-MS: no product (0.0%)



Spectrum at 59.79 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · B2 · GBR-1289 — level 3 Check spectrum

Evidence 260,000 cps · raw 3,880,000 cps · ions detected: [M+Na]+
Isotopes [M+H]+: expected M+1 26%; M+2 4%; observed M+1 53%; M+2 22% (score 0.49)
starting-material ion overlaps the protonated/deprotonated product
HPLC-MS: no product (0.0%)



Spectrum at 133.98 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · B9 · GBR-1296 — level 3 Check spectrum

Evidence 0 cps · raw 780,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 25%; M+2 3%; observed M+1 46%; M+2 34% (score 0.55)
HPLC-MS: indeterminate (counted as not detected)



Spectrum at 116.52 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · C7 · GBR-1318 — level 3 Check spectrum

Evidence 440,000 cps · raw 1,920,000 cps · ions detected: [M+H]+; [M+Na]+
Isotopes [M+H]+: expected M+1 30%; M+2 5%; observed M+1 64%; M+2 44% (score 0.47)
starting-material ion overlaps the protonated/deprotonated product
HPLC-MS: product (19.1%)



Spectrum at 154.52 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · C8 · GBR-1319 — level 3 Check spectrum

Evidence 0 cps · raw 660,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 28%; M+2 4%; observed M+1 27%; M+2 13% (score 0.97)
HPLC-MS: product (24.4%)



Spectrum at 156.50 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · C12 · GBR-1323 — level 3 Check spectrum

Evidence 120,000 cps · raw 420,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 28%; M+2 4%; observed M+1 38%; M+2 20% (score 0.73)
HPLC-MS: no product (0.0%)



Spectrum at 166.58 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · D2 · GBR-1337 — level 3 Check spectrum

Evidence 320,000 cps · raw 2,320,000 cps · ions detected: [M+H]+
Isotopes [M+H]+: expected M+1 28%; M+2 4%; observed M+1 33%; M+2 47% (score 0.83)
starting-material ion overlaps the protonated/deprotonated product
HPLC-MS: no product (0.0%)



Spectrum at 254.28 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · D7 · GBR-1342 — level 3 Check spectrum

Evidence 280,000 cps · raw 360,000 cps · ions detected: [M+Na]+
Isotopes [M+H]+: expected M+1 31%; M+2 5%; observed M+1 40%; M+2 44% (score 0.45)
starting-material ion overlaps the protonated/deprotonated product
HPLC-MS: product (12.5%)



Spectrum at 241.68 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · D18 · GBR-1353 — level 3 Check spectrum

Evidence 140,000 cps · raw 400,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 33%; M+2 6%; observed M+1 99%; M+2 31% (score 0.26)
HPLC-MS: no product (0.0%)



Spectrum at 214.66 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · D23 · GBR-1358 — level 3 Check spectrum

Evidence 120,000 cps · raw 340,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 30%; M+2 10%; observed M+1 82%; M+2 71% (score 0.25)
HPLC-MS: no product (0.0%)



Spectrum at 201.52 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · E7 · GBR-1366 — level 3 Check spectrum

Evidence 0 cps · raw 1,020,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 24%; M+2 3%; observed M+1 29%; M+2 28% (score 0.83)
HPLC-MS: no product (0.0%)



Spectrum at 274.27 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · F11 · GBR-1394 — level 3 Check spectrum

Evidence 0 cps · raw 620,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 22%; M+2 3%; observed M+1 38%; M+2 7% (score 0.57)
HPLC-MS: product (16.0%)



Spectrum at 351.71 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · F18 · GBR-1401 — level 3 Check spectrum

Evidence 160,000 cps · raw 600,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 29%; M+2 4%; observed M+1 20%; M+2 13% (score 0.70)
HPLC-MS: no product (0.0%)



Spectrum at 334.06 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · H7 · GBR-1438 — level 3 Check spectrum

Evidence 480,000 cps · raw 560,000 cps · ions detected: [M+H]+; [M+Na]+
Isotopes [M+H]+: expected M+1 28%; M+2 4%; observed M+1 41%; M+2 4% (score 0.68)
starting-material ion overlaps the protonated/deprotonated product
HPLC-MS: no product (0.0%)



Spectrum at 481.73 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · H17 · GBR-1448 — level 3 Check spectrum

Evidence 180,000 cps · raw 200,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 37%; M+2 7%; observed M+1 0%; M+2 30% (score 0.12)
HPLC-MS: no product (0.0%)



Spectrum at 456.70 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · H18 · GBR-1449 — level 3 Check spectrum

Evidence 180,000 cps · raw 480,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 30%; M+2 5%; observed M+1 17%; M+2 8% (score 0.56)
HPLC-MS: no product (0.0%)



Spectrum at 454.18 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · I6 · GBR-1461 — level 3 Check spectrum

Evidence 160,000 cps · raw 240,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 25%; M+2 3%; observed M+1 17%; M+2 17% (score 0.67)
HPLC-MS: product (16.4%)



Spectrum at 511.63 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · I11 · GBR-1466 — level 3 Check spectrum

Evidence 160,000 cps · raw 540,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 21%; M+2 2%; observed M+1 7%; M+2 24% (score 0.36)
HPLC-MS: no product (0.0%)



Spectrum at 524.05 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · J4 · GBR-1483 — level 3 Check spectrum

Evidence 80,000 cps · raw 160,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 27%; M+2 4%; observed M+1 14%; M+2 0% (score 0.53)
HPLC-MS: no product (0.0%)



Spectrum at 609.42 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · J6 · GBR-1485 — level 3 Check spectrum

Evidence 160,000 cps · raw 800,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 27%; M+2 4%; observed M+1 56%; M+2 12% (score 0.48)
HPLC-MS: product (12.5%)



Spectrum at 604.19 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · J19 · GBR-1498 — level 3 Check spectrum

Evidence 240,000 cps · raw 240,000 cps · ions detected: [M+Na]+
Isotopes [M+H]+: expected M+1 29%; M+2 5%; observed M+1 36%; M+2 22% (score 0.81)
only [M+Na]+ pass the criteria
HPLC-MS: no product (0.0%)



Spectrum at 571.78 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · K7 · GBR-1510 — level 3 Check spectrum

Evidence 200,000 cps · raw 440,000 cps · ions detected: [M+H]+
Isotopes [M+H]+: expected M+1 26%; M+2 4%; observed M+1 26%; M+2 70% (score 0.97)
starting-material ion overlaps the protonated/deprotonated product
HPLC-MS: no signal (counted as not detected)



Spectrum at 633.91 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · K17 · GBR-1520 — level 3 Check spectrum

Evidence 80,000 cps · raw 240,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 35%; M+2 7%; observed M+1 56%; M+2 28% (score 0.44)
HPLC-MS: no product (0.0%)



Spectrum at 659.12 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · L2 · GBR-1529 — level 3 Check spectrum

Evidence 400,000 cps · raw 2,960,000 cps · ions detected: [M+H]+
Isotopes [M+H]+: expected M+1 25%; M+2 3%; observed M+1 22%; M+2 7% (score 0.90)
starting-material ion overlaps the protonated/deprotonated product
HPLC-MS: no product (0.0%)



Spectrum at 734.40 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · L6 · GBR-1533 — level 3 Check spectrum

Evidence 160,000 cps · raw 200,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 28%; M+2 4%; observed M+1 0%; M+2 30% (score 0.00)
HPLC-MS: product (9.6%)



Spectrum at 724.13 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · L11 · GBR-1538 — level 3 Check spectrum

Evidence 80,000 cps · raw 300,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 24%; M+2 3%; observed M+1 62%; M+2 0% (score 0.38)
HPLC-MS: product (12.5%)



Spectrum at 711.53 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · L12 · GBR-1539 — level 3 Check spectrum

Evidence 100,000 cps · raw 460,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 26%; M+2 4%; observed M+1 47%; M+2 84% (score 0.57)
HPLC-MS: no product (0.0%)



Spectrum at 709.37 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · L18 · GBR-1545 — level 3 Check spectrum

Evidence 80,000 cps · raw 420,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 30%; M+2 5%; observed M+1 5%; M+2 0% (score 0.16)
HPLC-MS: no product (0.0%)



Spectrum at 694.24 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · L24 · GBR-1551 — level 3 Check spectrum

Evidence 80,000 cps · raw 340,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 28%; M+2 9%; observed M+1 100%; M+2 64% (score 0.21)
HPLC-MS: no signal (counted as not detected)



Spectrum at 679.47 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · M5 · GBR-1556 — level 3 Check spectrum

Evidence 80,000 cps · raw 340,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 25%; M+2 4%; observed M+1 0%; M+2 33% (score 0.00)
HPLC-MS: no product (0.0%)



Spectrum at 749.34 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · M6 · GBR-1557 — level 3 Check spectrum

Evidence 120,000 cps · raw 700,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 26%; M+2 4%; observed M+1 117%; M+2 133% (score 0.22)
HPLC-MS: product (14.2%)



Spectrum at 751.69 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · M7 · GBR-1558 — level 3 Check spectrum

Evidence 220,000 cps · raw 520,000 cps · ions detected: [M+H]+
Isotopes [M+H]+: expected M+1 26%; M+2 4%; observed M+1 27%; M+2 58% (score 0.98)
starting-material ion overlaps the protonated/deprotonated product
HPLC-MS: no product (0.0%)



Spectrum at 754.21 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · M18 · GBR-1569 — level 3 Check spectrum

Evidence 80,000 cps · raw 240,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 28%; M+2 4%; observed M+1 0%; M+2 0% (score 0.00)
HPLC-MS: product (35.1%)



Spectrum at 781.58 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · N9 · GBR-1584 — level 3 Check spectrum

Evidence 160,000 cps · raw 740,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 19%; observed M+1 27% (score 0.69)
HPLC-MS: indeterminate (counted as not detected)



Spectrum at 837.05 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · N18 · GBR-1593 — level 3 Check spectrum

Evidence 180,000 cps · raw 840,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 25%; M+2 3%; observed M+1 31%; M+2 33% (score 0.80)
HPLC-MS: product (17.3%)



Spectrum at 814.36 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · O1 · GBR-1600 — level 3 Check spectrum

Evidence 120,000 cps · raw 180,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 21%; M+2 2%; observed M+1 22%; M+2 11% (score 0.92)
HPLC-MS: no signal (counted as not detected)



Spectrum at 859.02 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · O8 · GBR-1607 — level 3 Check spectrum

Evidence 180,000 cps · raw 1,100,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 21%; M+2 2%; observed M+1 20%; M+2 0% (score 0.97)
HPLC-MS: product (12.6%)



Spectrum at 876.67 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · O9 · GBR-1608 — level 3 Check spectrum

Evidence 160,000 cps · raw 880,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 19%; observed M+1 44% (score 0.43)
HPLC-MS: indeterminate (counted as not detected)



Spectrum at 879.19 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · O11 · GBR-1610 — level 3 Check spectrum

Evidence 100,000 cps · raw 380,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 18%; M+2 2%; observed M+1 24%; M+2 0% (score 0.76)
HPLC-MS: no product (0.0%)



Spectrum at 884.59 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · O24 · GBR-1623 — level 3 Check spectrum

Evidence 160,000 cps · raw 700,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 23%; M+2 8%; observed M+1 12%; M+2 6% (score 0.64)
HPLC-MS: product (58.7%)



Spectrum at 916.47 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · P4 · GBR-1627 — level 3 Check spectrum

Evidence 120,000 cps · raw 40,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 26%; M+2 3%; observed – (score nan)
HPLC-MS: no product (0.0%)



Spectrum at 969.59 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · P6 · GBR-1629 — level 3 Check spectrum

Evidence 120,000 cps · raw 2,180,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 26%; M+2 4%; observed M+1 25%; M+2 33% (score 0.96)
HPLC-MS: product (30.7%)



Spectrum at 964.19 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · P12 · GBR-1635 — level 3 Check spectrum

Evidence 120,000 cps · raw 220,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 24%; M+2 3%; observed M+1 0%; M+2 64% (score 0.00)
HPLC-MS: no product (0.0%)



Spectrum at 948.88 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · P18 · GBR-1641 — level 3 Check spectrum

Evidence 120,000 cps · raw 560,000 cps · ions detected: none
Isotopes [M+H]+: expected M+1 28%; M+2 4%; observed M+1 50%; M+2 20% (score 0.56)
HPLC-MS: product (36.7%)



Spectrum at 934.29 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions





Plate 2 · P24 · GBR-1647 — level 3 Check spectrum

Evidence 360,000 cps · raw 440,000 cps · ions detected: [M+Na]+
Isotopes [M+H]+: expected M+1 26%; M+2 8%; observed M+1 28%; M+2 18% (score 0.71)
only [M+Na]+ pass the criteria
HPLC-MS: no signal (counted as not detected)



Spectrum at 919.17 s (as analysed, 0.1 Da grid); dashed = calculated m/z, bars = theoretical isotopes, dotted = reagent ions

