Parte A | SELECT, filtros e ordenação

1-

```
SELECT ra, nome, idade, UF FROM aluno
ORDER BY nome
```

2-

```
SELECT ra, nome, idade FROM aluno
WHERE idade IS NOT NULL
ORDER BY idade DESC
LIMIT 5
```

3-

```
SELECT nome, idade, uf FROM aluno
WHERE idade BETWEEN 20 AND 24
AND uf = 'SC'
ORDER BY idade, nome
```

4-

```
SELECT ra_aluno, id_turma, nota FROM matricula
WHERE nota IS NULL
```

5-

```
SELECT nota FROM matricula
WHERE nota IS NOT NULL
ORDER BY nota DESC
LIMIT 5
```

6-

```
SELECT * FROM `pagamento`
WHERE situacao = 'PENDENTE'
ORDER BY data_vencimento ASC
```

7-

```
SELECT * FROM `turma`
WHERE turno = 'noite'
ORDER BY carga_horaria DESC
```

Parte B | Funções de texto: UPPER, LOWER, LEN e LEFT

8-

```
SELECT RA, UPPER(nome) FROM aluno
```

9-

```
SELECT RA, LOWER(nome), LOWER(email) FROM aluno
```

10-

```
SELECT UPPER(CONCAT(cidade, ' - ', nome)) AS maiusculas, LOWER(uf) AS minusculas
FROM aluno
```

11-

```
SELECT nome, LENGTH(nome) AS caracteres FROM aluno
ORDER BY caracteres DESC
LIMIT 5
```

12-

```
SELECT nome, LEFT(nome, 3) AS prim_carac FROM aluno
```

13-

```
SELECT email, LEFT(email, 6) AS prim_carac FROM aluno
```

14-

```
SELECT  LEFT(nome, 1) AS letra, COUNT(*) AS quant_alunos FROM aluno
GROUP BY LEFT(nome, 1)
ORDER BY quant_alunos DESC;
```

Parte C | Funções de data: YEAR, MONTH e DAY

15-

```
SELECT ra, nome, data_cadastro, YEAR(data_cadastro),
MONTH(data_cadastro), DAY(data_cadastro) FROM aluno
ORDER BY ra
```

16-

```
SELECT YEAR(data_cadastro) AS ano, COUNT(*) AS quantidade FROM aluno
GROUP BY ano
ORDER BY ano
```

17-

```
SELECT MONTH(data_cadastro) AS mes, COUNT(*) AS quantidade FROM aluno
GROUP BY mes
ORDER BY mês
```

18-

```
SELECT YEAR(data_cadastro) AS ano, MONTH(data_cadastro) AS mes, COUNT(*) AS
quantidade FROM aluno
GROUP BY ano, mes
ORDER BY quantidade
```

19-

```
SELECT nome, data_nascimento FROM aluno
WHERE YEAR(data_nascimento) = 3
```

20-

```
SELECT nome, YEAR(data_nascimento) AS ano_nascimento FROM aluno
ORDER BY ano_nascimento
LIMIT 5
```

21-

```
SELECT YEAR(data_nascimento) AS ano_nasci, COUNT(*) AS quant FROM aluno
GROUP BY ano nasci
```

22-

```
SELECT YEAR(data_nascimento) AS ano_nasci, COUNT(*) AS quant FROM aluno
GROUP BY ano_nasci
HAVING COUNT(*) > 2;
```

Parte D | Agregações, ROUND, CAST, GROUP BY e HAVING

23-

```
SELECT COUNT(*) FROM aluno;
```

24-

```
SELECT COUNT(ra_aluno) AS quant_alunos, nota FROM matricula
GROUP BY nota
ORDER BY nota
```

25-

```
SELECT MIN(nota) AS menor_nota, MAX(nota) AS maior_nota, ROUND(avg(nota), 2) AS
media FROM matricula
```

26-

```
SELECT CAST(ROUND(avg(idade), 2) AS decimal(4,2)) AS media_idade FROM aluno
```

27-

```
SELECT SUM(nota) AS soma_notas, COUNT(*) AS quantidade_notas FROM matricula
HAVING id_turma = 10
```

28-

```
SELECT situacao, COUNT(*) AS quantidade FROM pagamento
GROUP BY situacao;
```

29-

```
SELECT SUM(valor) AS valor_total FROM pagamento
WHERE situacao = 'PAGO'
```

30-

```
SELECT situacao, MIN(valor) AS menor, MAX(valor) AS maior FROM pagamento
GROUP BY situacao;
```

31-

```
SELECT COUNT(ra_aluno) AS quant_alunos, id_turma AS turmas FROM matricula
GROUP BY id_turma
ORDER BY id_turma
```

32-

```
SELECT ROUND(AVG(nota)) AS media_turma, id_turma AS turma FROM matricula
GROUP BY turma
ORDER BY turma
```

33-

```
SELECT ROUND(AVG(nota)) AS media_turma,id_turma AS turma, COUNT(nota) AS
quantidade FROM matricula
GROUP BY id_turma
HAVING ROUND(AVG(nota)) >= 7
ORDER BY turma;
```

34-

```
SELECT id_turma, COUNT(*) AS quantidade FROM matricula
GROUP BY id_turma
ORDER BY id_turma DESC
LIMIT 3
```

Parte E | DML: INSERT, UPDATE e DELETE (em sequência)

35-

```
INSERT INTO aluno (ra, nome, idade, email)
VALUES (2999, 'Aluno Laboratorio', 22, 'laboratorio2999@exemplo.edu.br');
```

36-

```
SELECT * FROM aluno
WHERE ra = 2999;
```

37-

```
UPDATE aluno
SET nome = UPPER(nome)
WHERE ra = 2999;
```

38-

```
UPDATE aluno
SET idade = 23,
   cidade = 'Joinville',
   uf = 'SC'
WHERE ra = 2999;
```

39-

```
INSERT INTO matricula (ra_aluno, id_turma, nota)
VALUES (2999, 80, NULL);
```

40-

```
UPDATE matricula
SET nota = 8.75
WHERE ra_aluno = 2999
AND id_turma = 80;
```

41-

```
SELECT *
FROM matricula
WHERE ra_aluno = 2999
AND id_turma = 80;
```

42-

```
DELETE FROM matricula
WHERE ra_aluno = 2999
AND id_turma = 80;
```

43-

```
DELETE FROM aluno
WHERE ra = 2999;
```

44-

```
DELETE FROM aluno
WHERE ra = 2999;

SELECT *
FROM aluno
WHERE ra = 2999;
```