



[Why GitHub?](#) [Team](#) [Enterprise](#) [Explore](#) [Marketplace](#) [Pricing](#)

Search GitHub



[Sign in](#)

[Sign up](#)

# Where the world builds software


Millions of developers and companies build, ship, and maintain their software on GitHub—the largest and most advanced development platform in the world.

Email

[Sign up for GitHub](#)



# Dentro da pasta (onde estão os arquivos) configurar o GIT clicando com o botão direito



## Configuração para ver arquivos ocultos (Windows)


Iniciar -> Opções do explorador de arquivos

**DESMARCAR:** "Ocultar as extensões dos tipos de arquivos conhecidos"

**MARCAR:** "Mostrar arquivos, pastas e unidades ocultas"

DESMARCAR: "Ocultar as

**MARCAR:** "Mostrar arquitecturas"



```
acene@DESKTOP-UGTA5LP MINGW64 /c/temp
$ git config --global user.name "Nelio Alves"
```

```
acene@DESKTOP-UGTA5LP MINGW64 /c/temp
$ git config --global user.email "acenelio@gmail.com"
```

```
acene@DESKTOP-UGTA5LP MINGW64 /c/temp
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=C:/Program Files/Git/mingw64/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
init.defaultbranch=main
user.name=Nelio Alves
user.email=acenelio@gmail.com
```

```
acene@DESKTOP-UGTA5LP MINGW64 /c/temp
$
```



# Passo a passo: salvar primeira versão de um projeto no Github

Considerando que agora seu ambiente já está todo configurado (usuário e email, visualização de arquivos ocultos, chave SSH), sempre que você criar um novo projeto, os passos básicos serão estes (troque os parâmetros em azul pelos seus dados):

```
git init  
git add .  
git commit -m "Mensagem explicativa"  
git branch -M main  
git remote add origin git@github.com:seuusuario/seurepositorio.git  
git push -u origin main
```

acene@DESKTOP-UGTA5LP MINGW64 /c/temp/site-de-vendas

\$ ls

index.html vendas.html

acene@DESKTOP-UGTA5LP MINGW64 /c/temp/site-de-vendas

\$ git init

Initialized empty Git repository in C:/temp/site-de-vendas/.git/

acene@DESKTOP-UGTA5LP MINGW64 /c/temp/site-de-vendas (main)

\$ git add .

acene@DESKTOP-UGTA5LP MINGW64 /c/temp/site-de-vendas (main)

\$ git status

On branch main

No commits yet

Changes to be committed:

(use "git rm --cached <file>..." to unstage)

new file: index.html

new file: vendas.html

acene@DESKTOP-UGTA5LP MINGW64 /c/temp/site-de-vendas (main)

\$

MINGW64:/c/temp/site-de-vendas

```
$ git add .
```

acene@DESKTOP-UGTA5LP MINGW64 /c/temp/site-de-vendas (main)

```
$ git status
```

On branch main

No commits yet

Changes to be committed:

(use "git rm --cached <file>..." to unstage)

new file: index.html

new file: vendas.html

acene@DESKTOP-UGTA5LP MINGW64 /c/temp/site-de-vendas (main)

```
$ git commit -m "Criadas páginas index e vendas"
```

[main (root-commit) 62febd3] Criadas páginas index e vendas

2 files changed, 26 insertions(+)

create mode 100644 index.html

create mode 100644 vendas.html

acene@DESKTOP-UGTA5LP MINGW64 /c/temp/site-de-vendas (main)

```
$ git status
```

On branch main

nothing to commit, working tree clean

acene@DESKTOP-UGTA5LP MINGW64 /c/temp/site-de-vendas (main)

```
$ git branch -M main
```

acene@DESKTOP-UGTA5LP MINGW64 /c/temp/site-de-vendas (main)

```
$
```

Create a New Repository

Download Visual Studio Code

Document


← → ↻ https://github.com/new

# Create a new repository

A repository contains all project files, including the revision history. Already have a project repository else [Import a repository.](#)

Owner \*

Repository name \*


 acenelio ▾

/


aulagithub ✓

Great repository names & **aulagithub** is available. [More](#). Need inspiration? How about **literate-engine**?

Description (optional)

☒  **Public**

Anyone on the internet can see this repository. You choose who can commit.

☐  **Private**

You choose who can see and commit to this repository.

**Initialize this repository with:**

Skip this step if you're importing an existing repository.

☐ **Add a README file**

This is where you can write a long description for your project. [Learn more](#)





Search or jump to...



Pull requests

Issues

Marketplace

Explore



acenelio / aulagithub

Public



Pin



Unwatch

1



<> Code



Issues



Pull requests



Actions



Projects



Wiki



Security



Insights



Settings

## Quick setup — if you've done this kind of thing before



Set up in Desktop

or

HTTPS

SSH

git@github.com:acenelio/aulagithub.git

Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

## ...or create a new repository on the command line

```
echo "# aulagithub" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin git@github.com:acenelio/aulagithub.git
git push -u origin main
```

acene@DESKTOP-UGTA5LP MINGW64 /c/temp/site-de-vendas (main)

```
$ git remote add origin git@github.com:acenelio/aulagithub.git
```

acene@DESKTOP-UGTA5LP MINGW64 /c/temp/site-de-vendas (main)

```
$ git push -u origin main
```

The authenticity of host 'github.com (20.201.28.151)' can't be established.  
ED25519 key fingerprint is SHA256:+DiY3wvV6TuJJhbpZisF/zLDA0zPMSvHdkr4UvCOqU.  
This key is not known by any other names

Are you sure you want to continue connecting (yes/no/[fingerprint])? yes

Warning: Permanently added 'github.com' (ED25519) to the list of known hosts.

Enumerating objects: 4, done.

Counting objects: 100% (4/4), done.

Delta compression using up to 8 threads

Compressing objects: 100% (4/4), done.

Writing objects: 100% (4/4), 595 bytes | 595.00 KiB/s, done.

Total 4 (delta 1), reused 0 (delta 0), pack-reused 0 I

remote: Resolving deltas: 100% (1/1), done.

To github.com:acenelio/aulagithub.git

\* [new branch] main -> main

Branch 'main' set up to track remote branch 'main' from 'origin'.

acene@DESKTOP-UGTA5LP MINGW64 /c/temp/site-de-vendas (main)

```
$
```

## Passo a passo: salvar uma nova versão

```
git status  
git add .  
git commit -m "Mensagem explicativa"  
git push
```

acene@DESKTOP-UGTA5LP MINGW64 /c/temp/site-de-vendas (main)

\$ git status

On branch main

Your branch is up to date with 'origin/main'.

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: vendas.html

no changes added to commit (use "git add" and/or "git commit -a")

acene@DESKTOP-UGTA5LP MINGW64 /c/temp/site-de-vendas (main)

\$ git add .

acene@DESKTOP-UGTA5LP MINGW64 /c/temp/site-de-vendas (main)

\$ git status

On branch main

Your branch is up to date with 'origin/main'.

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

modified: vendas.html

acene@DESKTOP-UGTA5LP MINGW64 /c/temp/site-de-vendas (main)

\$



```
acene@DESKTOP-UGTA5LP MINGW64 /c/temp/site-de-vendas (main)
```

```
$ git commit -m "Acrescentado valor das vendas"
```

```
[main 6a9e35d] Acrescentado valor das vendas  
1 file changed, 1 insertion(+)
```

```
acene@DESKTOP-UGTA5LP MINGW64 /c/temp/site-de-vendas (main)
```

```
$ git push
```

```
Enumerating objects: 5, done.
```

```
Counting objects: 100% (5/5), done.
```

```
Delta compression using up to 8 threads
```

```
Compressing objects: 100% (3/3), done.
```

```
Writing objects: 100% (3/3), 345 bytes | 345.00 KiB/s, done.
```

```
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0
```

```
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
```

```
To github.com:acenelio/aulagithub.git
```

```
62febd3..6a9e35d main -> main
```



Product ▾ Solutions ▾ Open Source ▾ Pricing

Search



Rogercodeeti / projetoagenda Public

Notifications

Code Issues Pull requests Actions Projects Security Insights

master 1 branch 0 tags

Go to file

Code ▾

About



Rogercodeeti Alterado os itens do menu



ProjAgenda.java

Alterado os itens do menu

Local

Codespaces

Clone



HTTPS GitHub CLI

<https://github.com/Rogercodeeti/projetoagenda>



Use Git or checkout with SVN using the web URL.

Open with GitHub Desktop

Download ZIP

No description, website, or topics.

0 stars

1 watching


0 forks

Report repository

Releases

No releases published

Packages



```
Roger@Rogercode MINGW64 /c/Java/Aulas/Projetos/Projeto1/Agenda
$ git clone https://github.com/Rogercodeeti/projetoagenda.git
Cloning into 'projetoagenda'...
remote: Enumerating objects: 9, done.
remote: Counting objects: 100% (9/9), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 9 (delta 2), reused 9 (delta 2), pack-reused 0
Receiving objects: 100% (9/9), done.
Resolving deltas: 100% (2/2), done.
```

```
Roger@Rogercode MINGW64 /c/Java/Aulas/Projetos/Projeto1/Agenda
$ |
```



Roger@Rogercode MINGW64 /c/Java/Aulas/Projetos/Projeto1/Agenda/projetoagenda (master)

\$ git add --all

Roger@Rogercode MINGW64 /c/Java/Aulas/Projetos/Projeto1/Agenda/projetoagenda (master)

\$ git commit -m "Incluído uma linha de código"

[master 2f0e15a] Incluído uma linha de código

1 file changed, 1 insertion(+)

Roger@Rogercode MINGW64 /c/Java/Aulas/Projetos/Projeto1/Agenda/projetoagenda (master)

\$ git push origin master

Enumerating objects: 5, done.

Counting objects: 100% (5/5), done.

Delta compression using up to 8 threads

Compressing objects: 100% (2/2), done.

Writing objects: 100% (3/3), 326 bytes | 326.00 KiB/s, done.

Total 3 (delta 1), reused 0 (delta 0), pack-reused 0

remote: Resolving deltas: 100% (1/1), completed with 1 local object.

To https://github.com/Rogercodeeti/projetoagenda.git

9770cd8..2f0e15a master -> master

[Product](#)[Solutions](#)[Open Source](#)[Pricing](#)[Rogercodeeti](#) / [projetoagenda](#) Public[Code](#) [Issues](#) [Pull requests](#) [Actions](#) [Projects](#) [Security](#) [Insights](#)[master](#)[1 branch](#)[0 tags](#)[Go to file](#)[Code](#)

Rogercodeeti incluiu uma linha de código

2f8e15a · now

[4 commits](#)

ProjAgenda.java

Incluiu uma linha de código

now

## Commits

ROG

[master](#)[Commits on Jun 8, 2023](#)[Incluiu uma linha de código](#)

Rogercodeeti committed now



2f8e15a

[Alterado os itens do menu](#)

Rogercodeeti committed 43 minutes ago



9729c48

[Commits on Jun 4, 2023](#)[Acrescentado um novo item no menu](#)

Rogercodeeti committed 5 days ago



51f8b10

[Commits on Jun 3, 2023](#)[Projeto agenda - Primeira versão](#)

Rogercodeeti committed 5 days ago



89789b1

[Newer](#)[Older](#)

# Commit

Incluído uma linha de código

12 master

 Rogercodeeti committed now

Showing 1 changed file with 1 addition and 0 deletions.

1 ProjAgenda.java

```
1  @ 16,6 16,7 @@ public static void main(String[] args) {  
16 16      String sNome = "", sDados = "";  
17 17      long iNrTelefone = 0;  
18 18      boolean bAchou = false;  
19 19      System.out.println("Nome do usuário");  
20 20  
21 21      while (iOpcao != 0) {  
22 22          System.out.println("1-Cadastrar");
```

0 comments on commit 2f0e15a

Please [sign in](#) to comment.