


Router add ip dhcp

Wednesday, February 9, 2022 7:08 PM



Ligando no router

```
Router#
Router#
Router#conf t
Enter configuration commands, one
Router(config)#
```


Entrando na config global

```
Router#
Router#
Router#conf t
Enter configuration commands, one
Router(config)#
```

Entrando na interface

```
Switch(config)#inter
Switch(config)#interface e0/1
```

```
Router(config-if)#
Router(config-if)#ip add dhcp
%Error opening tftp://255.255.255.255/router-config (Timed out)
Router(config-if)#no shutdo
Router(config-if)#no shutdown in
Router(config-if)#no shutdown interface
*Feb 9 22:26:19.469: DHCP: No configured hostname - not including Hostname opti
on
Router(config-if)#no shutdown
Router(config-if)#inter
*Feb 9 22:26:23.873: %DHCP-6-ADDRESS_ASSIGN: Interface Ethernet0/0 assigned DHC
P address 192.168.0.101, mask 255.255.255.0, hostname
Router(config-if)#
```



```
Router(config-if)#do wr
Building configuration...
[OK]
Router(config-if)#
```

Salvar config (wr = write)

```
Router(config-if)#do wr
Building configuration...
[OK]
Router(config-if)#
```

```
changed state to down
gusta(config-if)#no shut
gusta(config-if)#no shutdown
gusta(config-if)#int loo 1
*Feb 10 01:05:00.081: %LINK-3-UPDOWN: Interface Loopback1, changed state to up
*Feb 10 01:05:01.086: %LINEPROTO-5-UPDOWN: Line protocol on Interface Loopback1,
changed state to up
gusta(config-if)#int loo 2
gusta(config-if)#no shutdown
gusta(config-if)#shut
*Feb 10 01:05:03.719: %LINEPROTO-5-UPDOWN: Line protocol on Interface Loopback2,
changed state to up
gusta(config-if)#shut
gusta(config-if)#no shutdown
gusta(config-if)#int loo 3
gusta(config-if)#no shutdown
gusta(config-if)#int loo 3
*Feb 10 01:05:12.452: %LINEPROTO-5-UPDOWN: Line protocol on Interface Loopback3,
changed state to up
```

Gerando log, basicamente eu criava interfaces loopback e dava no shutdown e depois rodava o shut e no shutdown novamente

```
on          Enable logging to all enabled destinations
origin-id  Add origin ID to syslog messages
persistent Set persistent logging parameters
policy-firewall Firewall configuration
queue-limit Set logger message queue size

gusta(config)#logging on
gusta(config)#logging on
gusta(config)#int loo 1
```

Enable logging