


Nama : Siti Gusti Andayani
NIM : 242410101077
Kelas : A

Aktivitas Mandiri 3

1. Buat layout master: resources/views/layouts/app.blade.php dengan navbar, main content area (@yield('content')), dan footer

A screenshot of a code editor window. The title bar shows 'Welcome' and 'app.blade.php'. The breadcrumb navigation is 'resources > views > layouts > app.blade.php > ...'. The code is as follows:


```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Website Tugas</title>
5 </head>
6 <body>
7
8   <div>
9     @yield('content')
10  </div>
11
12  <footer>
13    <p>© 2026 - Website Tugas</p>
14  </footer>
15
16 </body>
17 </html>
18
```

2. Buat partial: resources/views/partials/navbar.blade.php dan sisipkan dengan @include di layout

```
Welcome  app.blade.php  navbar.blade.php X
resources > views > partials > navbar.blade.php > ...
1  <nav>
2      <a href="/">Dashboard</a> |
3      <a href="/tentang">Tentang</a> |
4      <a href="/kontak">Kontak</a>
5  </nav>
6  <hr>
7
```


```
Welcome  app.blade.php X  navbar.blade.php
resources > views > layouts > app.blade.php > html
1  <!DOCTYPE html>
2  <html>
3  <head>
4      <title>Website Tugas</title>
5  </head>
6  <body>
7
8      @include('partials.navbar')
9
10     <div>
11         @yield('content')
12     </div>
13
14     <footer>
15         <p>© 2026 - Website Tugas</p>
16     </footer>
17
18 </body>
19 </html>
20
```

3. Buat halaman dashboard: resources/views/dashboard.blade.php yang @extends('layouts.app')



```
resources > views > dashboard.blade.php > ...
1 @extends('layouts.app')
2
3 @section('content')
4     <h1>Dashboard</h1>
5     <p>Selamat datang di dashboard</p>
6 @endsection
7
```

4. Tampilkan flash session message di layout: @if(session('success')) ... @endif



```
resources > views > layouts > app.blade.php > ...
1 <!DOCTYPE html>
2 <html>
3 <head>
4     <title>Website Tugas</title>
5 </head>
6 <body>
7
8     @include('partials.navbar')
9
10    @if(session('success'))
11        <div style="color: green;">
12            {{ session('success') }}
13        </div>
14    @endif
15
16    <div>
17        @yield('content')
18    </div>
19
20    <footer>
21        <p>© 2026 - Website Tugas</p>
22    </footer>
23
24 </body>
25 </html>
26
```

[Dashboard](#) | [Tentang](#) | [Kontak](#)

Berhasil masuk dashboard!

Dashboard

Selamat datang di dashboard


© 2026 - Website Tugas

5. Buat komponen: resources/views/components/stat-card.blade.php (kartu statistik dengan props: judul, nilai, ikon, warna)

```
resources > views > components > stat-card.blade.php > ...
1 <div style="border:1px solid black; padding:10px; margin:10px;">
2     <h3>{{ $judul }}</h3>
3     <p>{{ $ikon }} {{ $nilai }}</p>
4 </div>
5
```

6. Gunakan @forelse di dashboard untuk loop array data dummy (jumlah mahasiswa, mata kuliah, dll)

```
resources > views > dashboard.blade.php > ...
1 @extends('layouts.app')
2
3 @section('content')
4     <h1>Dashboard</h1>
5
6     @php
7         $data = [
8             ['judul' => 'Mahasiswa', 'nilai' => 120],
9             ['judul' => 'Mata Kuliah', 'nilai' => 45],
10            ['judul' => 'Dosen', 'nilai' => 20],
11        ];
12    @endphp
13
14    @forelse($data as $item)
15        <x-stat-card
16            judul="{{ $item['judul'] }}"
17            nilai="{{ $item['nilai'] }}"
18            ikon="👤"
19            warna="blue"
20        />
21    @empty
22        <p>Tidak ada data</p>
23    @endforelse
24
25 @endsection
26
```



7. Buat halaman 'Tentang' dan 'Kontak' yang @extends layout yang sama

```
resources > views >  tentang.blade.php > ...  
1  @extends('layouts.app')  
2  
3  @section('content')  
4      <h1>Tentang</h1>  
5      <p>Ini halaman tentang</p>  
6  @endsection  
7
```

```
resources > views >  kontak.blade.php > ...  
1  @extends('layouts.app')  
2  
3  @section('content')  
4      <h1>Kontak</h1>  
5      <p>Email: admin@email.com</p>  
6  @endsection  
7
```

[Dashboard](#) | [Tentang](#) | [Kontak](#)

Tentang

Ini halaman tentang

© 2026 - Website Tugas

[Dashboard](#) | [Tentang](#) | [Kontak](#)

Kontak

Email: admin@email.com

© 2026 - Website Tugas


- Gunakan `@push('scripts')` dan `@stack('scripts')` untuk menambahkan JavaScript spesifik per halaman

resources > views > layouts > app.blade.php > html

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 |   <title>Website Tugas</title>
5 </head>
6 <body>
7
8   @include('partials.navbar')
9
10  @if(session('success'))
11  |   <div style="color: green;">
12  |   |   {{ session('success') }}
13  |   </div>
14  @endif
15
16  <div>
17  |   @yield('content')
18  </div>
19
20  <footer>
21  |   <p>© 2026 - Website Tugas</p>
22  </footer>
23
24  @stack('scripts')
25
26 </body>
```




```
resources > views > dashboard.blade.php > ...
1  @extends('layouts.app')
2
3  @section('content')
4      <h1>Dashboard</h1>
5
6      @php
7          $data = [
8              ['judul' => 'Mahasiswa', 'nilai' => 120],
9              ['judul' => 'Mata Kuliah', 'nilai' => 45],
10             ['judul' => 'Dosen', 'nilai' => 20],
11         ];
12     @endphp
13
14     @forelse($data as $item)
15         <x-stat-card
16             judul="{{ $item['judul'] }}"
17             nilai="{{ $item['nilai'] }}"
18             ikon="🎓"
19             warna="blue"
20         />
21     @empty
22         <p>Tidak ada data</p>
23     @endforelse
24
25 @endsection
26
27 @push('scripts')
28 <script>
29     console.log("Dashboard script aktif");
30 </script>
31 @endpush
32
```



AKTIVITAS MANDIRI 4

1. Buat Model dan Migration sekaligus: `php artisan make:model Mahasiswa -m`


```
php artisan make:model Mahasiswa -m
```



2. Edit file migration: tambahkan kolom nim, nama, email, jurusan (enum), ipk (decimal), semester, aktif (boolean), foto (nullable)

```
database > migrations > 2026_05_05_162544_create_mahasiswas_table.php > class

7  return new class extends Migration
8  {
9      /**
10       * Run the migrations.
11       */
12     public function up(): void
13     {
14         Schema::create('mahasiswas', function (Blueprint $table) {
15             $table->id();
16             $table->string('nim');
17             $table->string('nama');
18             $table->string('email');
19             $table->enum('jurusan', ['SI', 'TI', 'IF']);
20             $table->decimal('ipk', 3, 2);
21             $table->integer('semester');
22             $table->boolean('aktif');
23             $table->string('foto')->nullable();
24             $table->timestamps();
25         });
26     }
}
```

3. Jalankan migration: `php artisan migrate` — cek di phpMyAdmin bahwa tabel sudah terbuat

```
PS C:\Users\Bayu\tugas_pweb> php artisan migrate

INFO: Preparing database.

Creating migration table ..... 23.18ms DONE

INFO: Running migrations.

0001_01_01_000000_create_users_table ..... 90.66ms DONE
0001_01_01_000001_create_cache_table ..... 71.80ms DONE
0001_01_01_000002_create_jobs_table ..... 101.74ms DONE
2026_05_05_162544_create_mahasiswas_table ..... 21.34ms DONE
```

	Table	Action
☐	cache	 
☐	cache_locks	 
☐	failed_jobs	 
☐	jobs	 
☐	job_batches	 
☐	mahasiswas	 
☐	migrations	 
☐	password_reset_tokens	 
☐	sessions	 
☐	users	 

4. Edit Model Mahasiswa: isi \$fillable, tambahkan \$casts, dan buat local scope `scopeAktif()`

```

app > Models > Mahasiswa.php > ...
1  <?php
2
3  namespace App\Models;
4
5  use Illuminate\Database\Eloquent\Model;
6
7  class Mahasiswa extends Model
8  {
9      protected $fillable = [
10         'nim',
11         'nama',
12         'email',
13         'jurusan',
14         'ipk',
15         'semester',
16         'aktif',
17         'foto'
18     ];
19
20     protected $casts = [
21         'ipk' => 'decimal:2',
22         'aktif' => 'boolean'
23     ];
24
25     // Local Scope
26     public function scopeAktif($query)
27     {
28         return $query->where('aktif', true);
29     }
30 }
31

```

5. Buat seeder: `php artisan make:seeder MahasiswaSeeder` — isi dengan 5-10 data dummy

```

PS C:\Users\Bayu\tugas_pweb> php artisan make:seeder MahasiswaSeeder

INFO Seeder [C:\Users\Bayu\tugas_pweb\database\seeders\MahasiswaSeeder.php] created successfully.

PS C:\Users\Bayu\tugas_pweb>

```

database > seeders >  MahasiswaSeeder.php > PHP Intelephense

```
1  <?php
2
3  namespace Database\Seeders;
4
5  use Illuminate\Database\Seeder;
6  use App\Models\Mahasiswa;
7
8  class MahasiswaSeeder extends Seeder
9  {
10     public function run(): void
11     {
12         Mahasiswa::create([
13             'nim' => '001',
14             'nama' => 'Budi',
15             'email' => 'budi@mail.com',
16             'jurusan' => 'SI',
17             'ipk' => 3.5,
18             'semester' => 6,
19             'aktif' => true,
20             'foto' => null
21         ]);
22
23         Mahasiswa::create([
24             'nim' => '002',
25             'nama' => 'Siti',
26             'email' => 'siti@mail.com',
27             'jurusan' => 'TI',
28             'ipk' => 3.8,
29             'semester' => 4,
30             'aktif' => true,
31             'foto' => null
32         ]);
33
```

```

34     Mahasiswa::create([
35         'nim' => '003',
36         'nama' => 'Andi',
37         'email' => 'andi@mail.com',
38         'jurusan' => 'IF',
39         'ipk' => 3.2,
40         'semester' => 8,
41         'aktif' => false,
42         'foto' => null
43     ]);
44
45     Mahasiswa::create([
46         'nim' => '004',
47         'nama' => 'Anton',
48         'email' => 'anton@mail.com',
49         'jurusan' => 'SI',
50         'ipk' => 3.7,
51         'semester' => 2,
52         'aktif' => false,
53         'foto' => null
54     ]);
55
56     Mahasiswa::create([
57         'nim' => '005',
58         'nama' => 'Bagas',
59         'email' => 'badas@mail.com',
60         'jurusan' => 'TI',
61         'ipk' => 3.3,
62         'semester' => 4,
63         'aktif' => false,
64         'foto' => null
65     ]);
66 }

```

6. Daftarkan seeder di DatabaseSeeder.php dan jalankan: php artisan db:seed


```
database > seeders > DatabaseSeeder.php > ...
1  <?php
2
3  namespace Database\Seeders;
4
5  use App\Models\User;
6  use Illuminate\Database\Console\Seeds\WithoutModelEvents;
7  use Illuminate\Database\Seeder;
8
9  class DatabaseSeeder extends Seeder
10 {
11     use WithoutModelEvents;
12
13     /**
14      * Seed the application's database.
15      */
16     public function run(): void
17     {
18         $this->call(MahasiswaSeeder::class);
19     }
20 }
21
```

Manajemen Data Mahasiswa														
			id	nim	nama	email	jurusan	ipk	semester	aktif	foto	created_at	updated_at	
☐	 Edit	 Copy	 Delete	1	001	Budi	budi@mail.com	SI	3.50	6	1	 NULL	2026-05-05 16:48:39	2026-05-05 16:48:39
☐	 Edit	 Copy	 Delete	2	002	Siti	siti@mail.com	TI	3.80	4	1	 NULL	2026-05-05 16:48:39	2026-05-05 16:48:39
☐	 Edit	 Copy	 Delete	3	003	Andi	andi@mail.com	IF	3.20	8	0	 NULL	2026-05-05 16:48:39	2026-05-05 16:48:39
☐	 Edit	 Copy	 Delete	4	004	Anton	anton@mail.com	SI	3.70	2	0	 NULL	2026-05-05 16:48:39	2026-05-05 16:48:39
☐	 Edit	 Copy	 Delete	5	005	Bagas	badas@mail.com	TI	3.30	4	0	 NULL	2026-05-05 16:48:39	2026-05-05 16:48:39

7. Buka php artisan tinker dan coba query: Mahasiswa::all(), Mahasiswa::where('jurusan','SI')->get(), Mahasiswa::avg('ipk')

```
PS C:\Users\Bayu\tugas_pweb> php artisan tinker
Psy Shell v0.12.22 (PHP 8.2.29 - cli) by Justin Hileman
New PHP manual is available (latest: 3.0.0). Update with `doc --update-manual`
```

```
> App\Models\Mahasiswa::all();
```

```
= Illuminate\Database\Eloquent\Collection {#853}
```

```
all: [
```

```
App\Models\Mahasiswa {#8071}
```

```
id: 1,
nim: "001",
nama: "Budi",
email: "budi@mail.com",
jurusan: "SI",
ipk: "3.50",
semester: 6,
aktif: 1,
foto: null,
created_at: "2026-05-05 16:48:39",
updated_at: "2026-05-05 16:48:39",
```

```
},
```

```
App\Models\Mahasiswa {#8072}
```

```
id: 2,
nim: "002",
nama: "Siti",
email: "siti@mail.com",
jurusan: "TI",
ipk: "3.80",
semester: 4,
aktif: 1,
foto: null,
created_at: "2026-05-05 16:48:39",
updated_at: "2026-05-05 16:48:39",
```

```
},
```



```
App\Models\Mahasiswa {#8073
  id: 3,
  nim: "003",
  nama: "Andi",
  email: "andi@mail.com",
  jurusan: "IF",
  ipk: "3.20",
  semester: 8,
  aktif: 0,
  foto: null,
  created_at: "2026-05-05 16:48:39",
  updated_at: "2026-05-05 16:48:39",
},
App\Models\Mahasiswa {#8074
  id: 4,
  nim: "004",
  nama: "Anton",
  email: "anton@mail.com",
  jurusan: "SI",
  ipk: "3.70",
  semester: 2,
  aktif: 0,
  foto: null,
  created_at: "2026-05-05 16:48:39",
  updated_at: "2026-05-05 16:48:39",
},
App\Models\Mahasiswa {#8075
  id: 5,
  nim: "005",
  nama: "Bagas",
  email: "badas@mail.com",
  jurusan: "TI",
  ipk: "3.30",
  semester: 4,
  aktif: 0,
  foto: null,
  created_at: "2026-05-05 16:48:39",
  updated_at: "2026-05-05 16:48:39",
},
],
}
```

```

> App\Models\Mahasiswa::where('jurusan','SI')->get();

= Illuminate\Database\Eloquent\Collection {#7375
  all: [
    App\Models\Mahasiswa {#7377
      id: 1,
      nim: "001",
      nama: "Budi",
      email: "budi@mail.com",
      jurusan: "SI",
      ipk: "3.50",
      semester: 6,
      aktif: 1,
      foto: null,
      created_at: "2026-05-05 16:48:39",
      updated_at: "2026-05-05 16:48:39",
    },
    App\Models\Mahasiswa {#7379
      id: 4,
      nim: "004",
      nama: "Anton",
      email: "anton@mail.com",
      jurusan: "SI",
      ipk: "3.70",
      semester: 2,
      aktif: 0,
      foto: null,
      created_at: "2026-05-05 16:48:39",
      updated_at: "2026-05-05 16:48:39",
    },
  ],
}

> App\Models\Mahasiswa::avg('ipk');

= "3.500000"

```

8. Coba buat relasi: buat tabel mata_kuliahs dan tabel pivot krs, lalu definisikan relasi belongsToMany di Model

```
PS C:\Users\Bayu\tugas_pweb> php artisan make:model Matakuliah -m
```

```
INFO Model [C:\Users\Bayu\tugas_pweb\app\Models\Matakuliah.php] created successfully.
```

```
INFO Migration [C:\Users\Bayu\tugas_pweb\database\migrations\2026_05_05_170229_create_mata_kuliahs_table.php] created successfully.
```

```
public function up(): void
{
    Schema::create('mata_kuliahs', function (Blueprint $table) {
        $table->id();
        $table->string('nama');
        $table->integer('sks');
        $table->timestamps();
    });
}
```

```
PS C:\Users\Bayu\tugas_pweb> php artisan make:migration create_krs_table
```

```
INFO Migration [C:\Users\Bayu\tugas_pweb\database\migrations\2026_05_05_170457_create_krs_table.php] created successfully.
```

```
public function up(): void
{
    Schema::create('krs', function (Blueprint $table) {
        $table->id();
        $table->foreignId('mahasiswa_id')->constrained()->cascadeOnDelete();
        $table->foreignId('mata_kuliah_id')->constrained()->cascadeOnDelete();
        $table->timestamps();
    });
}
```

```
PS C:\Users\Bayu\tugas_pweb> php artisan migrate
```

```
INFO Running migrations.
```

```
2026_05_05_170229_create_mata_kuliahs_table ..... 418.38ms DONE
2026_05_05_170457_create_krs_table ..... 1s DONE
```

```
public function mataKuliahs()
{
    return $this->belongsToMany(Matakuliah::class, 'krs');
}
```

```
class Matakuliah extends Model
{
    public function mahasiswas()
    {
        return $this->belongsToMany(Mahasiswa::class, 'krs');
    }
}
```

	Table 	Action
☐	cache	 
☐	cache_locks	 
☐	failed_jobs	 
☐	jobs	 
☐	job_batches	 
☐	krs	 
☐	mahasiswa	 
☐	mata_kuliah	 
☐	migrations	 
☐	password_reset_tokens	 
☐	sessions	 
☐	users	 