

Please respect the following rules:

- Remain polite, courteous, respectful and constructive throughout the evaluation process. The well-being of the community depends on it.
- Identify with the person (or the group) evaluated the eventual dysfunctions of the work. Take the time to discuss and debate the problems you have identified.
- You must consider that there might be some difference in how your peers might have understood the project's instructions and the scope of its functionalities. Always keep an open mind and grade him/her as honestly as possible. The pedagogy is valid only and only if peer-evaluation is conducted seriously.

Guidelines

You must compile with clang++, with -Wall -Wextra -Werror

As a reminder, this project is in C++98 and C++20 members functions or containers are NOT expected.

Any of these means you must not grade the exercise in question:

- A function is implemented in a header (except in a template)
- A Makefile compiles without flags and/or with something other than clang++

Any of these means that you must flag the project as Forbidden Function:

- Use of a "C" function (*alloc, *printf, free)
- Use of a function not allowed in the subject
- Use of "using namespace" or "friend"
- Use of an external library, or C++20 features

Attachments

- ☐ subject.pdf (<https://cdn.intra.42.fr/pdf/pdf/25937/en.subject.pdf>)

ex00

As usual, there has to be a main function that contains enough tests to prove the program works as required. If there isn't, do not grade this exercise. If any non-interface class is not in Coplien's form, do not grade this exercise.

Thorough testing

There are tests in the main with derived classes other than Peon, and everything works well with them.

☐ Yes

☐ No

I want sheeps !

The Victim can getPolymorphed() const, with the correct output. The Sorcerer can polymorph(Victim const &) const.

☐ Yes

☐ No

Destructor chaining

The destructors in Victim and derived are virtual.

☐ Yes

☐ No

Easy subclass

There is a Peon class that inherits publicly from Victim. It has the correct outputs.

☐ Yes

☐ No

Victim

There is a Victim class. It has a name. The required outputs on construction and destruction are present.
The required overload of operator << to ostream is present and works correctly

☐ Yes☐ No

Sorcerer

There is a Sorcerer class. It has a name and a title. It has a constructor with name and title.
It cannot be instantiated without parameters.
That means either the default constructor must be private, or it must be declared but non-implemented, to comply with Coplien's form.
The required outputs on construction and destruction are present.
The required overload of operator << to ostream is present and works correctly.

☐ Yes☐ No

ex01

As usual, there has to be a main function that contains enough tests to prove the program works as required. If there isn't, do not grade this exercise. If any non-interface class is not in Coplien's form, do not grade this exercise.

Concrete enemies

There are concrete SuperMutant and RadScorpion enemies (That inherit from Enemy, obviously)
They have the required attributes.
The SuperMutant has the required overload of takeDamage() and it works as required.

☐ Yes☐ No

Character

There is a Character class. It has the attributes required by the subject: name, AP, pointer to AWeapon.
It has the required AP behavior: 40 on start, it loses X AP on attack depending on the weapon, and recovers 10 AP with recoverAP up to a maximum of 40. attack(...) fails if there aren't enough AP.

☐ Yes☐ No

Concrete weapons

There are concrete PlasmaRifle and PowerFirst weapons. (So, they inherit from AWeapon)
They have the attributes and attack() outputs specified by the subject.

☐ Yes☐ No

Utility and output

The equip() and attack() functions work as required. The << overload works as required.

☐ Yes☐ No

Destructor chaining 2

The destructors in AWeapon and its derived classes are virtual.

☐ Yes☐ No

Thorough testing

There are tests in the main with more derived weapons and more derived enemies.

☐ Yes☐ No

Destructor chaining AGAIN

The destructors in Enemy and its derived classes are virtual.

☐ Yes☐ No

Enemy

There is an Enemy class. It has the attributes required by the subject: type, number of HP
Its member functions are implemented coherently.
It has the required check in takeDamage to prevent going under 0 HP.

☐ Yes☐ No

Weapon

There is an AWeapon class. It is abstract (attack() must be a pure virtual function).
It has the attributes required by the subject : name, damage, AP cost.
Its member functions are implemented coherently

☐ Yes☐ No

ex02

As usual, there has to be a main function that contains enough tests to prove the program works as required. If there isn't, do not grade this exercise. If any non-interface class is not in Coplien's form, do not grade this exercise.

Interfaces

The ISquad and ISpaceMarine interfaces are present and are exactly like the ones in the subject.

☐ Yes☐ No

Concrete squad

The Squad class is present and inherits from ISquad Its member functions work as required.
Its destructor destroys the contained units.

☐ Yes☐ No

Concrete units

The TacticalMarine and AssaultTerminator classes are present and inherit from ISpaceMarine.
Their member functions work as required.

☐ Yes☐ No

Assignment and copy

The copy and assignation behaviours of the Squad are as the subject required.
That means deep copy, and upon assignation, exiting units must be destroyed before they are replaced.

☐ Yes☐ No

ex03

As usual, there has to be a main function that contains enough tests to prove the program works as required. If there isn't, do not grade this exercise. If any non-interface class is not in Coplien's form, do not grade this exercise.

Interfaces

The ICharacter and IMateriaSource interfaces are present and are exactly like in the subject.

☐ Yes☐ No

Source

The MateriaSource class is present and implements IMateriaSource. The member functions work as intended.

☐ Yes☐ No

Concrete materia

There are concrete Ice and Cure classes that inherit from AMateria Their clone() method is correctly implemented. Their outputs are correct.

☐ Yes☐ No

Character

The Character class is present and implements ICharacter. It has an inventory of 4 materias.
The member functions are implemented as the subject requires.

☐ Yes☐ No

Materia base

There is an AMateria class. It has a type. It's abstract (clone is pure).
The XP system is implemented as the subject requires.

☐ Yes☐ No

Assignation and copy

The copy and assignation of a Character are implemented as required (= deep copy, very much like the previous exercise).

☐ Yes☐ No

ex04

As usual, there has to be a main function that contains enough tests to prove the program works as required. If there isn't, do not grade this exercise. If any non-interface class is not in Coplien's form, do not grade this exercise.

Basics

The IAsteroid and IMiningLaser interfaces are present. Concrete Asteroids and MiningLasers are implemented.

☐ Yes

☐ No

DD's patcher !

The mine/beMined dispatch mechanism works as required. In theory, there should be a beMined(StripMiner *) and a beMined(DeepCoreMiner*), and the mine() method should call beMined passing "this" as parameter, which would dispatch the call to a method that depends on the type of the asteroid (subtype polymorphism) and the type of the laser (ad hoc polymorphism). Basically the double-dispatcher design pattern, just a bit dumber. Now the clever bit: if the student tries to pass off a technique that uses typeid, dynamic_cast, the names of the lasers/asteroids, etc. to select the output, MARK THE WHOLE PROJECT AS CHEAT and leave it at that, because it is EXPLICITLY forbidden by the subject.

☐ Yes

☐ No

Ratings

Don't forget to check the flag corresponding to the defense

☐ Ok

☐ Outstanding project

☐ Empty work

☐ No author file

☐ Invalid compilation

☐ Norme

☐ Cheat

☐ Crash

☐ Leaks

☐ Forbidden function

Conclusion

Leave a comment on this evaluation

Finish evaluation

terms & conditions (<https://signin.intra.42.fr/legal>)