











```
class LoggedInput extends React.Component<LoggedInputProps, LoggedInputState> {
          input: HTMLInputElement
          historyBox: HTMLUListElement
          state = {
            query: '',
            queryOnFocus:
            queryOnBlur: '',
            historyVisibility: false,
            historyCursor: 0,
          }
          constructor(props: LoggedInputProps) {
            super(props)
            this.state.query = (this.props.defaultValue || []).join(' ')
          }
          get cursor(): number {
            return this.state.historyCursor
          }
40
          set cursor(next: number) {
            const index = next > this.props.history.length
42
              ? this.props.history.length : next < 0
43
                ? 0 : next
45
            if (this.state.historyVisibility && index > 0) {
              const item = this.historyBox.children[index - 1] as HTMLLIElement
              this.historyBox.scrollTop = item.offsetTop + item.offsetHeight - this.historyBox.offsetHeight
            } else {
              this.historyBox.scrollTop = 0
            this.props.onChange(next > 0
              ? this.props.history[this.props.history.length - index]
               : this.state.queryOnFocus)
            this.setState( state: {
              query: next > 8
                ? this.props.history[this.props.history.length - index]
                 : this.state.queryOnFocus,
              historyVisibility: next > 0 && (this.props.history.length > 0),
              historyCursor: index,
            })
```



