

Gutemberg Ferreira

Laboratório 02

The screenshot shows the GitHub Actions interface for a workflow named "Laboratio 02 #1". The workflow is in a "Completed" state, indicated by a green checkmark. The left sidebar shows the workflow file and a list of jobs, with "first-job" selected. The main panel displays the execution details for the "first-job", which succeeded 1 minute ago in 0s. The job steps are:

- Set up job** (0s):
 - 1. Current runner version: '2.307.1'
 - 2. Operating System
 - 3. Runner Image
 - 11. Runner Image Provisioner
 - 13. GITHUB_TOKEN Permissions
 - 17. Secret source: Actions
 - 18. Prepare workflow directory
 - 19. Prepare all required actions
 - 20. Complete job name: 'first-job'
- Diga Hello!** (0s):
 - 1. Run echo "Hello There!!"
 - 4. Hello There!!
- Complete job** (0s):
 - 1. Cleaning up orphan processes

The screenshot shows the GitHub Actions interface for a workflow named "Laboratorio 02 #5". The workflow is in a "Completed" state, indicated by a green checkmark. The left sidebar shows the workflow file and a list of jobs, with "build-node" selected. The main panel displays the execution details for the "build-node" job, which succeeded now in 13s. The job steps are:

- Set up job** (0s):
 - 1. Current runner version: '2.307.1'
 - 2. Operating System
 - 3. Runner Image
 - 11. Runner Image Provisioner
 - 13. GITHUB_TOKEN Permissions
 - 17. Secret source: Actions
 - 18. Prepare workflow directory
 - 19. Prepare all required actions
 - 20. Getting action download info
 - 21. Download action repository 'actions/checkout@v2' (SHA: c85c95e3d7251135ab7dc0ce3241c3835cd595a9)
 - 22. Complete job name: 'build-node'
- Initialize containers** (5s)
- Check Node.js and npm versions** (0s)
- Checkout code** (3s)
- Install npm dependencies** (0s)
- Install moment package** (1s)
- Run app.js** (0s)
- Post Checkout code** (0s)
- Stop containers** (0s)
- Complete job** (0s)

gutenbergferreira / CI_CD-WebAcademy

Type to search

>

+ -

🔍

🔒

👤

Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

Simple Local

Laboratorio 02 #5

Re-run all jobs

...

Summary

Jobs

Run details

Usage

Workflow file

build-node

succeeded now in 13s

Search logs

⚙️

> Set up job

> Initialize containers

> Check Node.js and npm versions

> Checkout code

> Install npm dependencies

> Install moment package

> Run app.js

> Post Checkout code

> Stop containers

> Complete job

0s

5s

0s

3s

0s

1s

0s

0s

0s

0s

1 ▶ Checking docker version

8 ▶ Clean up resources from previous jobs

11 ▶ Create local container network

14 ▶ Starting job container

50 ▶ Waiting for all services to be ready

gutenbergferreira / CI_CD-WebAcademy

Type to search

>

+ -

🔍

🔒

👤

Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

Simple Local

Laboratorio 02 #5

Re-run all jobs

...

Summary

Jobs

Run details

Usage

Workflow file

build-node

succeeded 1 minute ago in 13s

Search logs

⚙️

> Set up job

> Initialize containers

> Check Node.js and npm versions

> Checkout code

> Install npm dependencies

> Install moment package

> Run app.js

> Post Checkout code

> Stop containers

> Complete job

0s

5s

0s

3s

0s

1s

0s

0s

0s

0s

1 ▶ Run node --version

5 v18.17.1

6 9.6.7

gutenbergferreira / CI_CD-WebAcademy

Q Type to search

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

Simple Local

Laboratorio 02 #5

Re-run all jobs

Summary

Jobs

build-node

Run details

Usage

Workflow file

build-node

succeeded 1 minute ago in 13s

Search logs

Setup job0s

Initialize containers5s

Check Node.js and npm versions0s

Checkout code3s

130 ▶ Run actions/checkout@v3

13 /usr/bin/docker exec f82ad5b9e2ca547f57be5779a82eade6cc68709e06076eb5620d8d3dd7908c sh -c "cat /etc/passwd | grep ^ID"

14 Syncing repository: gutenbergferreira/CI_CD-WebAcademy

15 ▶ Getting Git version info

19 Temporarily overriding HOME='/w/.tmp/427b3bc5-afcf-4227-8f5d-f4cf164c0ba' before making global git config changes

20 Adding repository directory to the temporary git global config as a safe directory

21 /usr/bin/git config --global --add safe.directory /w/CI_CD-WebAcademy/CI_CD-WebAcademy

22 Deleting the contents of '/w/CI_CD-WebAcademy/CI_CD-WebAcademy'

23 ▶ Initializing the repository

27 Disabling automatic garbage collection

30 ▶ Setting up auth

40 Fetching the repository

130 ▶ Determining the checkout info

131 ▶ Checking out the ref

135 /usr/bin/git log -1 --format=%H

136 4bd212db5482011918fa829b053daa6e8355fa

Install npm dependencies0s

Install moment package1s

Run app.js0s

Post Checkout code0s

gutenbergferreira / CI_CD-WebAcademy

Q Type to search

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

Simple Local

Laboratorio 02 #5

Re-run all jobs

Summary

Jobs

build-node

Run details

Usage

Workflow file

build-node

succeeded 1 minute ago in 13s

Search logs

Setup job0s

Initialize containers5s

Check Node.js and npm versions0s

Checkout code3s

Install npm dependencies0s

1 ▶ Run npm install

4

5

6 up to date, audited 1 package in 343ms

7 found 0 vulnerabilities

Install moment package1s

Run app.js0s

Post Checkout code0s

Stop containers0s

Complete job0s

gutenbergferreira / CI_CD-WebAcademy

Type to search

CodeIssuesPull requestsActionsProjectsWikiSecurityInsightsSettings

Simple Local

Laboratorio 02 #5

Re-run all jobs

Summary

Jobs

Run details

Usage

Workflow file

build-node

succeeded 2 minutes ago in 13s

Search logs

Set up job0s

Initialize containers5s

Check Node.js and npm versions0s

Checkout code3s

Install npm dependencies0s

Install moment package1s

Run app.js0s

Post Checkout code0s

Stop containers0s

Complete job0s

1 ▶ Run npm install --save moment

4

5

6 added 1 package, and audited 2 packages in 550ms

6

7 Found 0 vulnerabilities

gutenbergferreira / CI_CD-WebAcademy

Type to search

CodeIssuesPull requestsActionsProjectsWikiSecurityInsightsSettings

Simple Local

Laboratorio 02 #5

Re-run all jobs

Summary

Jobs

Run details

Usage

Workflow file

build-node

succeeded 2 minutes ago in 13s

Search logs

Set up job0s

Initialize containers5s

Check Node.js and npm versions0s

Checkout code3s

Install npm dependencies0s

Install moment package1s

Run app.js0s

Post Checkout code0s

Stop containers0s

Complete job0s

1 ▶ Run node app.js

4 Exemplo Simples

5 August 13, 2023

gutenbergferreira / CI-CD-WebAcademy

Code Issues Pull requests **Actions** Projects Wiki Security Insights Settings

Simple Local

✓ Laboratorio 02 #5

Re-run all jobs

Summary

Jobs

build-node

Run details

Usage

Workflow file

build-node
succeeded 3 minutes ago in 13s

Search logs

- Set up job 0s
- Initialize containers 5s
- Check Node.js and npm versions 0s
- Checkout code 3s
- Install npm dependencies 0s
- Install moment package 1s
- Run app.js 0s
- Post Checkout code 0s
- Stop containers 0s
- Complete job 0s
 - Cleaning up orphan processes

Parte 02

gutenbergferreira / CI-CD-WebAcademy

Code Issues Pull requests **Actions** Projects Wiki Security Insights Settings

Build V1

✓ Laboratorio 02 #1

Re-run all jobs

Summary

Jobs

deploy

Run details

Usage

Workflow file

deploy
succeeded now in 16s

Search logs

- Set up job 1s
 - Current runner version: '2.307.1'
 - Operating System
 - Runner Image
 - Runner Image Provisioner
 - GITHUB_TOKEN Permissions
 - Secret sources: Actions
 - Prepare workflow directory
 - Prepare all required actions
 - Getting action download info
 - Download action repository 'actions/checkout@v3' (SHA: c85c95e3d7251195ab7dc9ce3241c583cc595a9)
 - Complete job name: deploy
- Get code 0s
- Install dependencies 6s
- Lint 1s
- Test code 3s
- Build code 1s
- Deploy code 0s
- Post Get code 0s
- Complete job 0s

gutenbergferreira / CI_CD-WebAcademy

Type to search

>

+ -

🔍

📄

👤

<> Code

🔍 Issues

🔍 Pull requests

🔍 Actions

📁 Projects

📄 Wiki

🔒 Security

📊 Insights

⚙️ Settings

← Build V1

🟢 Laboratorio 02 #1

Re-run all jobs

⋮

📄 Summary

🔍 Jobs

🟢 deploy

🔍 Run details

🔍 Usage

📄 Workflow file

deploy

succeeded 1 minute ago in 16s

🔍 Search logs

🔄

⚙️

> 🟢 Set up job

1s

> 🟢 Get code

6s

1 ▶ Run actions/checkout@v3

13 Syncing repository: gutenbergferreira/CI_CD-WebAcademy

14 ▶ Getting Git version info

18 Temporarily overriding HOME='/home/runner/work/_temp/8dc80d01-d8e3-437f-9e76-ed88f5c0e183' before making global git config changes

19 Adding repository directory to the temporary git global config as a safe directory

20 /usr/bin/git config --global --add safe.directory /home/runner/work/CI_CD-WebAcademy/CI_CD-WebAcademy

21 Deleting the contents of '/home/runner/work/CI_CD-WebAcademy/CI_CD-WebAcademy'

22 ▶ Initializing the repository

36 ▶ Disabling automatic garbage collection

38 ▶ Setting up path

44 ▶ Fetching the repository

132 ▶ Determining the checkout info

133 ▶ Checking out the ref

137 /usr/bin/git log -1 --format='%H'

138 '00000000c2e3b309049901a19200c4bf02f3cedfa'

> 🟢 Install dependencies

6s

> 🟢 Lint

1s

> 🟢 Test code

3s

> 🟢 Build code

1s

> 🟢 Deploy code

0s

> 🟢 Post Get code

0s

> 🟢 Complete job

0s

gutenbergferreira / CI_CD-WebAcademy

Type to search

>

+ -

🔍

📄

👤

<> Code

🔍 Issues

🔍 Pull requests

🔍 Actions

📁 Projects

📄 Wiki

🔒 Security

📊 Insights

⚙️ Settings

← Build V1

🟢 Laboratorio 02 #1

Re-run all jobs

⋮

📄 Summary

🔍 Jobs

🟢 deploy

🔍 Run details

🔍 Usage

📄 Workflow file

deploy

succeeded 1 minute ago in 16s

🔍 Search logs

🔄

⚙️

> 🟢 Set up job

1s

> 🟢 Get code

0s

> 🟢 Install dependencies

6s

1 ▶ Run npm ci

4

5 added 416 packages, and audited 417 packages in 6s

6

7 78 packages are looking for funding

8 run 'npm fund' for details

9

10 found 0 vulnerabilities

> 🟢 Lint

1s

> 🟢 Test code

3s

> 🟢 Build code

1s

> 🟢 Deploy code

0s

> 🟢 Post Get code

0s

> 🟢 Complete job

0s

gutenbergferreira / CI_CD-WebAcademy

Q Type to search

>

+ +

🔍

👤

Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

Build V1

Laboratorio 02 #1

Re-run all jobs

...

Summary

Jobs

Run details

Usage

Workflow file

deploy

succeeded 1 minute ago in 16s

Search logs

🔄

⚙️

> Set up job

> Get code

> Install dependencies

> Lint

> Test code

> Build code

> Deploy code

> Post Get code

> Complete job

1s

0s

6s

1s

3s

1s

0s

0s

0s

```
1 ▶ Run npx run lint
4
5 > 02-basic-example@0.0.0 lint
6 > eslint --ext .jsx --fix src
7
```

gutenbergferreira / CI_CD-WebAcademy

Q Type to search

>

+ +

🔍

👤

Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

Build V1

Laboratorio 02 #1

Re-run all jobs

...

Summary

Jobs

Run details

Usage

Workflow file

deploy

succeeded 1 minute ago in 16s

Search logs

🔄

⚙️

> Set up job

> Get code

> Install dependencies

> Lint

> Test code

> Build code

> Deploy code

> Post Get code

> Complete job

1s

0s

6s

1s

3s

1s

0s

0s

0s

```
1 ▶ Run npx run test
4
5 > 02-basic-example@0.0.0 test
6 > vitest run
7
8
9 RUN v0.22.1 /home/runner/work/CI_CD-WebAcademy/CI_CD-WebAcademy/Lab02
10
11 / src/components/MainContent.test.jsx (2 tests) 11ms
12
13 Test Files 1 passed (1)
14 Tests 2 passed (2)
15 Start at 03:07:30
16 Duration 2.15s (transform 985ms, setup 239ms, collect 396ms, tests 11ms)
17
```


gutenbergferreira / CI_CD-WebAcademy

CodeIssuesPull requestsActionsProjectsWikiSecurityInsightsSettings

Build V2

Laboratorio 02 #1

Re-run all jobs

Summary

Jobs

linttestdeploy

Run details

Usage

Workflow file

lint

succeeded 1 minute ago in 14s

Search logs

Setup job1s

1 Current runner version: '2.307.1'

2 Operating System

3 Runner Image

11 Runner Image Provisioner

13 GITHUB_TOKEN Permissions

17 Secret source: Actions

18 Prepare workflow directory

19 Prepare all required actions

20 Getting action download info

21 Download action repository 'actions/checkout@v3' (SHA:c85c9e3d7251135ab7dc9ce3241c5835cc595a9)

22 Complete job name: lint

Get code1s

1 Run actions/checkout@v3

14 Syncing repository: gutenbergferreira/CI_CD-WebAcademy

15 Getting Git version info

19 Temporarily overriding HOME='/home/runner/work/_temp/81539208-bb94-4bf7-b788-a5c1a8901c9d' before making global git config changes

20 Adding repository directory to the temporary git global config as a safe directory

21 /usr/bin/git config --global --add safe.directory /home/runner/work/CI_CD-WebAcademy/CI_CD-WebAcademy

22 Deleting the contents of '/home/runner/work/CI_CD-WebAcademy/CI_CD-WebAcademy'

23 Initializing the repository

37 Disabling automatic garbage collection

39 Setting up auth

45 Fetching the repository

102 Retrieving the checkout info

134 Checking out the ref

154 /usr/bin/git log -1 --format=%H

155 '8b0d6d0dc52e3d9d48952a1929c4bf273cedfa'

Install dependencies0s

gutenbergferreira / CI_CD-WebAcademy

CodeIssuesPull requestsActionsProjectsWikiSecurityInsightsSettings

Build V2

Laboratorio 02 #1

Re-run all jobs

Summary

Jobs

linttestdeploy

Run details

Usage

Workflow file

lint

succeeded 1 minute ago in 14s

Search logs

Setup job1s

Get code1s

Install dependencies9s

1 Run npm ci

4

5 added 416 packages, and audited 417 packages in 6s

6

7 78 packages are looking for funding

8 run npm fund for details

9

10 Found 0 vulnerabilities

Lint1s

1 Run npm run lint

4

5 > 02-basic-example@0.0.0 lint

6 > eslint --ext .jsx --fix src

7

Post Get code0s

Complete job0s

gutenbergferrera / CI_CD-WebAcademy

CodeIssuesPull requestsActionsProjectsWikiSecurityInsightsSettings

Build V2

Laboratorio 02 #1

Re-run all jobs...

Summary

Jobs

Run details

Usage

Workflow file

lint

test

deploy

lint

succeeded 1 minute ago in 14s

Search logs

Set up job1s

Get code1s

Install dependencies9s

Lint1s

Post Get code0s

Complete job0s

1 Post job cleanup.

2 /usr/bin/git version

3 git version 2.41.0

4 Temporarily overriding HOME='/home/runner/work/_temp/6044b352-0ff0-4dc3-9e4b-8612fc560e27' before making global git config changes

5 Adding repository directory to the temporary git global config as a safe directory

6 /usr/bin/git config --global --add safe.directory /home/runner/work/CI_CD-WebAcademy/CI_CD-WebAcademy

7 /usr/bin/git config --local --name-only --get-regexp core.sshCommand

8 /usr/bin/git submodule foreach --recursive sh -c 'git config --local --name-only --get-regexp 'core.sshCommand' && git config --local --unset-all 'core.sshCommand' || :'

9 /usr/bin/git config --local --name-only --get-regexp http.https://github.com/\.\.extraheader

10 http.https://github.com/\.\.extraheader

11 /usr/bin/git config --local --unset-all http.https://github.com/\.\.extraheader

12 /usr/bin/git submodule foreach --recursive sh -c 'git config --local --name-only --get-regexp 'http.https://github.com/\.\.extraheader' && git config --local --unset-all 'http.https://github.com/\.\.extraheader' || :'

1 Cleaning up orphan processes

gutenbergferrera / CI_CD-WebAcademy

CodeIssuesPull requestsActionsProjectsWikiSecurityInsightsSettings

Build V2

Laboratorio 02 #1

Re-run all jobs...

Summary

Jobs

Run details

Usage

Workflow file

lint

test

deploy

test

succeeded 2 minutes ago in 18s

Search logs

Set up job1s

Get code3s

Install dependencies18s

1 Current runner version: '2.307.1'

2 Operating System

6 Runner Image

11 Runner Image Provisioner

13 GITHUB_TOKEN Permissions

17 Secret source: Actions

18 Prepare workflow directory

19 Prepare all required actions

20 Getting action download info

21 Download action repository 'actions/checkout@v3' (SHA:c85c9e3d7251139ab7dc9ce3241c5835cc590a9)

22 Complete job name: test

1 Run actions/checkout@v3

14 Syncing repository: gutenbergferrera/CI_CD-WebAcademy

15 Getting Git version info

19 Temporarily overriding HOME='/home/runner/work/_temp/d34939f0-540a-4a05-b433-971e311095fc' before making global git config changes

20 Adding repository directory to the temporary git global config as a safe directory

21 /usr/bin/git config --global --add safe.directory /home/runner/work/CI_CD-WebAcademy/CI_CD-WebAcademy

22 Deleting the contents of '/home/runner/work/CI_CD-WebAcademy/CI_CD-WebAcademy'

23 Initializing the repository

37 Disabling automatic garbage collection

39 Setting up auth

45 Fetching the repository

133 Determining the checkout info

134 Checking out the ref

154 /usr/bin/git log -1 --format='%H'

155 '0b0d80ac52e3b69848952a1920c4bf02f3cedfa'

gutenbergferreira / CI_CD-WebAcademy

Type to search

>

+ -

h

<> Code Issues Pull requests Actions Projects Wiki Security Insights Settings

Build V2

Laboratorio 02 #1

Re-run all jobs

...

Summary

Jobs

lint test deploy

Run details

Usage

Workflow file

test

succeeded 2 minutes ago in 18s

Search logs

...

Setup job 1s

Get code 3s

Install dependencies 19s

Test code 4s

```
1 # Run npm ci
2
3
4
5 added 416 packages, and audited 417 packages in 6s
6
7 78 packages are looking for funding
8   run 'npm fund' for details
9
10 found 0 vulnerabilities
11
12
13
14
15
16 RUN v8.22.1 /home/runner/work/CI_CD-WebAcademy/CI_CD-WebAcademy/Lab02
17
18 ✓ src/components/MainContent.test.jsx (2 tests) 123ms
19
20 Test Files 1 passed (1)
21 Tests 2 passed (2)
22 Start at 09:13:18
23 Duration 2.33s (transform 1.63s, setup 272ms, collect 424ms, tests 123ms)
24
25
```

gutenbergferreira / CI_CD-WebAcademy

Type to search

>

+ -

h

<> Code Issues Pull requests Actions Projects Wiki Security Insights Settings

Build V2

Laboratorio 02 #1

Re-run all jobs

...

Summary

Jobs

lint test deploy

Run details

Usage

Workflow file

test

succeeded 2 minutes ago in 18s

Search logs

...

Setup job 1s

Get code 3s

Install dependencies 19s

Test code 4s

Post Get code 6s

Complete job 6s

```
1 Post job cleanup.
2 /usr/bin/git version
3 git version 2.41.0
4 Temporarily overriding HOME='/home/runner/work/_temp/060880e5-d696-488c-a014-482dc91f486b' before making global git config changes
5 Adding repository directory to the temporary git global config as a safe directory
6 /usr/bin/git config --global --add safe.directory /home/runner/work/CI_CD-WebAcademy/CI_CD-WebAcademy
7 /usr/bin/git config --local --name-only --get-regexp core.sshCommand
8 /usr/bin/git submodule foreach --recursive sh -c "git config --local --name-only --get-regexp 'core.sshCommand' && git config --local --unset-all 'core.sshCommand' || :"
9 /usr/bin/git config --local --name-only --get-regexp http.https://github.com/v\github.com/v\extrahader
10 http.https://github.com/v\extrahader
11 /usr/bin/git config --local --unset-all http.https://github.com/v\extrahader
12 /usr/bin/git submodule foreach --recursive sh -c "git config --local --name-only --get-regexp 'http.https://github.com/v\extrahader' && git config --local --unset-all 'http.https://github.com/v\extrahader' || :"
13
14
15
16
17
18
19
20
21
22
23
24
25
```

gutenbergferreira / CI_CD-WebAcademy

Q Type to search

>

+ -

🔍

🔒

👤

<> Code

🔍 Issues

🔍 Pull requests

🔍 Actions

🔍 Projects

🔍 Wiki

🔍 Security

🔍 Insights

🔍 Settings

← Build V2

Laboratorio 02 #1

Re-run all jobs

⋮

Summary

Jobs

🟢 lint

🟢 test

🟢 deploy

Run details

🔍 Usage

🔍 Workflow file

deploy

succeeded 2 minutes ago in 17s

Search logs

🔄

⚙️

Setup job

1s

1 Current runner version: '2.307.1'

2 Operating System

3 Runner Image

11 Runner Image Provisioner

13 GitHub_TOKEN Permissions

17 Secret source: Actions

18 Prepare workflow directory

19 Prepare all required actions

20 Getting action download info

21 Download action repository 'actions/checkout@v3' (SHA:cd5c95e3d7251135ab7dc9ce3241c5835cc595a9)

22 Complete job name: deploy

Get code

1s

1 Run actions/checkout@v3

14 Syncing repository: gutenbergferreira/CI_CD-WebAcademy

15 Getting git version info

19 Temporarily overriding HOME='/home/runner/work/_temp/8d79c525-b8e2-4d42-9c92-ff010d1fbc0d' before making global git config changes

20 Adding repository directory to the temporary git global config as a safe directory

21 /usr/bin/git config --global --add safe.directory /home/runner/work/CI_CD-WebAcademy/CI_CD-WebAcademy

22 Deleting the contents of '/home/runner/work/CI_CD-WebAcademy/CI_CD-WebAcademy'

23 Initializing the repository

37 Disabling automatic garbage collection

39 Setting up auth

45 Fetching the repository

113 Determining the checkout info

134 Checking out the ref

154 /usr/bin/git log -1 --format=%H

155 '600d6b8ac52e39d98952a1929c4bf73cedfa'

Install dependencies

10s

gutenbergferreira / CI_CD-WebAcademy

Q Type to search

>

+ -

🔍

🔒

👤

<> Code

🔍 Issues

🔍 Pull requests

🔍 Actions

🔍 Projects

🔍 Wiki

🔍 Security

🔍 Insights

🔍 Settings

← Build V2

Laboratorio 02 #1

Re-run all jobs

⋮

Summary

Jobs

🟢 lint

🟢 test

🟢 deploy

Run details

🔍 Usage

🔍 Workflow file

deploy

succeeded 2 minutes ago in 17s

Search logs

🔄

⚙️

Setup job

1s

Get code

1s

Install dependencies

10s

1 Run npm ci

4

5 added 416 packages, and audited 417 packages in 7s

6

7 78 packages are looking for funding

8 run npm fund for details

9

10 Found 0 vulnerabilities

Build code

3s

1 Run npm run build

4

5 > 02-basic-example@0.0.0 build

6 vite build

7

8 vite v3.2.7 Building for production...

9 transforming...

10 ✓ 44 modules transformed.

11 rendering chunks...

12 dist/assets/logo.7ba5d26b.png 8.81 KiB

13 dist/index.html 0.44 KiB

14 dist/assets/index.34ed278d.css 0.71 KiB / gzip: 0.37 KiB

15 dist/assets/index.d598f28c.js 141.76 KiB / gzip: 45.99 KiB

Deploy code

0s

gutenbergferreira / CI_CD-WebAcademy

Q Type to search

<> Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

Build V2

Laboratorio 02 #1

Re-run all jobs

Summary

Jobs

Run details

Usage

Workflow file

deploy

succeeded 2 minutes ago in 17s

Search logs

> Set up job1s

> Get code1s

> Install dependencies10s

> Build code3s

> Deploy code6s

> Post Get code6s

> Complete job6s

1 Run echo "Deploying..."

4 Deploying...

1 Post job cleanup.

2 /usr/bin/git version

3 git version 2.41.0

4 Temporarily overriding HOME=/home/runner/work/_temp/afba302-c81d-4218-819d-61f8d1cd8f87 before making global git config changes

5 Adding repository directory to the temporary git global config as a safe directory

6 /usr/bin/git config --global --add safe.directory /home/runner/work/CI_CD-WebAcademy/CI_CD-WebAcademy

7 /usr/bin/git config --local --name-only --get-regexp core.sshCommand

8 /usr/bin/git submodule foreach --recursive sh -c "git config --local --name-only --get-regexp 'core.sshCommand' && git config --local --unset-all 'core.sshCommand' || :"

9 /usr/bin/git config --local --name-only --get-regexp http.https://github.com/VV/github.com/VV/extrahader

10 http.https://github.com/extrahader

11 /usr/bin/git config --local --unset-all http.https://github.com/extrahader

12 /usr/bin/git submodule foreach --recursive sh -c "git config --local --name-only --get-regexp 'http.https://github.com/VV/extrahader' && git config --local --unset-all 'http.https://github.com/extrahader' || :"

1 Cleaning up orphan processes