

Database System Engineering and Distributed Backend Development

Course Code: 25CS1302E

Skill-4,5

2520030098

Gutha Sushma Sree

Section – 3

Insert customer data

ORGANIZATION: GUTHA SUSHMA SRE... PROJECT: Project 0

Compare tiers

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers**
 - transactions
 - admin
 - bookflow
 - book_metadata
 - books
 - local
 - sample_mflix

Cluster0 > BankDB > Customers

Documents 8 | Aggregations | Schema | Indexes 1 | Validation

Type a query: { field: 'value' } or [Generate query](#)

EXPLAIN | RESET | FIND | OPTIONS

ADD DATA | BULK | EXPORT CODE

25 | 1 - 8 of 8

	_id ObjectId	customer_id Int32	name String	city String	account_type String	
1	ObjectId('6a7e969b55e6d6...')	101	"Ravi Kumar"	"Hyderabad"	"Savings"	
2	ObjectId('6a7e961ab55e6d6...')	102	"Priya Sharma"	"Vijayawada"	"Current"	
3	ObjectId('6a7e962fb55e6d6...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"	
4	ObjectId('6a7e9642b55e6d6...')	104	"Sneha Rao"	"Warangal"	"Savings"	
5	ObjectId('6a7e967db55e6d6...')	105	"Kiran Kumar"	"Guntur"	"Current"	
6	ObjectId('6a7e968fb55e6d6...')	106	"Anjali Singh"	"Hyderabad"	"Savings"	
7	ObjectId('6a7e96b7b55e6d6...')	107	"Rahul Verma"	"Bengaluru"	"Current"	
8	ObjectId('6a7e96cab55e6d6...')	108	"Meena Devi"	"Chennai"	"Savings"	

Insert transaction data

ORGANIZATION: GUTHA SUSHMA SRE... PROJECT: Project 0

Compare tiers

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers
 - transactions**
 - admin
 - bookflow
 - book_metadata
 - books
 - local
 - sample_mflix

Cluster0 > BankDB > transactions

Documents 15 | Aggregations | Schema | Indexes 1 | Validation

Type a query: { field: 'value' } or [Generate query](#)

EXPLAIN | RESET | FIND | OPTIONS

ADD DATA | BULK | EXPORT CODE

25 | 1 - 15 of 15

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	
1	ObjectId('6a91048f75538f4...')	1001	101	"Deposit"	25000	
2	ObjectId('6a9104a175538f4...')	1002	101	"Withdrawal"	10000	
3	ObjectId('6a9104b275538f4...')	1003	102	"Deposit"	50000	
4	ObjectId('6a9104c875538f4...')	1004	102	"Withdrawal"	15000	
5	ObjectId('6a9104dc75538f4...')	1005	103	"Deposit"	30000	
6	ObjectId('6a9104fe75538f4...')	1006	103	"Withdrawal"	5000	
7	ObjectId('6a91051575538f4...')	1007	104	"Deposit"	100000	
8	ObjectId('6a91052775538f4...')	1008	104	"Withdrawal"	25000	
9	ObjectId('6a91053775538f4...')	1009	105	"Deposit"	15000	

ORGANIZATION GUTHA SUSHMA SRE... PROJECT Project 0

Compare tiers ? [Icons]

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers
 - transactions**

Cluster0 > BankDB > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

EXPLAIN Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 15 of 15

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	
7	ObjectId('6a91051575538f4...	1007	104	"Deposit"	100000	
8	ObjectId('6a91052775538f4...	1008	104	"Withdrawal"	25000	
9	ObjectId('6a91053775538f4...	1009	105	"Deposit"	15000	
10	ObjectId('6a91054a75538f4...	1010	106	"Deposit"	75000	
11	ObjectId('6a91055a75538f4...	1011	106	"Withdrawal"	20000	
12	ObjectId('6a91056d75538f4...	1012	107	"Deposit"	40000	
13	ObjectId('6a91057a75538f4...	1013	107	"Withdrawal"	12000	
14	ObjectId('6a91058975538f4...	1014	108	"Deposit"	150000	
15	ObjectId('6a91059f75538f4...	1015	108	"Withdrawal"	30000	

Display all customers

ORGANIZATION GUTHA SUSHMA SRE... PROJECT Project 0

Compare tiers ? [Icons]

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0

Cluster0 > BankDB > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

EXPLAIN Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 15 of 15

Output:

ORGANIZATION GUTHA SUSHMA SRE... PROJECT Project 0

Compare tiers ? [Icons]

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers
 - transactions**

Cluster0 > BankDB > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

EXPLAIN Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 15 of 15

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	
1	ObjectId('6a91048f75538f4...	1001	101	"Deposit"	25000	
2	ObjectId('6a9104a175538f4...	1002	101	"Withdrawal"	10000	
3	ObjectId('6a9104b275538f4...	1003	102	"Deposit"	50000	
4	ObjectId('6a9104c875538f4...	1004	102	"Withdrawal"	15000	
5	ObjectId('6a9104dc75538f4...	1005	103	"Deposit"	30000	
6	ObjectId('6a9104fe75538f4...	1006	103	"Withdrawal"	5000	
7	ObjectId('6a91051575538f4...	1007	104	"Deposit"	100000	
8	ObjectId('6a91052775538f4...	1008	104	"Withdrawal"	25000	
9	ObjectId('6a91053775538f4...	1009	105	"Deposit"	15000	

Find active customers

ORGANIZATION GUTHA SUSHMA SRE... PROJECT Project 0

Compare tiers ?

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

BankDB

Customers

transactions

admin

bookflow

book_metadata

books

local

sample_mflix

Cluster0 > BankDB > Customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-7 of 7

	_id ObjectId	customer_id Int32	name String	city String	account_type String	
1	ObjectId('6a7e969b55e6d6...	101	"Ravi Kumar"	"Hyderabad"	"Savings"	
2	ObjectId('6a7e961ab55e6d6...	102	"Priya Sharma"	"Vijayawada"	"Current"	
3	ObjectId('6a7e962fb55e6d6...	103	"Arjun Reddy"	"Hyderabad"	"Savings"	
4	ObjectId('6a7e9642b55e6d6...	104	"Sneha Rao"	"Warangal"	"Savings"	
5	ObjectId('6a7e968fb55e6d6...	106	"Anjali Singh"	"Hyderabad"	"Savings"	
6	ObjectId('6a7e96b7b55e6d6...	107	"Rahul Verma"	"Bengaluru"	"Current"	
7	ObjectId('6a7e96cab55e6d6...	108	"Meena Devi"	"Chennai"	"Savings"	

ORGANIZATION GUTHA SUSHMA SRE... PROJECT Project 0

Compare tiers ?

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

BankDB

Customers

transactions

admin

bookflow

book_metadata

books

local

sample_mflix

Cluster0 > BankDB > Customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-7 of 7

	String	city String	account_type String	balance Int32	status String	
1	Kumar	"Hyderabad"	"Savings"	85000	"Active"	
2	a Sharma	"Vijayawada"	"Current"	125000	"Active"	
3	n Reddy	"Hyderabad"	"Savings"	45000	"Active"	
4	a Rao	"Warangal"	"Savings"	210000	"Active"	
5	li Singh	"Hyderabad"	"Savings"	175000	"Active"	
6	l Verma	"Bengaluru"	"Current"	95000	"Active"	
7	a Devi	"Chennai"	"Savings"	320000	"Active"	

Find customers with greater than 100000

ORGANIZATION GUTHA SUSHMA SRE... PROJECT Project 0

Compare tiers ?

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

BankDB

Customers

transactions

admin

bookflow

book_metadata

books

local

sample_mflix

Cluster0 > BankDB > Customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-4 of 4

	_id ObjectId	customer_id Int32	name String	city String	account_type String	
1	ObjectId('6a7e961ab55e6d6...	102	"Priya Sharma"	"Vijayawada"	"Current"	
2	ObjectId('6a7e9642b55e6d6...	104	"Sneha Rao"	"Warangal"	"Savings"	
3	ObjectId('6a7e968fb55e6d6...	106	"Anjali Singh"	"Hyderabad"	"Savings"	
4	ObjectId('6a7e96cab55e6d6...	108	"Meena Devi"	"Chennai"	"Savings"	

ORGANIZATION GUTHA SUSHMA SRE... PROJECT Project 0

Compare tiers ? [Menu] [User] [Bell] [Grid]

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers
 - transactions
 - admin
 - bookflow
 - book_metadata
 - books
 - local
 - sample_mflix

Cluster0 > BankDB > Customers

Documents 8 Aggregations Schema Indexes 1 Validation

```
{  "balance": {    "$gt": 100000  } }
```

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 4 of 4

	io String	city String	account_type String	balance Int32	status String	
1	iya Sharma	Vijayawada	Current	125000	Active	
2	eha Rao	Warangal	Savings	210000	Active	
3	jali Singh	Hyderabad	Savings	175000	Active	
4	ena Devi	Chennai	Savings	320000	Active	

Find Hyderabad customers

ORGANIZATION GUTHA SUSHMA SRE... PROJECT Project 0

Compare tiers ? [Menu] [User] [Bell] [Grid]

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers
 - transactions
 - admin
 - bookflow
 - book_metadata
 - books
 - local
 - sample_mflix

Cluster0 > BankDB > Customers

Documents 8 Aggregations Schema Indexes 1 Validation

```
{  "city": "Hyderabad" }
```

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 3 of 3

	_id ObjectId	customer_id Int32	name String	city String	account_type String	
1	ObjectId('6a7e9609b55e6d6...	101	Ravi Kumar	Hyderabad	Savings	
2	ObjectId('6a7e962fb55e6d6...	103	Arjun Reddy	Hyderabad	Savings	
3	ObjectId('6a7e968fb55e6d6...	106	Anjali Singh	Hyderabad	Savings	

ORGANIZATION GUTHA SUSHMA SRE... PROJECT Project 0

Compare tiers ? [Menu] [User] [Bell] [Grid]

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers
 - transactions
 - admin
 - bookflow
 - book_metadata
 - books
 - local

Cluster0 > BankDB > Customers

Documents 8 Aggregations Schema Indexes 1 Validation

```
{  "city": "Hyderabad" }
```

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 3 of 3

	io String	city String	account_type String	balance Int32	status String	
1	vi Kumar	Hyderabad	Savings	85000	Active	
2	jun Reddy	Hyderabad	Savings	45000	Active	
3	jali Singh	Hyderabad	Savings	175000	Active	

Find savings account

ORGANIZATION GUTHA SUSHMA SRE... PROJECT Project 0

Compare tiers

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers

transactions Customers

Cluster0 > BankDB > Customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

```
{
  "account_type": "Savings"
}
```

ADD DATA BULK EXPORT CODE

25 1 - 5 of 5

	_id ObjectId	customer_id Int32	name String	city String	account_type String	
1	ObjectId('6a7e968b55e6d6...	101	"Ravi Kumar"	"Hyderabad"	"Savings"	
2	ObjectId('6a7e962fb55e6d6...	103	"Arjun Reddy"	"Hyderabad"	"Savings"	
3	ObjectId('6a7e9642b55e6d6...	104	"Sneha Rao"	"Warangal"	"Savings"	
4	ObjectId('6a7e968fb55e6d6...	106	"Anjali Singh"	"Hyderabad"	"Savings"	
5	ObjectId('6a7e96cab55e6d6...	108	"Meena Devi"	"Chennai"	"Savings"	

Find transactions greater than 20000

ORGANIZATION GUTHA SUSHMA SRE... PROJECT Project 0

Compare tiers

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers
 - transactions

transactions Customers

Cluster0 > BankDB > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

```
{
  "amount": {
    "$gt": 20000
  }
}
```

ADD DATA BULK EXPORT CODE

25 1 - 9 of 9

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	
1	ObjectId('6a91048f75538f4...	1001	101	"Deposit"	25000	
2	ObjectId('6a9104b275538f4...	1003	102	"Deposit"	50000	
3	ObjectId('6a9104dc75538f4...	1005	103	"Deposit"	30000	
4	ObjectId('6a91051575538f4...	1007	104	"Deposit"	100000	
5	ObjectId('6a91052775538f4...	1008	104	"Withdrawal"	25000	
6	ObjectId('6a91054a75538f4...	1010	106	"Deposit"	75000	

ORGANIZATION GUTHA SUSHMA SRE... PROJECT Project 0

Compare tiers

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers
 - transactions

transactions Customers

Cluster0 > BankDB > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

```
{
  "amount": {
    "$gt": 20000
  }
}
```

ADD DATA BULK EXPORT CODE

25 1 - 9 of 9

	String	amount Int32	mode String	date String	status String	
1	sit"	25000	"UPI"	"2026-08-01"	"Success"	
2	sit"	50000	"NEFT"	"2026-08-02"	"Success"	
3	sit"	30000	"UPI"	"2026-08-03"	"Success"	
4	sit"	100000	"NEFT"	"2026-08-04"	"Success"	
5	drawal"	25000	"ATM"	"2026-08-05"	"Success"	
6	sit"	75000	"NEFT"	"2026-08-06"	"Success"	

find deposits

ORGANIZATION GUTHA SUSHMA SRE... PROJECT Project 0

Compare tiers ? [Icons]

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers
 - transactions**

Cluster0 > BankDB > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 8 of 8

	_id	ObjectID	transaction_id	Int32	customer_id	Int32	type	String	amount	Int32
1		ObjectId('6a91048f75538f4...	1001		101		"Deposit"		25000	
2		ObjectId('6a9104b275538f4...	1003		102		"Deposit"		50000	
3		ObjectId('6a9104dc75538f4...	1005		103		"Deposit"		30000	
4		ObjectId('6a91051575538f4...	1007		104		"Deposit"		100000	
5		ObjectId('6a91053775538f4...	1009		105		"Deposit"		15000	
6		ObjectId('6a91054a75538f4...	1010		106		"Deposit"		75000	
7		ObjectId('6a91056d75538f4...	1012		107		"Deposit"		40000	
8		ObjectId('6a91058975538f4...	1014		108		"Deposit"		150000	

Find atm transaction

ORGANIZATION GUTHA SUSHMA SRE... PROJECT Project 0

Compare tiers ? [Icons]

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers
 - transactions**

Cluster0 > BankDB > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 7 of 7

	_id	ObjectID	transaction_id	Int32	customer_id	Int32	type	String	amount	Int32
1		ObjectId('6a9104a175538f4...	1002		101		"Withdrawal"		10000	
2		ObjectId('6a9104c875538f4...	1004		102		"Withdrawal"		15000	
3		ObjectId('6a9104fe75538f4...	1006		103		"Withdrawal"		5000	
4		ObjectId('6a91052775538f4...	1008		104		"Withdrawal"		25000	
5		ObjectId('6a91055a75538f4...	1011		106		"Withdrawal"		20000	
6		ObjectId('6a91057a75538f4...	1013		107		"Withdrawal"		12000	
7		ObjectId('6a91059f75538f4...	1015		108		"Withdrawal"		30000	

ORGANIZATION GUTHA SUSHMA SRE... PROJECT Project 0

Compare tiers ? [Icons]

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers
 - transactions**

Cluster0 > BankDB > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 7 of 7

	String	amount	Int32	mode	String	date	String	status	String
1	drawal	10000		"ATM"		"2026-08-02"		"Success"	
2	drawal	15000		"ATM"		"2026-08-03"		"Success"	
3	drawal	5000		"ATM"		"2026-08-04"		"Success"	
4	drawal	25000		"ATM"		"2026-08-05"		"Success"	
5	drawal	20000		"ATM"		"2026-08-06"		"Success"	
6	drawal	12000		"ATM"		"2026-08-07"		"Success"	
7	drawal	30000		"ATM"		"2026-08-08"		"Success"	

Find deposits greater than 50000

ORGANIZATION GUTHA SUSHMA SRE... PROJECT Project 0

Compare tiers ? [Icons]

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers
 - transactions

Cluster0 > BankDB > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

```
{
  "type": "Deposit",
  "amount": {
    "$gt": 50000
  }
}
```

ADD DATA BULK EXPORT CODE

25 1 - 3 of 3

	transactions				
	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32
1	ObjectId('6a91051575538f4...')	1007	104	"Deposit"	100000
2	ObjectId('6a91054a75538f4...')	1010	106	"Deposit"	75000
3	ObjectId('6a91058975538f4...')	1014	108	"Deposit"	150000

Find Hyderabad customers with high balance

ORGANIZATION GUTHA SUSHMA SRE... PROJECT Project 0

Compare tiers ? [Icons]

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers

Cluster0 > BankDB > Customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

```
{
  "city": "Hyderabad",
  "balance": {
    "$gt": 100000
  }
}
```

ADD DATA BULK EXPORT CODE

25 1 - 1 of 1

	Customers				
	_id ObjectId	customer_id Int32	name String	city String	account_type String
1	ObjectId('6a7e968fb55e6d6...')	106	"Anjali Singh"	"Hyderabad"	"Savings"

Find customers in multiple cities

ORGANIZATION GUTHA SUSHMA SRE... PROJECT Project 0

Compare tiers ? [Icons]

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - BankDB
 - Customers

Cluster0 > BankDB > Customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

```
{
  "city": {
    "$in": [
      "Hyderabad",
      "Vijayawada",
      "Warangal"
    ]
  }
}
```

ADD DATA BULK EXPORT CODE

25 1 - 5 of 5

	Customers				
	_id ObjectId	customer_id Int32	name String	city String	account_type String
1	ObjectId('6a7e9689b55e6d6...')	101	"Ravi Kumar"	"Hyderabad"	"Savings"
2	ObjectId('6a7e961ab55e6d6...')	102	"Priya Sharma"	"Vijayawada"	"Current"
3	ObjectId('6a7e962fb55e6d6...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"
4	ObjectId('6a7e9642b55e6d6...')	104	"Sneha Rao"	"Warangal"	"Savings"

Sort customers by balance

ORGANIZATION
GUTHA SUSHMA SRE...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

BankDB

Customers

transactions

admin

bookflow

book_metadata

books

local

sample_mflix

transactions

Customers

+

Cluster0 > BankDB > Customers

View monitoring

Visualize Your Data

Documents 8

Aggregations

Schema

Indexes 1

Validation

Sort

Edit

Explain

Run

Options

ALL RESULTS

EXPORT CODE

Showing 1 – 8 count results

_id: ObjectId('6a7e96cab55e6d667396e680')

customer_id: 108

name: "Meena Devi"

city: "Chennai"

account_type: "Savings"

balance: 320000

status: "Active"

_id: ObjectId('6a7e9642b55e6d667396e678')

customer_id: 104

name: "Sneha Rao"

city: "Warangal"

account_type: "Savings"

balance: 210000

status: "Active"

```
_id: ObjectId('6a7e968fb55e6d667396e67c')
customer_id: 106
name: "Anjali Singh"
city: "Hyderabad"
account_type: "Savings"
balance: 175000
status: "Active"
```

```
_id: ObjectId('6a7e961ab55e6d667396e674')
customer_id: 102
name: "Priya Sharma"
city: "Vijayawada"
account_type: "Current"
balance: 125000
status: "Active"
```

```
_id: ObjectId('6a7e96b7b55e6d667396e67e')
customer_id: 107
name: "Rahul Verma"
city: "Bengaluru"
account_type: "Current"
balance: 95000
status: "Active"
```

```
_id: ObjectId('6a7e9609b55e6d667396e672')
customer_id: 101
name: "Ravi Kumar"
city: "Hyderabad"
account_type: "Savings"
balance: 85000
status: "Active"
```

```
_id: ObjectId('6a7e967db55e6d667396e67a')
customer_id: 105
name: "Kiran Kumar"
city: "Guntur"
account_type: "Current"
balance: 65000
status: "Inactive"
```

```
_id: ObjectId('6a7e962fb55e6d667396e676')
customer_id: 103
name: "Arjun Reddy"
city: "Hyderabad"
account_type: "Savings"
balance: 45000
status: "Active"
```

Calculate total transaction amount

The screenshot shows the MongoDB Atlas Data Explorer interface. On the left, the 'Data Explorer' sidebar displays the cluster hierarchy: Cluster0 > BankDB > transactions. The main panel shows the 'Aggregations' tab for the 'transactions' collection. The aggregation pipeline is defined as:

```
[{"$group": {"_id": null, "total_amount": {"$sum": "$balance"}}}]
```

The results section shows one document:

```
{ "_id": null, "total_amount": 602000 }
```

Calculate average transaction amount

The screenshot shows the MongoDB Atlas Data Explorer interface. On the left, the 'Data Explorer' sidebar displays the cluster hierarchy: Cluster0 > BankDB > transactions. The main panel shows the 'Aggregations' tab for the 'transactions' collection. The aggregation pipeline is defined as:

```
[{"$group": {"_id": null, "average_amount": {"$avg": "$balance"}}}]
```

The results section shows one document:

```
{ "_id": null, "average_amount": 40133.333333333336 }
```

Total transaction amount by type

ORGANIZATION
GUTHA SUSHMA SRE...

PROJECT
Project 0

Compare tiers ?

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)
Search clusters
Cluster0
BankDB
Customers
transactions
admin
bookflow
book_metadata
books
local
sample_mflix

transactionsCustomers+

Cluster0BankDBCustomers

Documents 8AggregationsSchemaIndexes 1Validation

SortSgroupEdit

ALL RESULTSEXPORT CODE

Showing 1 – 1 count results

```
_id: null  
total_amount : 0
```

Number of transactions per customer

ORGANIZATION
GUTHA SUSHMA SRE...

PROJECT
Project 0

Compare tiers ?

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)
Search clusters
Cluster0
BankDB
Customers
transactions
admin
bookflow
book_metadata
books
local
sample_mflix

transactionsCustomers+

Cluster0BankDBCustomers

Documents 8AggregationsSchemaIndexes 1Validation

SortSgroupEdit

ALL RESULTSEXPORT CODE

Showing 1 – 8 count results

```
_id: 107  
transaction_count : 1  
  
_id: 105  
transaction_count : 1  
  
_id: 101  
transaction_count : 1  
  
_id: 104  
transaction_count : 1
```

Customer+transaction join
\$lookup

ORGANIZATION
GUTHA SUSHMA SRE...

PROJECT
Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

BankDB

Customers

transactions

admin

bookflow

local

sample_mfix

transactions

+

Cluster0

BankDB

transactions

Documents 15

Aggregations

Schema

Indexes 1

Validation

View monitoring

Visualize Your Data

Stlookup

Edit

Explain

Run

Options

ALL RESULTS

EXPORT CODE

Showing 1 – 15 count results

_id: ObjectId('6a91048f75538f42feb79597')

transaction_id: 1001

customer_id: 101

type: "Deposit"

amount: 25000

mode: "UPI"

date: "2026-08-01"

status: "Success"

customer_details: Array (empty)

_id: ObjectId('6a9104a175538f42feb79599')

transaction_id: 1002

customer_id: 101

type: "Withdrawal"

amount: 10000

mode: "ATM"

date: "2026-08-02"

status: "Success"

customer_details: Array (empty)