

maquetación

```
<!DOCTYPE html>
<html lang="es">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <link rel="stylesheet" href="estilos.css">
  <title>Mi primera página sobre pibbles</title>

</head>
<body id="contenedor">
<header> Encabezado PIBBLE
  <section id="baner"></section>
  <section id="logo"></section>
  <section id="informacion"></section>
</header>
<nav> Menu de pibble </nav>
<main>
  <aside id="pb1"> </aside>
  <article id="pb2"> </article>
  <aside id="pb3"> </aside>
</main>

<footer> Pie de pagina </footer>

</body>
</html>
```

CSS

```
*{
  margin: 0px;
  padding: 0px;
}
html{
  background: rgb(240, 172, 47);
}

#contenedor{
  width: 750px;
  height: 750px;
  background: rgb(255, 242, 58);
  margin: auto;
```

maquetación

```
margin-top: 10px;

}

header{
    width: 750px;
    height: 250px;
    background: rgb(206, 35, 5);
}

#baner{
    width: 500px;
    height: 250px;
    background: rgb(58, 23, 12);
    float: right;
}

#logo{
    height: 125px;
    width: 250px;
    background: rgb(167, 69, 12);
    float: left;
}

#informacion{
    height: 125px;
    width: 250px;
    background: yellow;
    float: left;
}

nav{
    height: 50px;
    width: 750px;
    background: rgb(255, 221, 29);
}

nav ul{
    list-style: none;
}

nav ul li{
    float: left;
}

nav a{
    color: #ffffff;
    text-decoration: none;
```

maquetación

```
padding: 25px;
line-height: 50px;
font-family: Bernard MT Condensed;
}
main{
  height: 400px;
  background: rgb(247, 166, 179);
}
#pb1{
  height: 400px;
  width: 150px;
  background: rgb(255, 166, 0); ;
  float: left;
}
#pb2{
  width: 500px;
  height: 400px;
  background: rgb(236, 98, 33);
  float: left;
}
#pb3{
  height: 400px;
  width: 100px;
  background: rgb(187, 145, 7);
  float: left;
}
footer{
  height: 50px;
}
```