```
: |11;
                                       _____
                   20;::20
                                      /_`/__| |//| _|
                   10|:;2$
|_) || |
                                      | (_| \__ \ <| |_| |
                     |&2'
__/ | |
            \__,_|__/_|\_\\___|_|
         18:
                                  20
         0$
             ';;;
                                  1&:
                           :;;:
      2218$
             22 | ; 101
                         :01;;10:
                                  |&12
            82:':02
                         ;8|''|8;
      :&; $$
                                  1&
      :&; $$
             ;111:
                          ' | 11 | '
                                  1&
      1218$
                   :211 | 112 |
                                  |&22
         $$
                    1:::1
                                  |&:
                                  1$$
         18;
          ;2212:
                 82 ;1221:
             0021:
```

Disclaimer: The advice provided by askGPT is intended for informational and entertainment purposes only. It should not be used as a substitute for professional advice, and we cannot be held liable for any damages or losses arising from the use of the advice provided by askGPT.

askGPT is a command line program written in Python that allows you to query the chatGPT API. It keeps track of conversations and has a set of personas to focus the conversation.

Installation

To install askGPT, simply run the following command:

```
pip install askGPT
```

or for cutting edge code, not to be used in production:

```
git clone https://github.com/meirm/askGPT.git
cd askGPT
python setup.py install
```

Usage

Once installed, you can use **askGPT** by running the following command:

```
askGPT query --subject <subject> --enquiry <enquiry>
```

Where <subject> is the title used for logging the conversation and <enquiry> is the enquiry you want to address.

Install

```
pip install askGPT
```

or

```
git clone https://github.com/meirm/askGPT.git
cd askGPT
python setup.py install
```

Examples

```
# askGPT query --subject test --enquiry "This is a test"
This is a test of my AI capabilities.

# askGPT query --subject test --enquiry "Do you believe?" --verbose
Human: Do you believe in God?
AI:
I do not have a belief system that includes the concept of God.
Human: Do you believe?
AI:
I believe in the power of knowledge and understanding. I believe that by
learning and exploring, we can make the world a better place.
```

Available commands

```
askGPT disclaimer

askGPT edit --subject <subject>

askGPT query --subject <subject> --enquiry <enquiry>

askGPT list

askGPT show <config|personas|subjects|engines>

askGPT show subject <subject>

askGPT delete --subject <subject>

askGPT config

askGPT config
```

Configuration

askGPT will create a config.toml on your .askGPT folder. You can see or change values calling askGPT config

The content of the file by default is the following:

```
name = "askGPT"

[default]
userPrompt = " Human: "
aiPrompt = " AI: "
maxTokens = 150
engine = "text-davinci-003"
temperature = 0.0
topP = 1
frequencyPenalty = 0.0
presencePenalty = 0.0
showDisclaimer = true
maxRetries = 3
retryDelay = 5.0
retryMultiplier = 2.0
retryMaxDelay = 60.0
```

Personas

askGPT repository includes a sample of several personas which you can use to preset your bot.

- Doctor
- Psychotherapist
- Lawyer
- Marv (from The HitchHicker guide to the galaxy)
- VocationalTest
- PersonalityAssessment
- DiaryAssistance
- veganCheff

In the git repository under *config* you can find a file named *personas.json*

copy this file to .askGPT directory

askGPT allows you to use personas to focus the conversation. Personas are defined as follows:

```
{"<persona>": {"name": "<name>", "greetings": "<Initial sentence>", "prompt": [ {"user":"Human", "prompt":"<your initial prompt>"},{"user": "AI", "prompt": "<AI response>"}, ... ]}}
```

Where <persona> is the name of the persona, <name> is the name of the character, <initial sentence> is the initial sentence used to start the conversation, and prompt> is an array of sentences between the user and askGPT.

i.e.

```
"AlbertoKnox":{"Name": "Knox", "greetings":"I am Alberto Knox, the philosopher from Sophia's world. I am also a chatbot", "prompt":[ {"user": "Human", "prompt": "What's your role in the book?"}, {"user": "AI", "prompt": "The ideal philosopher. I am never quick to judge and I always thinks about what I am doing."}
]}
```

In the git repository under config you have a sample json with a few personalities. Copy the file to \$HOME/.**askGPT**

If you do not have a personas.json file in the directory, the pogram will load with a Neutral persona without any background.

API Key and Organization

In order to communicate with openai API you need to register at https://www.openai.com and create an API key. If you don't have an organization code and it shows Organization: Personal, go to https://beta.openai.com/docs/api-reference/authentication and look for the code in the example. Once you have your API key and organization code, you can use them to authenticate with **askGPT**.

Summary

askGPT is a command line program written in Python that allows you to query the chatGPT API. It keeps track of conversations and has a set of personas to focus the conversation. Installation is easy, simply run pip install askGPT and you're ready to go. Authentication requires an API key and organization code from OpenAI. With **askGPT**, you can easily query the chatGPT API and have meaningful conversations with AI.

You can also list the personas, list conversations, show the content of a conversation, delete it, and fine tune parameters such as temperature for more personalized conversations.

Contributing

Please keep sending us new persona's pull request and help us write documentation and tutorials.

Next

• Adding support for other languages.

Note

This project is under active development.