Directory Structure in Operating Systems

Guzal Mazhitova SE-2215

Introduction:

- Operating systems like Windows, macOS, and Linux use directories to organize and manage files.
- Efficient file management is crucial for system performance and user productivity.

What is a Directory?

- Directory can be defined as the listing of the related files on the disk. The directory may store some or the entire file attributes.
- To get the benefit of different file systems on the different operating systems, A hard disk can be divided into the number of partitions of different sizes. The partitions are also called volumes or mini disks.

Every Directory supports a number of common operations on the file:

- File Creation
- Search for the file
- File deletion
- Renaming the file
- Traversing Files
- Listing of files

Benefits of Directory Structure

01

Efficient file retrieval: A well-organized directory structure allows users to quickly locate and access files

02

Improved file organization: Directory structures make it easy to categorize and manage files.

Product 3

Types of Directory structure in OS

- Single-level
- Tree-structured
- Acyclic-graph
- Two-level
- General-graph

Two-level directory

each user has their own user files directory (UFD)

Single-level directory

all files are contained in the same directory which makes it easy to support and understand

Tree Structure

This root contains all the directories for each user

Conclusion

- Directory structures are fundamental to efficient file management in operating systems.
- Effective use of directories enhances user productivity and system performance.

Thank you

for attention