

**EX**
1

Calculer et donner un résultat simplifié.

1. $A = \frac{-1}{10} \times \frac{5}{10} - \frac{3}{10}$

2. $B = \frac{-3}{-4} - \frac{1}{-4} \times \frac{8}{-9}$

3. $C = \frac{-1}{10} \div \frac{1}{-10} + \frac{3}{-10}$

4. $D = \frac{5}{-7} + \frac{1}{-7} \times \frac{-4}{5}$

EX
1

Calculer et donner un résultat simplifié.

$$1. A = \frac{-1}{6} + \frac{-3}{6} \div \frac{-7}{-10}$$

$$2. B = \frac{7}{9} \div \frac{5}{-7} - \frac{-6}{-7}$$

$$3. C = \frac{7}{-10} + \frac{4}{-10} \times \frac{1}{10}$$

$$4. D = \frac{-6}{7} \div \frac{-4}{-7} + \frac{2}{-7}$$

EX
1

Calculer et donner un résultat simplifié.

1. $A = \frac{5}{-6} \div \frac{3}{2} + \frac{1}{2}$

2. $B = \frac{-2}{-9} + \frac{-1}{-9} \div \frac{9}{10}$

3. $C = \frac{2}{-3} \div \frac{-5}{-5} + \frac{3}{-5}$

4. $D = \frac{-4}{-5} + \frac{2}{-5} \times \frac{-1}{-8}$



EX

1

Calculer et donner un résultat simplifié.

$$1. A = \frac{-1}{-3} - \frac{-1}{-3} \div \frac{7}{10}$$

$$2. B = \frac{-8}{-9} \div \frac{3}{8} + \frac{-1}{8}$$

$$3. C = \frac{-5}{-9} \div \frac{1}{-9} + \frac{1}{-9}$$

$$4. D = \frac{-2}{9} - \frac{3}{9} \div \frac{1}{-9}$$

**EX**
1

Calculer et donner un résultat simplifié.

1. $A = \frac{-5}{-6} + \frac{4}{-6} \times \frac{9}{10}$

2. $B = \frac{-1}{3} \times \frac{5}{-8} - \frac{3}{-8}$

3. $C = \frac{-9}{-10} \times \frac{-4}{-5} + \frac{1}{-5}$

4. $D = \frac{-1}{10} + \frac{-1}{10} \div \frac{-1}{-9}$

**EX**
1

Calculer et donner un résultat simplifié.

1. $A = \frac{7}{8} + \frac{5}{8} \times \frac{4}{-5}$

2. $B = \frac{1}{-7} \div \frac{1}{-9} - \frac{-1}{-9}$

3. $C = \frac{-3}{5} \times \frac{4}{8} + \frac{-5}{8}$

4. $D = \frac{-1}{-2} - \frac{1}{-2} \times \frac{3}{7}$

EX
1

Calculer et donner un résultat simplifié.

1. $A = \frac{2}{5} - \frac{-3}{5} \div \frac{-2}{-3}$

2. $B = \frac{-5}{6} \times \frac{-1}{7} - \frac{1}{7}$

3. $C = \frac{5}{8} + \frac{5}{8} \div \frac{1}{-10}$

4. $D = \frac{1}{10} \div \frac{-7}{-5} + \frac{-1}{-5}$

EX
1

Calculer et donner un résultat simplifié.

1. $A = \frac{2}{3} \div \frac{7}{-9} + \frac{2}{-9}$

2. $B = \frac{2}{7} - \frac{-1}{7} \div \frac{1}{-3}$

3. $C = \frac{-1}{10} + \frac{7}{10} \div \frac{-1}{9}$

4. $D = \frac{5}{7} \div \frac{-7}{10} + \frac{-1}{10}$

**EX**
1

Calculer et donner un résultat simplifié.

1. $A = \frac{-1}{-8} - \frac{-1}{-8} \times \frac{5}{-9}$

2. $B = \frac{1}{-8} \div \frac{-4}{-7} - \frac{4}{-7}$

3. $C = \frac{2}{5} \div \frac{-6}{10} + \frac{1}{10}$

4. $D = \frac{-4}{7} - \frac{2}{7} \div \frac{7}{8}$

**EX**
1

Calculer et donner un résultat simplifié.

1. $A = \frac{1}{5} \div \frac{1}{-6} - \frac{1}{-6}$

2. $B = \frac{-3}{-4} + \frac{-5}{-4} \div \frac{-1}{-3}$

3. $C = \frac{6}{7} \times \frac{7}{-7} - \frac{-6}{-7}$

4. $D = \frac{1}{-8} + \frac{-1}{-8} \times \frac{2}{3}$

**EX**
1

Calculer et donner un résultat simplifié.

1. $A = \frac{3}{-7} \div \frac{-2}{-9} + \frac{-8}{-9}$

2. $B = \frac{8}{9} + \frac{-3}{9} \times \frac{7}{-9}$

3. $C = \frac{-3}{7} - \frac{9}{7} \times \frac{-3}{4}$

4. $D = \frac{2}{5} \times \frac{5}{7} + \frac{1}{7}$

**EX**
1

Calculer et donner un résultat simplifié.

1. $A = \frac{1}{-4} \times \frac{-1}{8} - \frac{-3}{8}$

2. $B = \frac{-8}{9} - \frac{-1}{9} \div \frac{3}{-10}$

3. $C = \frac{9}{10} \div \frac{-4}{-5} + \frac{4}{-5}$

4. $D = \frac{-1}{8} - \frac{3}{8} \div \frac{-1}{10}$

EX
1

Calculer et donner un résultat simplifié.

1. $A = \frac{-5}{-8} \times \frac{-3}{-10} - \frac{9}{-10}$

2. $B = \frac{2}{7} + \frac{3}{7} \div \frac{-8}{9}$

3. $C = \frac{1}{-9} + \frac{2}{-9} \div \frac{-4}{5}$

4. $D = \frac{-4}{5} \times \frac{-3}{7} - \frac{-5}{7}$

EX
1

Calculer et donner un résultat simplifié.

1. $A = \frac{1}{9} + \frac{-4}{9} \div \frac{-7}{-8}$

2. $B = \frac{5}{7} \div \frac{-5}{-10} + \frac{3}{-10}$

3. $C = \frac{-3}{-4} \times \frac{-2}{-6} + \frac{1}{-6}$

4. $D = \frac{-6}{7} + \frac{1}{7} \div \frac{-5}{-7}$

**EX**
1

Calculer et donner un résultat simplifié.

1. $A = \frac{-5}{-9} \times \frac{7}{-5} - \frac{1}{-5}$

2. $B = \frac{-7}{10} + \frac{5}{10} \div \frac{1}{-9}$

3. $C = \frac{5}{-9} + \frac{3}{-9} \times \frac{3}{-5}$

4. $D = \frac{-6}{7} \div \frac{-4}{9} - \frac{5}{9}$

EX
1

Calculer et donner un résultat simplifié.

1. $A = \frac{-5}{6} - \frac{7}{6} \div \frac{-5}{-7}$

2. $B = \frac{-4}{-9} \div \frac{1}{8} + \frac{-3}{8}$

3. $C = \frac{4}{-5} + \frac{2}{-5} \div \frac{-1}{6}$

4. $D = \frac{-5}{-8} \div \frac{-5}{-8} - \frac{-5}{-8}$

**EX**
1

Calculer et donner un résultat simplifié.

1. $A = \frac{7}{10} - \frac{-6}{10} \div \frac{1}{2}$

2. $B = \frac{1}{-5} \times \frac{-9}{10} + \frac{1}{10}$

3. $C = \frac{1}{-2} \div \frac{3}{-8} - \frac{1}{-8}$

4. $D = \frac{-1}{4} - \frac{4}{4} \times \frac{1}{5}$

EX
1

Calculer et donner un résultat simplifié.

1. $A = \frac{5}{7} \times \frac{-3}{-8} + \frac{-3}{-8}$

2. $B = \frac{-1}{3} - \frac{-1}{3} \div \frac{-1}{8}$

3. $C = \frac{3}{-8} + \frac{-1}{-8} \div \frac{-7}{8}$

4. $D = \frac{-3}{8} \div \frac{2}{7} - \frac{6}{7}$

EX
1

Calculer et donner un résultat simplifié.

1. $A = \frac{2}{-3} \div \frac{-5}{-5} - \frac{-3}{-5}$

2. $B = \frac{-1}{5} - \frac{-3}{5} \div \frac{8}{-9}$

3. $C = \frac{-1}{4} - \frac{-1}{4} \div \frac{-1}{-8}$

4. $D = \frac{1}{2} \times \frac{1}{-8} - \frac{1}{-8}$

EX
1

Calculer et donner un résultat simplifié.

1. $A = \frac{1}{6} + \frac{-1}{6} \times \frac{-1}{-8}$

2. $B = \frac{5}{8} \times \frac{2}{-7} + \frac{1}{-7}$

3. $C = \frac{7}{9} - \frac{-9}{9} \times \frac{-9}{-10}$

4. $D = \frac{9}{10} \div \frac{1}{-9} - \frac{-7}{-9}$

EX
1

Calculer et donner un résultat simplifié.

1. $A = \frac{1}{-8} \div \frac{2}{3} - \frac{-2}{3}$

2. $B = \frac{3}{-5} + \frac{-3}{-5} \times \frac{3}{-5}$

3. $C = \frac{3}{-5} \div \frac{-1}{-8} - \frac{5}{-8}$

4. $D = \frac{-5}{-8} + \frac{2}{-8} \div \frac{1}{-2}$

EX
1

Calculer et donner un résultat simplifié.

$$1. A = \frac{9}{-10} \div \frac{6}{-10} + \frac{1}{-10}$$

$$2. B = \frac{1}{-10} - \frac{-1}{-10} \div \frac{-1}{10}$$

$$3. C = \frac{1}{-7} + \frac{1}{-7} \div \frac{-2}{9}$$

$$4. D = \frac{-8}{9} \times \frac{5}{7} + \frac{-1}{7}$$



EX

1

Calculer et donner un résultat simplifié.

1. $A = \frac{2}{-3} \times \frac{1}{-9} + \frac{-7}{-9}$

2. $B = \frac{1}{3} + \frac{3}{3} \times \frac{5}{6}$

3. $C = \frac{-5}{-9} \times \frac{9}{3} - \frac{1}{3}$

4. $D = \frac{-5}{7} - \frac{-2}{7} \times \frac{-7}{8}$

EX
1

Calculer et donner un résultat simplifié.

1. $A = \frac{2}{3} - \frac{-1}{3} \div \frac{1}{-6}$

2. $B = \frac{4}{-5} \div \frac{2}{-8} - \frac{3}{-8}$

3. $C = \frac{-5}{6} - \frac{3}{6} \times \frac{-6}{-7}$

4. $D = \frac{-2}{5} \times \frac{-7}{4} - \frac{-1}{4}$

**EX**
1

Calculer et donner un résultat simplifié.

1. $A = \frac{5}{7} + \frac{-7}{7} \times \frac{-5}{-6}$

2. $B = \frac{-3}{8} \times \frac{5}{-9} + \frac{5}{-9}$

3. $C = \frac{-1}{-2} \times \frac{1}{9} - \frac{7}{9}$

4. $D = \frac{-1}{-6} + \frac{-1}{-6} \div \frac{-2}{7}$

**EX**
1

Calculer et donner un résultat simplifié.

1. $A = \frac{-2}{-9} - \frac{3}{-9} \div \frac{-1}{-5}$

2. $B = \frac{1}{8} \div \frac{-5}{7} + \frac{2}{7}$

3. $C = \frac{-5}{8} \times \frac{7}{6} + \frac{-5}{6}$

4. $D = \frac{2}{7} + \frac{-4}{7} \times \frac{-3}{10}$



Calculer et donner un résultat simplifié.

1. $A = \frac{-3}{10} + \frac{7}{10} \div \frac{1}{4}$

2. $B = \frac{-1}{-10} \times \frac{-7}{5} + \frac{1}{5}$

3. $C = \frac{-1}{2} \times \frac{2}{9} - \frac{1}{9}$

4. $D = \frac{-2}{3} - \frac{-2}{3} \times \frac{-2}{9}$



Calculer et donner un résultat simplifié.

1. $A = \frac{7}{8} \times \frac{-1}{9} - \frac{2}{9}$

2. $B = \frac{1}{-2} - \frac{-7}{-2} \div \frac{-2}{-9}$

3. $C = \frac{-1}{2} - \frac{-1}{2} \times \frac{-5}{6}$

4. $D = \frac{3}{-10} \div \frac{-1}{2} + \frac{1}{2}$

EX
1

Calculer et donner un résultat simplifié.

1. $A = \frac{5}{-8} + \frac{2}{-8} \div \frac{1}{6}$

2. $B = \frac{1}{3} \times \frac{-1}{9} - \frac{5}{9}$

3. $C = \frac{-7}{8} \times \frac{-1}{7} + \frac{6}{7}$

4. $D = \frac{1}{10} + \frac{3}{10} \times \frac{7}{9}$

**EX**
1

Calculer et donner un résultat simplifié.

1. $A = \frac{-1}{-3} \div \frac{-8}{-5} - \frac{4}{-5}$

2. $B = \frac{-1}{7} + \frac{5}{7} \div \frac{7}{8}$

3. $C = \frac{3}{10} \div \frac{9}{7} - \frac{-4}{7}$

4. $D = \frac{1}{5} - \frac{3}{5} \times \frac{5}{7}$



EX

1

$$1. A = \frac{-1}{10} \times \frac{5}{10} - \frac{3}{10}$$

$$A = \frac{-1}{10} \times \frac{5}{10} - \frac{3}{10}$$

$$A = \frac{-1 \times 5}{10 \times 10} - \frac{3}{10}$$

$$A = \frac{-5}{100} - \frac{3}{10}$$

$$A = \frac{-1 \times \cancel{5}}{20 \times \cancel{5}} - \frac{3}{10}$$

$$A = \frac{-1}{20} - \frac{3 \times 2}{10 \times 2}$$

$$A = \frac{-1}{20} - \frac{6}{20}$$

$$A = \frac{-7}{20}$$

$$A = -\frac{7}{20}$$

$$2. B = \frac{-3}{-4} - \frac{1}{-4} \times \frac{8}{-9}$$

$$B = \frac{-3}{-4} - \frac{1 \times 8}{-4 \times (-9)}$$

$$B = \frac{-3}{-4} - \frac{8}{36}$$

$$B = \frac{-3 \times 9}{-4 \times 9} - \frac{8 \times (-1)}{36 \times (-1)}$$

$$B = \frac{-27}{-36} - \frac{-8}{-36}$$

$$B = \frac{-19}{-36}$$

$$B = \frac{19}{36}$$

$$3. C = \frac{-1}{10} \div \frac{1}{-10} + \frac{3}{-10}$$

$$C = \frac{-1}{10} \times -10 + \frac{3}{-10}$$

$$C = \frac{-1}{10} \times -10 + \frac{3}{-10}$$

$$C = \frac{-1 \times (-10)}{10 \times 1} + \frac{3}{-10}$$

$$C = \frac{10}{10} + \frac{3}{-10}$$

$$C = \frac{10 \times (-1)}{10 \times (-1)} + \frac{3}{-10}$$

$$C = \frac{-10}{-10} + \frac{3}{-10}$$

$$C = \frac{-7}{-10}$$

$$C = \frac{7}{10}$$

$$4. D = \frac{5}{-7} + \frac{1}{-7} \times \frac{-4}{5}$$

$$D = \frac{5}{-7} + \frac{1 \times (-4)}{-7 \times 5}$$

$$D = \frac{5}{-7} + \frac{-4}{-35}$$

$$D = \frac{5 \times (-5)}{-7 \times (-5)} + \frac{-4 \times (-1)}{-35 \times (-1)}$$

$$D = \frac{-25}{35} + \frac{4}{35}$$

$$D = \frac{-21}{35}$$

$$D = -\frac{3 \times 7}{5 \times 7}$$

$$D = -\frac{3}{5}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{-1}{6} + \frac{-3}{6} \div \frac{-7}{-10} \\
 A &= \frac{-1}{6} + \frac{-3}{6} \times \frac{-10}{-7} \\
 A &= \frac{-1}{6} + \frac{-3 \times (-10)}{6 \times (-7)} \\
 A &= \frac{-1}{6} + \frac{30}{-42} \\
 A &= \frac{-1 \times (-7)}{6 \times (-7)} + \frac{30}{-42} \\
 A &= \frac{7}{-42} + \frac{30}{-42} \\
 A &= \frac{37}{-42} \\
 A &= -\frac{37}{42}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{7}{9} \div \frac{5}{-7} - \frac{-6}{-7} \\
 B &= \frac{7}{9} \times \frac{-7}{5} - \frac{-6}{-7} \\
 B &= \frac{7}{9} \times \frac{-7}{5} - \frac{-6}{-7} \\
 B &= \frac{7 \times (-7)}{9 \times 5} - \frac{-6}{-7} \\
 B &= \frac{-49}{45} - \frac{-6}{-7} \\
 B &= \frac{-49 \times (-7)}{45 \times (-7)} - \frac{-6 \times 45}{-7 \times 45} \\
 B &= \frac{343}{-315} - \frac{-270}{-315} \\
 B &= \frac{613}{-315} \\
 B &= -\frac{613}{315}
 \end{aligned}$$

$$3. \quad C = \frac{7}{-10} + \frac{4}{-10} \times \frac{1}{10}$$

$$\begin{aligned}
 C &= \frac{7}{-10} + \frac{4 \times 1}{-10 \times 10} \\
 C &= \frac{7}{-10} + \frac{-4}{-100} \\
 C &= \frac{7}{-10} + \frac{1 \times \cancel{4}}{-25 \times \cancel{4}} \\
 C &= \frac{7 \times (-5)}{-10 \times (-5)} + \frac{1 \times (-2)}{-25 \times (-2)} \\
 C &= \frac{-35}{50} + \frac{-2}{50} \\
 C &= \frac{-37}{50} \\
 C &= -\frac{37}{50}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{-6}{7} \div \frac{-4}{-7} + \frac{2}{-7} \\
 D &= \frac{-6}{7} \times \frac{-7}{-4} + \frac{2}{-7} \\
 D &= \frac{-6}{7} \times \frac{-7}{-4} + \frac{2}{-7} \\
 D &= \frac{-6 \times (-7)}{7 \times (-4)} + \frac{2}{-7} \\
 D &= \frac{42}{-28} + \frac{2}{-7} \\
 D &= \frac{3 \times \cancel{14}}{-2 \times \cancel{14}} + \frac{2}{-7} \\
 D &= \frac{3 \times (-7)}{-2 \times (-7)} + \frac{2 \times (-2)}{-7 \times (-2)} \\
 D &= \frac{-21}{14} + \frac{-4}{14} \\
 D &= \frac{-25}{14} \\
 D &= -\frac{25}{14}
 \end{aligned}$$



EX

1

$$1. A = \frac{5}{-6} \div \frac{3}{2} + \frac{1}{2}$$

$$A = \frac{5}{-6} \times \frac{2}{3} + \frac{1}{2}$$

$$A = \frac{5}{-6} \times \frac{2}{3} + \frac{1}{2}$$

$$A = \frac{5 \times 2}{-6 \times 3} + \frac{1}{2}$$

$$A = \frac{10}{-18} + \frac{1}{2}$$

$$A = \frac{10}{-18} + \frac{1 \times (-9)}{2 \times (-9)}$$

$$A = \frac{10}{-18} + \frac{-9}{-18}$$

$$A = \frac{1}{-18}$$

$$A = -\frac{1}{18}$$

$$2. B = \frac{-2}{-9} + \frac{-1}{-9} \div \frac{9}{10}$$

$$B = \frac{-2}{-9} + \frac{-1}{-9} \times \frac{10}{9}$$

$$B = \frac{-2}{-9} + \frac{-1 \times 10}{-9 \times 9}$$

$$B = \frac{-2}{-9} + \frac{-10}{-81}$$

$$B = \frac{-2 \times (-9)}{-9 \times (-9)} + \frac{-10 \times (-1)}{-81 \times (-1)}$$

$$B = \frac{18}{81} + \frac{10}{81}$$

$$B = \frac{28}{81}$$

$$3. C = \frac{2}{-3} \div \frac{-5}{-5} + \frac{3}{-5}$$

$$C = \frac{2}{-3} \times \frac{-5}{-5} + \frac{3}{-5}$$

$$C = \frac{2}{-3} \times \frac{-5}{-5} + \frac{3}{-5}$$

$$C = \frac{2 \times (-5)}{-3 \times (-5)} + \frac{3}{-5}$$

$$C = \frac{-10}{15} + \frac{3}{-5}$$

$$C = \frac{-10 \times (-1)}{15 \times (-1)} + \frac{3 \times 3}{-5 \times 3}$$

$$C = \frac{10}{-15} + \frac{9}{-15}$$

$$C = \frac{19}{-15}$$

$$C = -\frac{19}{15}$$

$$4. D = \frac{-4}{-5} + \frac{2}{-5} \times \frac{-1}{-8}$$

$$D = \frac{-4}{-5} + \frac{2 \times (-1)}{-5 \times (-8)}$$

$$D = \frac{-4}{-5} + \frac{-2}{40}$$

$$D = \frac{-4 \times 8}{-5 \times 8} + \frac{-2 \times (-1)}{40 \times (-1)}$$

$$D = \frac{-32}{-40} + \frac{2}{-40}$$

$$D = \frac{-30}{-40}$$

$$D = \frac{3 \times 10}{4 \times 10}$$

$$D = \frac{3}{4}$$

EX
1

$$\begin{aligned}
 1. \quad A &= \frac{-1}{-3} - \frac{-1}{-3} \div \frac{7}{10} \\
 A &= \frac{-1}{-3} - \frac{-1}{-3} \times \frac{10}{7} \\
 A &= \frac{-1}{-3} - \frac{-1 \times 10}{-3 \times 7} \\
 A &= \frac{-1}{-3} - \frac{-10}{-21} \\
 A &= \frac{-1 \times (-7)}{-3 \times (-7)} - \frac{-10 \times (-1)}{-21 \times (-1)} \\
 A &= \frac{7}{21} - \frac{10}{21} \\
 A &= \frac{-3}{21} \\
 A &= -\frac{1 \times 3}{7 \times 3} \\
 A &= -\frac{1}{7}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{-8}{-9} \div \frac{3}{8} + \frac{-1}{8} \\
 B &= \frac{-8}{-9} \times \frac{8}{3} + \frac{-1}{8} \\
 B &= \frac{-8}{-9} \times \frac{8}{3} + \frac{-1}{8} \\
 B &= \frac{-8 \times 8}{-9 \times 3} + \frac{-1}{8} \\
 B &= \frac{-64}{-27} + \frac{-1}{8} \\
 B &= \frac{-64 \times 8}{-27 \times 8} + \frac{-1 \times (-27)}{8 \times (-27)} \\
 B &= \frac{-512}{-216} + \frac{27}{-216}
 \end{aligned}$$

$$\begin{aligned}
 B &= \frac{-485}{-216} \\
 B &= \frac{485}{216}
 \end{aligned}$$

$$\begin{aligned}
 3. \quad C &= \frac{-5}{-9} \div \frac{1}{-9} + \frac{1}{-9} \\
 C &= \frac{-5}{-9} \times -9 + \frac{1}{-9} \\
 C &= \frac{-5}{-9} \times -9 + \frac{1}{-9} \\
 C &= \frac{-5 \times (-9)}{-9 \times 1} + \frac{1}{-9} \\
 C &= \frac{45}{-9} + \frac{1}{-9} \\
 C &= \frac{45}{-9} + \frac{1}{-9} \\
 C &= \frac{46}{-9} \\
 C &= -\frac{46}{9}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{-2}{9} - \frac{3}{9} \div \frac{1}{-9} \\
 D &= \frac{-2}{9} - \frac{3}{9} \times -9 \\
 D &= \frac{-2}{9} - \frac{3 \times (-9)}{9 \times 1} \\
 D &= \frac{-2}{9} - \frac{-27}{9} \\
 D &= \frac{-2}{9} - \frac{-27}{9} \\
 D &= \frac{25}{9}
 \end{aligned}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{-5}{-6} + \frac{4}{-6} \times \frac{9}{10} \\
 A &= \frac{-5}{-6} + \frac{4 \times 9}{-6 \times 10} \\
 A &= \frac{-5}{-6} + \frac{36}{-60} \\
 A &= \frac{-5}{-6} + \frac{3 \times \cancel{12}}{-5 \times \cancel{12}} \\
 A &= \frac{-5 \times (-5)}{-6 \times (-5)} + \frac{3 \times (-6)}{-5 \times (-6)} \\
 A &= \frac{25}{30} + \frac{-18}{30} \\
 A &= \frac{7}{30}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{-1}{3} \times \frac{5}{-8} - \frac{3}{-8} \\
 B &= \frac{-1}{3} \times \frac{5}{-8} - \frac{3}{-8} \\
 B &= \frac{-1 \times 5}{3 \times (-8)} - \frac{3}{-8} \\
 B &= \frac{-5}{-24} - \frac{3}{-8} \\
 B &= \frac{-5 \times (-1)}{-24 \times (-1)} - \frac{3 \times (-3)}{-8 \times (-3)} \\
 B &= \frac{5}{24} - \frac{-9}{24} \\
 B &= \frac{14}{24} \\
 B &= \frac{7 \times 2}{12 \times 2} \\
 B &= \frac{7}{12}
 \end{aligned}$$

$$3. \quad C = \frac{-9}{-10} \times \frac{-4}{-5} + \frac{1}{-5}$$

$$\begin{aligned}
 C &= \frac{-9}{-10} \times \frac{-4}{-5} + \frac{1}{-5} \\
 C &= \frac{-9 \times (-4)}{-10 \times (-5)} + \frac{1}{-5} \\
 C &= \frac{36}{50} + \frac{1}{-5} \\
 C &= \frac{36 \times (-1)}{50 \times (-1)} + \frac{1 \times 10}{-5 \times 10} \\
 C &= \frac{-36}{-50} + \frac{10}{-50} \\
 C &= \frac{-26}{-50} \\
 C &= \frac{13 \times 2}{25 \times 2} \\
 C &= \frac{13}{25}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{-1}{10} + \frac{-1}{10} \div \frac{-1}{-9} \\
 D &= \frac{-1}{10} + \frac{-1}{10} \times \frac{-9}{-1} \\
 D &= \frac{-1}{10} + \frac{-1 \times (-9)}{10 \times (-1)} \\
 D &= \frac{-1}{10} + \frac{9}{-10} \\
 D &= \frac{-1 \times (-1)}{10 \times (-1)} + \frac{9}{-10} \\
 D &= \frac{1}{-10} + \frac{9}{-10} \\
 D &= \frac{-10}{-10} \\
 D &= -1
 \end{aligned}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{7}{8} + \frac{5}{8} \times \frac{4}{-5} \\
 A &= \frac{7}{8} + \frac{5 \times 4}{8 \times (-5)} \\
 A &= \frac{7}{8} + \frac{20}{-40} \\
 A &= \frac{7 \times (-5)}{8 \times (-5)} + \frac{20}{-40} \\
 A &= \frac{-35}{-40} + \frac{20}{-40} \\
 A &= \frac{-15}{-40} \\
 A &= \frac{3 \times 5}{8 \times 5} \\
 A &= \frac{3}{8}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{1}{-7} \div \frac{1}{-9} - \frac{-1}{-9} \\
 B &= \frac{1}{-7} \times -9 - \frac{-1}{-9} \\
 B &= \frac{1}{-7} \times -9 - \frac{-1}{-9} \\
 B &= \frac{1 \times (-9)}{-7 \times 1} - \frac{-1}{-9} \\
 B &= \frac{-9}{-7} - \frac{-1}{-9} \\
 B &= \frac{-9 \times (-9)}{-7 \times (-9)} - \frac{-1 \times (-7)}{-9 \times (-7)} \\
 B &= \frac{81}{63} - \frac{7}{63} \\
 B &= \frac{74}{63}
 \end{aligned}$$

$$\begin{aligned}
 3. \quad C &= \frac{-3}{5} \times \frac{4}{8} + \frac{-5}{8} \\
 C &= \frac{-3}{5} \times \frac{4}{8} + \frac{-5}{8} \\
 C &= \frac{-3 \times 4}{5 \times 8} + \frac{-5}{8} \\
 C &= \frac{-12}{40} + \frac{-5}{8} \\
 C &= \frac{-12}{40} + \frac{-5 \times 5}{8 \times 5} \\
 C &= \frac{-12}{40} + \frac{-25}{40} \\
 C &= \frac{-37}{40} \\
 C &= -\frac{37}{40}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{-1}{-2} - \frac{1}{-2} \times \frac{3}{7} \\
 D &= \frac{-1}{-2} - \frac{1 \times 3}{-2 \times 7} \\
 D &= \frac{-1}{-2} - \frac{3}{-14} \\
 D &= \frac{-1 \times (-7)}{-2 \times (-7)} - \frac{3 \times (-1)}{-14 \times (-1)} \\
 D &= \frac{7}{14} - \frac{-3}{14} \\
 D &= \frac{10}{14} \\
 D &= \frac{5 \times 2}{7 \times 2} \\
 D &= \frac{5}{7}
 \end{aligned}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{2}{5} - \frac{-3}{5} \div \frac{-2}{-3} \\
 A &= \frac{2}{5} - \frac{-3}{5} \times \frac{-3}{-2} \\
 A &= \frac{2}{5} - \frac{-3 \times (-3)}{5 \times (-2)} \\
 A &= \frac{2}{5} - \frac{9}{-10} \\
 A &= \frac{2 \times (-2)}{5 \times (-2)} - \frac{9}{-10} \\
 A &= \frac{-4}{-10} - \frac{9}{-10} \\
 A &= \frac{-13}{-10} \\
 A &= \frac{13}{10}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{-5}{6} \times \frac{-1}{7} - \frac{1}{7} \\
 B &= \frac{-5}{6} \times \frac{-1}{7} - \frac{1}{7} \\
 B &= \frac{-5 \times (-1)}{6 \times 7} - \frac{1}{7} \\
 B &= \frac{5}{42} - \frac{1}{7} \\
 B &= \frac{5}{42} - \frac{1 \times 6}{7 \times 6} \\
 B &= \frac{5}{42} - \frac{6}{42} \\
 B &= \frac{-1}{42} \\
 B &= -\frac{1}{42}
 \end{aligned}$$

$$\begin{aligned}
 3. \quad C &= \frac{5}{8} + \frac{5}{8} \div \frac{1}{-10} \\
 C &= \frac{5}{8} + \frac{5}{8} \times -10 \\
 C &= \frac{5}{8} + \frac{5 \times (-10)}{8 \times 1} \\
 C &= \frac{5}{8} + \frac{-50}{8} \\
 C &= \frac{5}{8} + \frac{-50}{8} \\
 C &= \frac{-45}{8} \\
 C &= -\frac{45}{8}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{1}{10} \div \frac{-7}{-5} + \frac{-1}{-5} \\
 D &= \frac{1}{10} \times \frac{-5}{-7} + \frac{-1}{-5} \\
 D &= \frac{1}{10} \times \frac{-5}{-7} + \frac{-1}{-5} \\
 D &= \frac{1 \times (-5)}{10 \times (-7)} + \frac{-1}{-5} \\
 D &= \frac{-5}{-70} + \frac{-1}{-5} \\
 D &= \frac{-5 \times (-1)}{-70 \times (-1)} + \frac{-1 \times (-14)}{-5 \times (-14)} \\
 D &= \frac{5}{70} + \frac{14}{70} \\
 D &= \frac{19}{70}
 \end{aligned}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{2}{3} \div \frac{7}{-9} + \frac{2}{-9} \\
 A &= \frac{2}{3} \times \frac{-9}{7} + \frac{2}{-9} \\
 A &= \frac{2}{3} \times \frac{-9}{7} + \frac{2}{-9} \\
 A &= \frac{2 \times (-9)}{3 \times 7} + \frac{2}{-9} \\
 A &= \frac{-18}{21} + \frac{2}{-9} \\
 A &= \frac{-18 \times (-3)}{21 \times (-3)} + \frac{2 \times 7}{-9 \times 7} \\
 A &= \frac{54}{-63} + \frac{14}{-63} \\
 A &= \frac{-63}{68} \\
 A &= -\frac{63}{68}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{2}{7} - \frac{-1}{7} \div \frac{1}{-3} \\
 B &= \frac{2}{7} - \frac{-1}{7} \times -3 \\
 B &= \frac{2}{7} - \frac{-1 \times (-3)}{7 \times 1} \\
 B &= \frac{2}{7} - \frac{3}{7} \\
 B &= \frac{2}{7} - \frac{3}{7} \\
 B &= \frac{-1}{7} \\
 B &= -\frac{1}{7}
 \end{aligned}$$

$$3. \quad C = \frac{-1}{10} + \frac{7}{10} \div \frac{-1}{9}$$

$$\begin{aligned}
 C &= \frac{-1}{10} + \frac{7}{10} \times \frac{9}{-1} \\
 C &= \frac{-1}{10} + \frac{7 \times 9}{10 \times (-1)} \\
 C &= \frac{-1}{10} + \frac{63}{-10} \\
 C &= \frac{-1 \times (-1)}{10 \times (-1)} + \frac{63}{-10} \\
 C &= \frac{1}{-10} + \frac{63}{-10} \\
 C &= \frac{64}{-10} \\
 C &= -\frac{32 \times 2}{5 \times 2} \\
 C &= -\frac{32}{5}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{5}{7} \div \frac{-7}{10} + \frac{-1}{10} \\
 D &= \frac{5}{7} \times \frac{10}{-7} + \frac{-1}{10} \\
 D &= \frac{5}{7} \times \frac{10}{-7} + \frac{-1}{10} \\
 D &= \frac{5 \times 10}{7 \times (-7)} + \frac{-1}{10} \\
 D &= \frac{50}{-49} + \frac{-1}{10} \\
 D &= \frac{50 \times 10}{-49 \times 10} + \frac{-1 \times (-49)}{10 \times (-49)} \\
 D &= \frac{500}{-490} + \frac{49}{-490} \\
 D &= \frac{549}{-490} \\
 D &= -\frac{549}{490}
 \end{aligned}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{-1}{-8} - \frac{-1}{-8} \times \frac{5}{-9} \\
 A &= \frac{-1}{-8} - \frac{-1 \times 5}{-8 \times (-9)} \\
 A &= \frac{-1}{-8} - \frac{-5}{72} \\
 A &= \frac{-1 \times 9}{-8 \times 9} - \frac{-5 \times (-1)}{72 \times (-1)} \\
 A &= \frac{-9}{-72} - \frac{5}{-72} \\
 A &= \frac{-14}{-72} \\
 A &= \frac{7 \times 2}{36 \times 2} \\
 A &= \frac{7}{36}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{1}{-8} \div \frac{-4}{-7} - \frac{4}{-7} \\
 B &= \frac{1}{-8} \times \frac{-7}{-4} - \frac{4}{-7} \\
 B &= \frac{1}{-8} \times \frac{-7}{-4} - \frac{4}{-7} \\
 B &= \frac{1 \times (-7)}{-8 \times (-4)} - \frac{4}{-7} \\
 B &= \frac{-7}{32} - \frac{4}{-7} \\
 B &= \frac{-7 \times (-7)}{32 \times (-7)} - \frac{4 \times 32}{-7 \times 32} \\
 B &= \frac{49}{-224} - \frac{128}{-224} \\
 B &= \frac{-79}{-224} \\
 B &= \frac{79}{224}
 \end{aligned}$$

$$\begin{aligned}
 3. \quad C &= \frac{2}{5} \div \frac{-6}{10} + \frac{1}{10} \\
 C &= \frac{2}{5} \times \frac{10}{-6} + \frac{1}{10} \\
 C &= \frac{2}{5} \times \frac{10}{-6} + \frac{1}{10} \\
 C &= \frac{2 \times 10}{5 \times (-6)} + \frac{1}{10} \\
 C &= \frac{20}{-30} + \frac{1}{10} \\
 C &= \frac{20}{-30} + \frac{1 \times (-3)}{10 \times (-3)} \\
 C &= \frac{20}{-30} + \frac{-3}{-30} \\
 C &= \frac{17}{-30} \\
 C &= -\frac{17}{30}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{-4}{7} - \frac{2}{7} \div \frac{7}{8} \\
 D &= \frac{-4}{7} - \frac{2}{7} \times \frac{8}{7} \\
 D &= \frac{-4}{7} - \frac{2 \times 8}{7 \times 7} \\
 D &= \frac{-4}{7} - \frac{16}{49} \\
 D &= \frac{-4 \times 7}{7 \times 7} - \frac{16}{49} \\
 D &= \frac{-28}{49} - \frac{16}{49} \\
 D &= \frac{-44}{49} \\
 D &= -\frac{44}{49}
 \end{aligned}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{1}{5} \div \frac{1}{-6} - \frac{1}{-6} \\
 A &= \frac{1}{5} \times -6 - \frac{1}{-6} \\
 A &= \frac{1}{5} \times -6 - \frac{1}{-6} \\
 A &= \frac{1 \times (-6)}{5 \times 1} - \frac{1}{-6} \\
 A &= \frac{-6}{5} - \frac{1}{-6} \\
 A &= \frac{-6 \times (-6)}{5 \times (-6)} - \frac{1 \times 5}{-6 \times 5} \\
 A &= \frac{36}{-30} - \frac{5}{-30} \\
 A &= \frac{31}{-30} \\
 A &= -\frac{31}{30}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{-3}{-4} + \frac{-5}{-4} \div \frac{-1}{-3} \\
 B &= \frac{-3}{-4} + \frac{-5}{-4} \times \frac{-3}{-1} \\
 B &= \frac{-3}{-4} + \frac{-5 \times (-3)}{-4 \times (-1)} \\
 B &= \frac{-3}{-4} + \frac{15}{4} \\
 B &= \frac{-3}{-4} + \frac{15 \times (-1)}{4 \times (-1)} \\
 B &= \frac{-3}{-4} + \frac{-15}{-4} \\
 B &= \frac{-18}{-4} \\
 B &= \frac{9 \times 2}{2 \times 2}
 \end{aligned}$$

$$B = \frac{9}{2}$$

$$\begin{aligned}
 3. \quad C &= \frac{6}{7} \times \frac{7}{-7} - \frac{-6}{-7} \\
 C &= \frac{6}{7} \times \frac{7}{-7} - \frac{-6}{-7} \\
 C &= \frac{6 \times 7}{7 \times (-7)} - \frac{-6}{-7} \\
 C &= \frac{42}{-49} - \frac{-6}{-7} \\
 C &= \frac{6 \times 7}{-7 \times 7} - \frac{-6}{-7} \\
 C &= \frac{6}{-7} - \frac{-6}{-7} \\
 C &= \frac{12}{-7} \\
 C &= -\frac{12}{7}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{1}{-8} + \frac{-1}{-8} \times \frac{2}{3} \\
 D &= \frac{1}{-8} + \frac{-1 \times 2}{-8 \times 3} \\
 D &= \frac{1}{-8} + \frac{-2}{-24} \\
 D &= \frac{1 \times (-3)}{-8 \times (-3)} + \frac{-2 \times (-1)}{-24 \times (-1)} \\
 D &= \frac{-3}{24} + \frac{2}{24} \\
 D &= \frac{-1}{24} \\
 D &= -\frac{1}{24}
 \end{aligned}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{3}{-7} \div \frac{-2}{-9} + \frac{-8}{-9} \\
 A &= \frac{3}{-7} \times \frac{-9}{-2} + \frac{-8}{-9} \\
 A &= \frac{3}{-7} \times \frac{-9}{-2} + \frac{-8}{-9} \\
 A &= \frac{3 \times (-9)}{-7 \times (-2)} + \frac{-8}{-9} \\
 A &= \frac{-27}{14} + \frac{-8}{-9} \\
 A &= \frac{-27 \times (-9)}{14 \times (-9)} + \frac{-8 \times 14}{-9 \times 14} \\
 A &= \frac{243}{-126} + \frac{-112}{-126} \\
 A &= \frac{131}{-126} \\
 A &= -\frac{131}{126}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{8}{9} + \frac{-3}{9} \times \frac{7}{-9} \\
 B &= \frac{8}{9} + \frac{-3 \times 7}{9 \times (-9)} \\
 B &= \frac{8}{9} + \frac{-21}{-81} \\
 B &= \frac{8 \times (-9)}{9 \times (-9)} + \frac{-21}{-81} \\
 B &= \frac{-72}{-81} + \frac{-21}{-81} \\
 B &= \frac{-93}{-81} \\
 B &= \frac{93}{81}
 \end{aligned}$$

$$\begin{aligned}
 B &= \frac{31 \times 3}{27 \times 3} \\
 B &= \frac{31}{27}
 \end{aligned}$$

$$\begin{aligned}
 3. \quad C &= \frac{-3}{7} - \frac{9}{7} \times \frac{-3}{4} \\
 C &= \frac{-3}{7} - \frac{9 \times (-3)}{7 \times 4} \\
 C &= \frac{-3}{7} - \frac{-27}{28} \\
 C &= \frac{-3 \times 4}{7 \times 4} - \frac{-27}{28} \\
 C &= \frac{-12}{28} - \frac{-27}{28} \\
 C &= \frac{15}{28}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{2}{5} \times \frac{5}{7} + \frac{1}{7} \\
 D &= \frac{2}{5} \times \frac{5}{7} + \frac{1}{7} \\
 D &= \frac{2 \times 5}{5 \times 7} + \frac{1}{7} \\
 D &= \frac{10}{35} + \frac{1}{7} \\
 D &= \frac{2 \times 5}{7 \times 5} + \frac{1}{7} \\
 D &= \frac{2}{7} + \frac{1}{7} \\
 D &= \frac{3}{7}
 \end{aligned}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{1}{-4} \times \frac{-1}{8} - \frac{-3}{8} \\
 A &= \frac{1}{-4} \times \frac{-1}{8} - \frac{-3}{8} \\
 A &= \frac{1 \times (-1)}{-4 \times 8} - \frac{-3}{8} \\
 A &= \frac{-1}{-32} - \frac{-3}{8} \\
 A &= \frac{-1}{-32} - \frac{-3 \times (-4)}{8 \times (-4)} \\
 A &= \frac{-1}{-32} - \frac{12}{-32} \\
 A &= \frac{-13}{-32} \\
 A &= \frac{13}{32}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{-8}{9} - \frac{-1}{9} \div \frac{3}{-10} \\
 B &= \frac{-8}{9} - \frac{-1}{9} \times \frac{-10}{3} \\
 B &= \frac{-8}{9} - \frac{-1 \times (-10)}{9 \times 3} \\
 B &= \frac{-8}{9} - \frac{10}{27} \\
 B &= \frac{-8 \times 3}{9 \times 3} - \frac{10}{27} \\
 B &= \frac{-24}{27} - \frac{10}{27} \\
 B &= \frac{-34}{27} \\
 B &= -\frac{34}{27}
 \end{aligned}$$

$$\begin{aligned}
 3. \quad C &= \frac{9}{10} \div \frac{-4}{-5} + \frac{4}{-5} \\
 C &= \frac{9}{10} \times \frac{-5}{-4} + \frac{4}{-5} \\
 C &= \frac{9}{10} \times \frac{-5}{-4} + \frac{4}{-5} \\
 C &= \frac{9 \times (-5)}{10 \times (-4)} + \frac{4}{-5} \\
 C &= \frac{-45}{-40} + \frac{4}{-5} \\
 C &= \frac{-45 \times (-1)}{-40 \times (-1)} + \frac{4 \times (-8)}{-5 \times (-8)} \\
 C &= \frac{45}{40} + \frac{-32}{40} \\
 C &= \frac{13}{40}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{-1}{8} - \frac{3}{8} \div \frac{-1}{10} \\
 D &= \frac{-1}{8} - \frac{3}{8} \times \frac{-10}{1} \\
 D &= \frac{-1}{8} - \frac{3 \times 10}{8 \times (-1)} \\
 D &= \frac{-1}{8} - \frac{30}{-8} \\
 D &= \frac{-1 \times (-1)}{8 \times (-1)} - \frac{30}{-8} \\
 D &= \frac{1}{-8} - \frac{30}{-8} \\
 D &= \frac{-29}{-8} \\
 D &= \frac{29}{8}
 \end{aligned}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{-5}{-8} \times \frac{-3}{-10} - \frac{9}{-10} \\
 A &= \frac{-5}{-8} \times \frac{-3}{-10} - \frac{9}{-10} \\
 A &= \frac{-5 \times (-3)}{-8 \times (-10)} - \frac{9}{-10} \\
 A &= \frac{15}{80} - \frac{9}{-10} \\
 A &= \frac{15 \times (-1)}{80 \times (-1)} - \frac{9 \times 8}{-10 \times 8} \\
 A &= \frac{-15}{-80} - \frac{72}{-80} \\
 A &= \frac{-87}{-80} \\
 A &= \frac{87}{80}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{2}{7} + \frac{3}{7} \div \frac{-8}{9} \\
 B &= \frac{2}{7} + \frac{3}{7} \times \frac{9}{-8} \\
 B &= \frac{2}{7} + \frac{3 \times 9}{7 \times (-8)} \\
 B &= \frac{2}{7} + \frac{27}{-56} \\
 B &= \frac{2 \times (-8)}{7 \times (-8)} + \frac{27}{-56} \\
 B &= \frac{-16}{-56} + \frac{27}{-56} \\
 B &= \frac{11}{-56} \\
 B &= -\frac{11}{56}
 \end{aligned}$$

$$\begin{aligned}
 3. \quad C &= \frac{1}{-9} + \frac{2}{-9} \div \frac{-4}{5} \\
 C &= \frac{1}{-9} + \frac{2}{-9} \times \frac{5}{-4} \\
 C &= \frac{1}{-9} + \frac{2 \times 5}{-9 \times (-4)} \\
 C &= \frac{1}{-9} + \frac{10}{36} \\
 C &= \frac{1 \times 4}{-9 \times 4} + \frac{10 \times (-1)}{36 \times (-1)} \\
 C &= \frac{4}{-36} + \frac{-10}{-36} \\
 C &= \frac{-6}{-36} \\
 C &= \frac{1 \times 6}{6 \times 6} \\
 C &= \frac{1}{6}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{-4}{5} \times \frac{-3}{7} - \frac{-5}{7} \\
 D &= \frac{-4}{5} \times \frac{-3}{7} - \frac{-5}{7} \\
 D &= \frac{-4 \times (-3)}{5 \times 7} - \frac{-5}{7} \\
 D &= \frac{12}{35} - \frac{-5}{7} \\
 D &= \frac{12}{35} - \frac{-5 \times 5}{7 \times 5} \\
 D &= \frac{12}{35} - \frac{-25}{35} \\
 D &= \frac{37}{35}
 \end{aligned}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{1}{9} + \frac{-4}{9} \div \frac{-7}{-8} \\
 A &= \frac{1}{9} + \frac{-4}{9} \times \frac{-8}{-7} \\
 A &= \frac{1}{9} + \frac{-4 \times (-8)}{9 \times (-7)} \\
 A &= \frac{1}{9} + \frac{32}{-63} \\
 A &= \frac{1 \times (-7)}{9 \times (-7)} + \frac{32}{-63} \\
 A &= \frac{-7}{-63} + \frac{32}{-63} \\
 A &= \frac{25}{-63} \\
 A &= -\frac{25}{63}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{5}{7} \div \frac{-5}{-10} + \frac{3}{-10} \\
 B &= \frac{5}{7} \times \frac{-5}{-10} + \frac{3}{-10} \\
 B &= \frac{5}{7} \times \frac{-5}{-10} + \frac{3}{-10} \\
 B &= \frac{5 \times (-10)}{7 \times (-5)} + \frac{3}{-10} \\
 B &= \frac{-50}{-35} + \frac{3}{-10} \\
 B &= \frac{-50 \times (-2)}{-35 \times (-2)} + \frac{3 \times (-7)}{-10 \times (-7)} \\
 B &= \frac{100}{70} + \frac{-21}{70} \\
 B &= \frac{79}{70}
 \end{aligned}$$

$$3. \quad C = \frac{-3}{-4} \times \frac{-2}{-6} + \frac{1}{-6}$$

$$\begin{aligned}
 C &= \frac{-3}{-4} \times \frac{-2}{-6} + \frac{1}{-6} \\
 C &= \frac{-3 \times (-2)}{-4 \times (-6)} + \frac{1}{-6} \\
 C &= \frac{6}{24} + \frac{1}{-6} \\
 C &= \frac{6 \times (-1)}{24 \times (-1)} + \frac{1 \times 4}{-6 \times 4} \\
 C &= \frac{-6}{-24} + \frac{4}{-24} \\
 C &= \frac{-2}{-24} \\
 C &= \frac{1 \times 2}{12 \times 2} \\
 C &= \frac{1}{12}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{-6}{7} + \frac{1}{7} \div \frac{-5}{-7} \\
 D &= \frac{-6}{7} + \frac{1}{7} \times \frac{-7}{-5} \\
 D &= \frac{-6}{7} + \frac{1 \times (-7)}{7 \times (-5)} \\
 D &= \frac{-6}{7} + \frac{-7}{-35} \\
 D &= \frac{-6 \times (-5)}{7 \times (-5)} + \frac{-7}{-35} \\
 D &= \frac{30}{-35} + \frac{-7}{-35} \\
 D &= \frac{23}{-35} \\
 D &= -\frac{23}{35}
 \end{aligned}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{-5}{-9} \times \frac{7}{-5} - \frac{1}{-5} \\
 A &= \frac{-5}{-9} \times \frac{7}{-5} - \frac{1}{-5} \\
 A &= \frac{-5 \times 7}{-9 \times (-5)} - \frac{1}{-5} \\
 A &= \frac{-35}{45} - \frac{1}{-5} \\
 A &= \frac{-35 \times (-1)}{45 \times (-1)} - \frac{1 \times 9}{-5 \times 9} \\
 A &= \frac{35}{-45} - \frac{9}{-45} \\
 A &= \frac{26}{-45} \\
 A &= -\frac{26}{45}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{-7}{10} + \frac{5}{10} \div \frac{1}{-9} \\
 B &= \frac{-7}{10} + \frac{5}{10} \times -9 \\
 B &= \frac{-7}{10} + \frac{5 \times (-9)}{10 \times 1} \\
 B &= \frac{-7}{10} + \frac{-45}{10} \\
 B &= \frac{-7}{10} + \frac{-45}{10} \\
 B &= \frac{-52}{10} \\
 B &= -\frac{26 \times 2}{5 \times 2} \\
 B &= -\frac{26}{5}
 \end{aligned}$$

$$3. \quad C = \frac{5}{-9} + \frac{3}{-9} \times \frac{3}{-5}$$

$$\begin{aligned}
 C &= \frac{5}{-9} + \frac{3 \times 3}{-9 \times (-5)} \\
 C &= \frac{5}{-9} + \frac{9}{45} \\
 C &= \frac{5 \times 5}{-9 \times 5} + \frac{9 \times (-1)}{45 \times (-1)} \\
 C &= \frac{25}{-45} + \frac{-9}{-45} \\
 C &= \frac{16}{-45} \\
 C &= -\frac{16}{45}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{-6}{7} \div \frac{-4}{9} - \frac{5}{9} \\
 D &= \frac{-6}{7} \times \frac{9}{-4} - \frac{5}{9} \\
 D &= \frac{-6}{7} \times \frac{9}{-4} - \frac{5}{9} \\
 D &= \frac{-6 \times 9}{7 \times (-4)} - \frac{5}{9} \\
 D &= \frac{-54}{-28} - \frac{5}{9} \\
 D &= \frac{-54 \times 9}{-28 \times 9} - \frac{5 \times (-28)}{9 \times (-28)} \\
 D &= \frac{-486}{-252} - \frac{-140}{-252} \\
 D &= \frac{-346}{-252} \\
 D &= \frac{173 \times 2}{126 \times 2} \\
 D &= \frac{173}{126}
 \end{aligned}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{-5}{6} - \frac{7}{6} \div \frac{-5}{-7} \\
 A &= \frac{-5}{6} - \frac{7}{6} \times \frac{-7}{-5} \\
 A &= \frac{-5}{6} - \frac{7 \times (-7)}{6 \times (-5)} \\
 A &= \frac{-5}{6} - \frac{-49}{-30} \\
 A &= \frac{-5 \times (-5)}{6 \times (-5)} - \frac{-49}{-30} \\
 A &= \frac{25}{-30} - \frac{-49}{-30} \\
 A &= \frac{74}{-30} \\
 A &= -\frac{37 \times 2}{15} \\
 A &= -\frac{15 \times 2}{15} \\
 A &= -\frac{37}{15}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{-4}{-9} \div \frac{1}{8} + \frac{-3}{8} \\
 B &= \frac{-4}{-9} \times 8 + \frac{-3}{8} \\
 B &= \frac{-4}{-9} \times 8 + \frac{-3}{8} \\
 B &= \frac{-4 \times 8}{-9 \times 1} + \frac{-3}{8} \\
 B &= \frac{-32}{-9} + \frac{-3}{8} \\
 B &= \frac{-32 \times 8}{-9 \times 8} + \frac{-3 \times (-9)}{8 \times (-9)} \\
 B &= \frac{-256}{-72} + \frac{27}{-72} \\
 B &= \frac{-229}{-72} \\
 B &= \frac{229}{72}
 \end{aligned}$$

$$\begin{aligned}
 3. \quad C &= \frac{4}{-5} + \frac{2}{-5} \div \frac{-1}{6} \\
 C &= \frac{4}{-5} + \frac{2}{-5} \times \frac{6}{-1} \\
 C &= \frac{4}{-5} + \frac{2 \times 6}{-5 \times (-1)} \\
 C &= \frac{4}{-5} + \frac{12}{5} \\
 C &= \frac{4}{-5} + \frac{12 \times (-1)}{5 \times (-1)} \\
 C &= \frac{4}{-5} + \frac{-12}{-5} \\
 C &= \frac{-8}{-5} \\
 C &= \frac{8}{5}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{-5}{-8} \div \frac{-5}{-8} - \frac{-5}{-8} \\
 D &= \frac{-5}{-8} \times \frac{-8}{-5} - \frac{-5}{-8} \\
 D &= \frac{-5}{-8} \times \frac{-8}{-5} - \frac{-5}{-8} \\
 D &= \frac{-5 \times (-8)}{-8 \times (-5)} - \frac{-5}{-8} \\
 D &= \frac{40}{40} - \frac{-5}{-8} \\
 D &= \frac{40 \times (-1)}{40 \times (-1)} - \frac{-5 \times 5}{-8 \times 5} \\
 D &= \frac{-40}{-40} - \frac{-25}{-40} \\
 D &= \frac{-15}{-40} \\
 D &= \frac{3 \times 5}{8 \times 5} \\
 D &= \frac{3}{8}
 \end{aligned}$$



EX

1

$$1. A = \frac{7}{10} - \frac{-6}{10} \div \frac{1}{2}$$

$$A = \frac{7}{10} - \frac{-6}{10} \times 2$$

$$A = \frac{7}{10} - \frac{-6 \times 2}{10 \times 1}$$

$$A = \frac{7}{10} - \frac{-12}{10}$$

$$A = \frac{7}{10} - \frac{-12}{10}$$

$$A = \frac{19}{10}$$

$$2. B = \frac{1}{-5} \times \frac{-9}{10} + \frac{1}{10}$$

$$B = \frac{1}{-5} \times \frac{-9}{10} + \frac{1}{10}$$

$$B = \frac{1 \times (-9)}{-5 \times 10} + \frac{1}{10}$$

$$B = \frac{-9}{-50} + \frac{1}{10}$$

$$B = \frac{-9}{-50} + \frac{1 \times (-5)}{10 \times (-5)}$$

$$B = \frac{-9}{-50} + \frac{-5}{-50}$$

$$B = \frac{-14}{-50}$$

$$B = \frac{7 \times 2}{25 \times 2}$$

$$B = \frac{7}{25}$$

$$3. C = \frac{1}{-2} \div \frac{3}{-8} - \frac{1}{-8}$$

$$C = \frac{1}{-2} \times \frac{-8}{3} - \frac{1}{-8}$$

$$C = \frac{1}{-2} \times \frac{-8}{3} - \frac{1}{-8}$$

$$C = \frac{1 \times (-8)}{-2 \times 3} - \frac{1}{-8}$$

$$C = \frac{-8}{-6} - \frac{1}{-8}$$

$$C = \frac{-8 \times (-4)}{-6 \times (-4)} - \frac{1 \times (-3)}{-8 \times (-3)}$$

$$C = \frac{32}{24} - \frac{-3}{24}$$

$$C = \frac{35}{24}$$

$$4. D = \frac{-1}{4} - \frac{4}{4} \times \frac{1}{5}$$

$$D = \frac{-1}{4} - \frac{4 \times 1}{4 \times 5}$$

$$D = \frac{-1}{4} - \frac{4}{20}$$

$$D = \frac{-1 \times 5}{4 \times 5} - \frac{4}{20}$$

$$D = \frac{-5}{20} - \frac{4}{20}$$

$$D = \frac{-9}{20}$$

$$D = -\frac{9}{20}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{5}{7} \times \frac{-3}{-8} + \frac{-3}{-8} \\
 A &= \frac{5}{7} \times \frac{-3}{-8} + \frac{-3}{-8} \\
 A &= \frac{5 \times (-3)}{7 \times (-8)} + \frac{-3}{-8} \\
 A &= \frac{-15}{-56} + \frac{-3}{-8} \\
 A &= \frac{-15 \times (-1)}{-56 \times (-1)} + \frac{-3 \times (-7)}{-8 \times (-7)} \\
 A &= \frac{15}{56} + \frac{21}{56} \\
 A &= \frac{36}{56} \\
 A &= \frac{9 \times 4}{14 \times 4} \\
 A &= \frac{9}{14}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{-1}{3} - \frac{-1}{3} \div \frac{-1}{8} \\
 B &= \frac{-1}{3} - \frac{-1}{3} \times \frac{8}{-1} \\
 B &= \frac{-1}{3} - \frac{-1 \times 8}{3 \times (-1)} \\
 B &= \frac{-1}{3} - \frac{-8}{-3} \\
 B &= \frac{-1 \times (-1)}{3 \times (-1)} - \frac{-8}{-3} \\
 B &= \frac{1}{-3} - \frac{-8}{-3} \\
 B &= \frac{9}{-3} \\
 B &= -3
 \end{aligned}$$

$$\begin{aligned}
 3. \quad C &= \frac{3}{-8} + \frac{-1}{-8} \div \frac{-7}{8} \\
 C &= \frac{3}{-8} + \frac{-1}{-8} \times \frac{8}{-7} \\
 C &= \frac{3}{-8} + \frac{-1 \times 8}{-8 \times (-7)} \\
 C &= \frac{3}{-8} + \frac{-8}{56} \\
 C &= \frac{3 \times 7}{-8 \times 7} + \frac{-8 \times (-1)}{56 \times (-1)} \\
 C &= \frac{21}{-56} + \frac{8}{-56} \\
 C &= \frac{29}{-56} \\
 C &= -\frac{29}{56}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{-3}{8} \div \frac{2}{7} - \frac{6}{7} \\
 D &= \frac{-3}{8} \times \frac{7}{2} - \frac{6}{7} \\
 D &= \frac{-3}{8} \times \frac{7}{2} - \frac{6}{7} \\
 D &= \frac{-3 \times 7}{8 \times 2} - \frac{6}{7} \\
 D &= \frac{-21}{16} - \frac{6}{7} \\
 D &= \frac{-21 \times 7}{16 \times 7} - \frac{6 \times 16}{7 \times 16} \\
 D &= \frac{-147}{112} - \frac{96}{112} \\
 D &= \frac{-243}{112} \\
 D &= -\frac{243}{112}
 \end{aligned}$$

EX
1

$$\begin{aligned}
 1. \quad A &= \frac{2}{-3} \div \frac{-5}{-5} - \frac{-3}{-5} \\
 A &= \frac{2}{-3} \times \frac{-5}{-5} - \frac{-3}{-5} \\
 A &= \frac{2}{-3} \times \frac{-5}{-5} - \frac{-3}{-5} \\
 A &= \frac{2 \times (-5)}{-3 \times (-5)} - \frac{-3}{-5} \\
 A &= \frac{-10}{-15} - \frac{-3}{-5} \\
 A &= \frac{15}{-15} - \frac{-3}{-5} \\
 A &= \frac{-10 \times (-1)}{15 \times (-1)} - \frac{-3 \times 3}{-5 \times 3} \\
 A &= \frac{10}{-15} - \frac{-9}{-15} \\
 A &= \frac{19}{-15} \\
 A &= -\frac{19}{15}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{-1}{5} - \frac{-3}{5} \div \frac{8}{-9} \\
 B &= \frac{-1}{5} - \frac{-3}{5} \times \frac{8}{-9} \\
 B &= \frac{-1}{5} - \frac{-3 \times (-9)}{5 \times 8} \\
 B &= \frac{-1}{5} - \frac{27}{40} \\
 B &= \frac{-1 \times 8}{5 \times 8} - \frac{27}{40} \\
 B &= \frac{-8}{40} - \frac{27}{40} \\
 B &= \frac{-35}{40} \\
 B &= -\frac{7 \times 5}{8 \times 5}
 \end{aligned}$$

$$B = -\frac{7}{8}$$

$$\begin{aligned}
 3. \quad C &= \frac{-1}{4} - \frac{-1}{4} \div \frac{-1}{-8} \\
 C &= \frac{-1}{4} - \frac{-1}{4} \times \frac{-1}{-8} \\
 C &= \frac{-1}{4} - \frac{-1 \times (-8)}{4 \times (-1)} \\
 C &= \frac{-1}{4} - \frac{8}{-4} \\
 C &= \frac{-1 \times (-1)}{4 \times (-1)} - \frac{8}{-4} \\
 C &= \frac{1}{-4} - \frac{8}{-4} \\
 C &= \frac{-7}{-4} \\
 C &= \frac{7}{4}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{1}{2} \times \frac{1}{-8} - \frac{1}{-8} \\
 D &= \frac{1}{2} \times \frac{1}{-8} - \frac{1}{-8} \\
 D &= \frac{1 \times 1}{2 \times (-8)} - \frac{1}{-8} \\
 D &= \frac{1}{-16} - \frac{1}{-8} \\
 D &= \frac{1 \times (-1)}{-16 \times (-1)} - \frac{1 \times (-2)}{-8 \times (-2)} \\
 D &= \frac{-1}{16} - \frac{-2}{16} \\
 D &= \frac{1}{16}
 \end{aligned}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{1}{6} + \frac{-1}{6} \times \frac{-1}{-8} \\
 A &= \frac{1}{6} + \frac{-1 \times (-1)}{6 \times (-8)} \\
 A &= \frac{1}{6} + \frac{1}{-48} \\
 A &= \frac{1 \times (-8)}{6 \times (-8)} + \frac{1}{-48} \\
 A &= \frac{-8}{-48} + \frac{1}{-48} \\
 A &= \frac{-7}{-48} \\
 A &= \frac{7}{48}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{5}{8} \times \frac{2}{-7} + \frac{1}{-7} \\
 B &= \frac{5}{8} \times \frac{2}{-7} + \frac{1}{-7} \\
 B &= \frac{5 \times 2}{8 \times (-7)} + \frac{1}{-7} \\
 B &= \frac{10}{-56} + \frac{1}{-7} \\
 B &= \frac{5 \times \cancel{2}}{-28 \times \cancel{2}} + \frac{1}{-7} \\
 B &= \frac{5 \times (-1)}{-28 \times (-1)} + \frac{1 \times (-4)}{-7 \times (-4)} \\
 B &= \frac{-5}{28} + \frac{-4}{28} \\
 B &= \frac{-9}{28} \\
 B &= -\frac{9}{28}
 \end{aligned}$$

$$\begin{aligned}
 3. \quad C &= \frac{7}{9} - \frac{-9}{9} \times \frac{-9}{-10} \\
 C &= \frac{7}{9} - \frac{-9 \times (-9)}{9 \times (-10)} \\
 C &= \frac{7}{9} - \frac{81}{-90} \\
 C &= \frac{7 \times (-10)}{9 \times (-10)} - \frac{81}{-90} \\
 C &= \frac{-70}{-90} - \frac{81}{-90} \\
 C &= \frac{-151}{-90} \\
 C &= \frac{151}{90}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{9}{10} \div \frac{1}{-9} - \frac{-7}{-9} \\
 D &= \frac{9}{10} \times -9 - \frac{-7}{-9} \\
 D &= \frac{9}{10} \times -9 - \frac{-7}{-9} \\
 D &= \frac{9 \times (-9)}{10 \times 1} - \frac{-7}{-9} \\
 D &= \frac{-81}{10} - \frac{-7}{-9} \\
 D &= \frac{-81 \times (-9)}{10 \times (-9)} - \frac{-7 \times 10}{-9 \times 10} \\
 D &= \frac{729}{-90} - \frac{-70}{-90} \\
 D &= \frac{799}{-90} \\
 D &= -\frac{799}{90}
 \end{aligned}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{1}{-8} \div \frac{2}{3} - \frac{-2}{3} \\
 A &= \frac{1}{-8} \times \frac{3}{2} - \frac{-2}{3} \\
 A &= \frac{1}{-8} \times \frac{3}{2} - \frac{-2}{3} \\
 A &= \frac{1 \times 3}{-8 \times 2} - \frac{-2}{3} \\
 A &= \frac{3}{-16} - \frac{-2}{3} \\
 A &= \frac{3 \times 3}{-16 \times 3} - \frac{-2 \times (-16)}{3 \times (-16)} \\
 A &= \frac{9}{-48} - \frac{32}{-48} \\
 A &= \frac{-23}{-48} \\
 A &= \frac{23}{48}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{3}{-5} + \frac{-3}{-5} \times \frac{3}{-5} \\
 B &= \frac{3}{-5} + \frac{-3 \times 3}{-5 \times (-5)} \\
 B &= \frac{3}{-5} + \frac{-9}{25} \\
 B &= \frac{3 \times 5}{-5 \times 5} + \frac{-9 \times (-1)}{25 \times (-1)} \\
 B &= \frac{15}{-25} + \frac{9}{-25} \\
 B &= \frac{24}{-25} \\
 B &= -\frac{24}{25}
 \end{aligned}$$

$$\begin{aligned}
 3. \quad C &= \frac{3}{-5} \div \frac{-1}{-8} - \frac{5}{-8} \\
 C &= \frac{3}{-5} \times \frac{-1}{-8} - \frac{5}{-8} \\
 C &= \frac{3}{-5} \times \frac{-1}{-8} - \frac{5}{-8} \\
 C &= \frac{3 \times (-1)}{-5 \times (-8)} - \frac{5}{-8} \\
 C &= \frac{-3}{40} - \frac{5}{-8} \\
 C &= \frac{-3}{40} + \frac{5}{8} \\
 C &= \frac{-3}{40} + \frac{5 \times 5}{8 \times 5} \\
 C &= \frac{-3}{40} + \frac{25}{40} \\
 C &= \frac{167}{40}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{-5}{-8} + \frac{2}{-8} \div \frac{1}{-2} \\
 D &= \frac{-5}{-8} + \frac{2}{-8} \times -2 \\
 D &= \frac{-5}{-8} + \frac{2 \times (-2)}{-8 \times 1} \\
 D &= \frac{-5}{-8} + \frac{-4}{-8} \\
 D &= \frac{-5}{-8} + \frac{-4}{-8} \\
 D &= \frac{-9}{-8} \\
 D &= \frac{9}{8}
 \end{aligned}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{9}{-10} \div \frac{6}{-10} + \frac{1}{-10} \\
 A &= \frac{9}{-10} \times \frac{-10}{6} + \frac{1}{-10} \\
 A &= \frac{9}{-10} \times \frac{-10}{6} + \frac{1}{-10} \\
 A &= \frac{9 \times (-10)}{-10 \times 6} + \frac{1}{-10} \\
 A &= \frac{-90}{-60} + \frac{1}{-10} \\
 A &= \frac{-3 \times 30}{-2 \times 30} + \frac{1}{-10} \\
 A &= \frac{-3 \times (-5)}{-2 \times (-5)} + \frac{1 \times (-1)}{-10 \times (-1)} \\
 A &= \frac{15}{10} + \frac{-1}{10} \\
 A &= \frac{10}{10} \\
 A &= \frac{7 \times 2}{5 \times 2} \\
 A &= \frac{7}{5}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{1}{-10} - \frac{-1}{-10} \div \frac{-1}{10} \\
 B &= \frac{1}{-10} - \frac{-1}{-10} \times \frac{-1}{10} \\
 B &= \frac{1}{-10} - \frac{-1 \times 10}{-10 \times (-1)} \\
 B &= \frac{1}{-10} - \frac{10}{-10} \\
 B &= \frac{1}{-10} - \frac{-10 \times (-1)}{10 \times (-1)} \\
 B &= \frac{1}{-10} - \frac{10}{-10} \\
 B &= \frac{-9}{-10} \\
 B &= \frac{9}{10}
 \end{aligned}$$

$$\begin{aligned}
 3. \quad C &= \frac{1}{-7} + \frac{1}{-7} \div \frac{-2}{9} \\
 C &= \frac{1}{-7} + \frac{1}{-7} \times \frac{9}{-2} \\
 C &= \frac{1}{-7} + \frac{1 \times 9}{-7 \times (-2)} \\
 C &= \frac{1}{-7} + \frac{9}{14} \\
 C &= \frac{1 \times 2}{-7 \times 2} + \frac{9 \times (-1)}{14 \times (-1)} \\
 C &= \frac{2}{-14} + \frac{-9}{-14} \\
 C &= \frac{-7}{-14} \\
 C &= \frac{1 \times 7}{2 \times 7} \\
 C &= \frac{1}{2}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{-8}{9} \times \frac{5}{7} + \frac{-1}{7} \\
 D &= \frac{-8}{9} \times \frac{5}{7} + \frac{-1}{7} \\
 D &= \frac{-8 \times 5}{9 \times 7} + \frac{-1}{7} \\
 D &= \frac{-40}{63} + \frac{-1}{7} \\
 D &= \frac{-40}{63} + \frac{-1 \times 9}{7 \times 9} \\
 D &= \frac{-40}{63} + \frac{-9}{63} \\
 D &= \frac{-49}{63} \\
 D &= \frac{-7 \times 7}{9 \times 7} \\
 D &= \frac{-7}{9}
 \end{aligned}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{2}{-3} \times \frac{1}{-9} + \frac{-7}{-9} \\
 A &= \frac{2}{-3} \times \frac{1}{-9} + \frac{-7}{-9} \\
 A &= \frac{2 \times 1}{-3 \times (-9)} + \frac{-7}{-9} \\
 A &= \frac{2}{27} + \frac{-7}{-9} \\
 A &= \frac{2 \times (-1)}{27 \times (-1)} + \frac{-7 \times 3}{-9 \times 3} \\
 A &= \frac{-2}{-27} + \frac{-21}{-27} \\
 A &= \frac{-23}{-27} \\
 A &= \frac{23}{27}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{1}{3} + \frac{3}{3} \times \frac{5}{6} \\
 B &= \frac{1}{3} + \frac{3 \times 5}{3 \times 6} \\
 B &= \frac{1}{3} + \frac{15}{18} \\
 B &= \frac{1}{3} + \frac{5 \times 3}{6 \times 3} \\
 B &= \frac{1 \times 2}{3 \times 2} + \frac{5}{6} \\
 B &= \frac{2}{6} + \frac{5}{6} \\
 B &= \frac{7}{6}
 \end{aligned}$$

$$3. \quad C = \frac{-5}{-9} \times \frac{9}{3} - \frac{1}{3}$$

$$\begin{aligned}
 C &= \frac{-5}{-9} \times \frac{9}{3} - \frac{1}{3} \\
 C &= \frac{-5 \times 9}{-9 \times 3} - \frac{1}{3} \\
 C &= \frac{-45}{-27} - \frac{1}{3} \\
 C &= \frac{-45}{-27} - \frac{1 \times (-9)}{3 \times (-9)} \\
 C &= \frac{-45}{-27} - \frac{-9}{-27} \\
 C &= \frac{-36}{-27} \\
 C &= \frac{4 \times 9}{3 \times 9} \\
 C &= \frac{4}{3}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{-5}{7} - \frac{-2}{7} \times \frac{-7}{8} \\
 D &= \frac{-5}{7} - \frac{-2 \times (-7)}{7 \times 8} \\
 D &= \frac{-5}{7} - \frac{14}{56} \\
 D &= \frac{-5}{7} - \frac{1 \times 14}{4 \times 14} \\
 D &= \frac{-5 \times 4}{7 \times 4} - \frac{1 \times 7}{4 \times 7} \\
 D &= \frac{-20}{28} - \frac{7}{28} \\
 D &= \frac{-27}{28} \\
 D &= -\frac{27}{28}
 \end{aligned}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{2}{3} - \frac{-1}{3} \div \frac{1}{-6} \\
 A &= \frac{2}{3} - \frac{-1}{3} \times -6 \\
 A &= \frac{2}{3} - \frac{-1 \times (-6)}{3 \times 1} \\
 A &= \frac{2}{3} - \frac{6}{3} \\
 A &= \frac{2}{3} - \frac{6}{3} \\
 A &= \frac{-4}{3} \\
 A &= -\frac{4}{3}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{4}{-5} \div \frac{2}{-8} - \frac{3}{-8} \\
 B &= \frac{4}{-5} \times \frac{2}{-8} - \frac{3}{-8} \\
 B &= \frac{4}{-5} \times \frac{-8}{2} - \frac{3}{-8} \\
 B &= \frac{4 \times (-8)}{-5 \times 2} - \frac{3}{-8} \\
 B &= \frac{-32}{-10} - \frac{3}{-8} \\
 B &= \frac{-32 \times (-4)}{-10 \times (-4)} - \frac{3 \times (-5)}{-8 \times (-5)} \\
 B &= \frac{128}{40} - \frac{-15}{40} \\
 B &= \frac{143}{40}
 \end{aligned}$$

$$\begin{aligned}
 3. \quad C &= \frac{-5}{6} - \frac{3}{6} \times \frac{-6}{-7} \\
 C &= \frac{-5}{6} - \frac{3 \times (-6)}{6 \times (-7)} \\
 C &= \frac{-5}{6} - \frac{-18}{-42} \\
 C &= \frac{-5 \times (-7)}{6 \times (-7)} - \frac{-18}{-42} \\
 C &= \frac{35}{-42} - \frac{-18}{-42} \\
 C &= \frac{53}{-42} \\
 C &= -\frac{53}{42}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{-2}{5} \times \frac{-7}{4} - \frac{-1}{4} \\
 D &= \frac{-2}{5} \times \frac{-7}{4} - \frac{-1}{4} \\
 D &= \frac{-2 \times (-7)}{5 \times 4} - \frac{-1}{4} \\
 D &= \frac{14}{20} - \frac{-1}{4} \\
 D &= \frac{14}{20} - \frac{-1 \times 5}{4 \times 5} \\
 D &= \frac{14}{20} - \frac{-5}{20} \\
 D &= \frac{19}{20}
 \end{aligned}$$

EX
1

$$\begin{aligned}
 1. \quad A &= \frac{5}{7} + \frac{-7}{7} \times \frac{-5}{-6} \\
 A &= \frac{5}{7} + \frac{-7 \times (-5)}{7 \times (-6)} \\
 A &= \frac{5}{7} + \frac{35}{-42} \\
 A &= \frac{5 \times (-6)}{7 \times (-6)} + \frac{35}{-42} \\
 A &= \frac{-30}{-42} + \frac{35}{-42} \\
 A &= \frac{5}{-42} \\
 A &= -\frac{5}{42}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{-3}{8} \times \frac{5}{-9} + \frac{5}{-9} \\
 B &= \frac{-3}{8} \times \frac{5}{-9} + \frac{5}{-9} \\
 B &= \frac{-3 \times 5}{8 \times (-9)} + \frac{5}{-9} \\
 B &= \frac{-15}{-72} + \frac{5}{-9} \\
 B &= \frac{-15 \times (-1)}{-72 \times (-1)} + \frac{5 \times (-8)}{-9 \times (-8)} \\
 B &= \frac{15}{72} + \frac{-40}{72} \\
 B &= \frac{-25}{72} \\
 B &= -\frac{25}{72}
 \end{aligned}$$

$$3. \quad C = \frac{-1}{-2} \times \frac{1}{9} - \frac{7}{9}$$

$$\begin{aligned}
 C &= \frac{-1}{-2} \times \frac{1}{9} - \frac{7}{9} \\
 C &= \frac{-1 \times 1}{-2 \times 9} - \frac{7}{9} \\
 C &= \frac{-1}{-18} - \frac{7}{9} \\
 C &= \frac{-1}{-18} - \frac{7 \times (-2)}{9 \times (-2)} \\
 C &= \frac{-1}{-18} - \frac{-14}{-18} \\
 C &= \frac{13}{-18} \\
 C &= -\frac{13}{18}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{-1}{-6} + \frac{-1}{-6} \div \frac{-2}{7} \\
 D &= \frac{-1}{-6} + \frac{-1}{-6} \times \frac{7}{-2} \\
 D &= \frac{-1}{-6} + \frac{-1 \times 7}{-6 \times (-2)} \\
 D &= \frac{-1}{-6} + \frac{-7}{12} \\
 D &= \frac{-1 \times 2}{-6 \times 2} + \frac{-7 \times (-1)}{12 \times (-1)} \\
 D &= \frac{-2}{-12} + \frac{7}{-12} \\
 D &= \frac{5}{-12} \\
 D &= -\frac{5}{12}
 \end{aligned}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{-2}{-9} - \frac{3}{-9} \div \frac{-1}{-5} \\
 A &= \frac{-2}{-9} - \frac{3}{-9} \times \frac{-1}{-5} \\
 A &= \frac{-2}{-9} - \frac{3 \times (-1)}{-9 \times (-5)} \\
 A &= \frac{-2}{-9} - \frac{-15}{9} \\
 A &= \frac{-2}{-9} - \frac{-15 \times (-1)}{9 \times (-1)} \\
 A &= \frac{-2}{-9} - \frac{15}{-9} \\
 A &= \frac{-17}{-9} \\
 A &= \frac{17}{9}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{1}{8} \div \frac{-5}{7} + \frac{2}{7} \\
 B &= \frac{1}{8} \times \frac{7}{-5} + \frac{2}{7} \\
 B &= \frac{1}{8} \times \frac{7}{-5} + \frac{2}{7} \\
 B &= \frac{1 \times 7}{8 \times (-5)} + \frac{2}{7} \\
 B &= \frac{7}{-40} + \frac{2}{7} \\
 B &= \frac{7 \times 7}{-40 \times 7} + \frac{2 \times (-40)}{7 \times (-40)} \\
 B &= \frac{49}{-280} + \frac{-80}{-280} \\
 B &= \frac{-31}{-280} \\
 B &= \frac{31}{280}
 \end{aligned}$$

$$\begin{aligned}
 3. \quad C &= \frac{-5}{8} \times \frac{7}{6} + \frac{-5}{6} \\
 C &= \frac{-5}{8} \times \frac{7}{6} + \frac{-5}{6} \\
 C &= \frac{-5 \times 7}{8 \times 6} + \frac{-5}{6} \\
 C &= \frac{-35}{48} + \frac{-5}{6} \\
 C &= \frac{-35}{48} + \frac{-5 \times 8}{6 \times 8} \\
 C &= \frac{-35}{48} + \frac{-40}{48} \\
 C &= \frac{-75}{48} \\
 C &= -\frac{25 \times 3}{16 \times 3} \\
 C &= -\frac{25}{16}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{2}{7} + \frac{-4}{7} \times \frac{-3}{10} \\
 D &= \frac{2}{7} + \frac{-4 \times (-3)}{7 \times 10} \\
 D &= \frac{2}{7} + \frac{12}{70} \\
 D &= \frac{2}{7} + \frac{6 \times 2}{35 \times 2} \\
 D &= \frac{2 \times 5}{7 \times 5} + \frac{6}{35} \\
 D &= \frac{10}{35} + \frac{6}{35} \\
 D &= \frac{16}{35}
 \end{aligned}$$



EX

1

$$1. A = \frac{-3}{10} + \frac{7}{10} \div \frac{1}{4}$$

$$A = \frac{-3}{10} + \frac{7}{10} \times 4$$

$$A = \frac{-3}{10} + \frac{7 \times 4}{10 \times 1}$$

$$A = \frac{-3}{10} + \frac{28}{10}$$

$$A = \frac{-3}{10} + \frac{28}{10}$$

$$A = \frac{25}{10}$$

$$A = \frac{5 \times 5}{2 \times 5}$$

$$A = \frac{5}{2}$$

$$2. B = \frac{-1}{-10} \times \frac{-7}{5} + \frac{1}{5}$$

$$B = \frac{-1}{-10} \times \frac{-7}{5} + \frac{1}{5}$$

$$B = \frac{-1 \times (-7)}{-10 \times 5} + \frac{1}{5}$$

$$B = \frac{7}{-50} + \frac{1}{5}$$

$$B = \frac{7}{-50} + \frac{1 \times (-10)}{5 \times (-10)}$$

$$B = \frac{7}{-50} + \frac{-10}{-50}$$

$$B = \frac{-3}{-50}$$

$$B = \frac{3}{50}$$

$$3. C = \frac{-1}{2} \times \frac{2}{9} - \frac{1}{9}$$

$$C = \frac{-1}{2} \times \frac{2}{9} - \frac{1}{9}$$

$$C = \frac{-1 \times 2}{2 \times 9} - \frac{1}{9}$$

$$C = \frac{-2}{18} - \frac{1}{9}$$

$$C = \frac{-1 \times 2}{9 \times 2} - \frac{1}{9}$$

$$C = \frac{-1}{9} - \frac{1}{9}$$

$$C = \frac{-2}{9}$$

$$C = -\frac{2}{9}$$

$$4. D = \frac{-2}{3} - \frac{-2}{3} \times \frac{-2}{9}$$

$$D = \frac{-2}{3} - \frac{-2 \times (-2)}{3 \times 9}$$

$$D = \frac{-2}{3} - \frac{4}{27}$$

$$D = \frac{-2 \times 9}{3 \times 9} - \frac{4}{27}$$

$$D = \frac{-18}{27} - \frac{4}{27}$$

$$D = \frac{-22}{27}$$

$$D = -\frac{22}{27}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{7}{8} \times \frac{-1}{9} - \frac{2}{9} \\
 A &= \frac{7}{8} \times \frac{-1}{9} - \frac{2}{9} \\
 A &= \frac{7 \times (-1)}{8 \times 9} - \frac{2}{9} \\
 A &= \frac{-7}{72} - \frac{2}{9} \\
 A &= \frac{-7}{72} - \frac{2 \times 8}{9 \times 8} \\
 A &= \frac{-7}{72} - \frac{16}{72} \\
 A &= \frac{-23}{72} \\
 A &= -\frac{23}{72}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{1}{-2} - \frac{-7}{-2} \div \frac{-2}{-9} \\
 B &= \frac{1}{-2} - \frac{-7}{-2} \times \frac{-9}{-2} \\
 B &= \frac{1}{-2} - \frac{-7 \times (-9)}{-2 \times (-2)} \\
 B &= \frac{1}{-2} - \frac{63}{4} \\
 B &= \frac{1 \times 2}{-2 \times 2} - \frac{63 \times (-1)}{4 \times (-1)} \\
 B &= \frac{2}{-4} - \frac{-63}{-4} \\
 B &= \frac{65}{-4} \\
 B &= -\frac{65}{4}
 \end{aligned}$$

$$\begin{aligned}
 3. \quad C &= \frac{-1}{2} - \frac{-1}{2} \times \frac{-5}{6} \\
 C &= \frac{-1}{2} - \frac{-1 \times (-5)}{2 \times 6} \\
 C &= \frac{-1}{2} - \frac{5}{12} \\
 C &= \frac{-1 \times 6}{2 \times 6} - \frac{5}{12} \\
 C &= \frac{-6}{12} - \frac{5}{12} \\
 C &= \frac{-11}{12} \\
 C &= -\frac{11}{12}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{3}{-10} \div \frac{-1}{2} + \frac{1}{2} \\
 D &= \frac{3}{-10} \times \frac{2}{-1} + \frac{1}{2} \\
 D &= \frac{3}{-10} \times \frac{2}{-1} + \frac{1}{2} \\
 D &= \frac{3 \times 2}{-10 \times (-1)} + \frac{1}{2} \\
 D &= \frac{6}{10} + \frac{1}{2} \\
 D &= \frac{6}{10} + \frac{1 \times 5}{2 \times 5} \\
 D &= \frac{6}{10} + \frac{5}{10} \\
 D &= \frac{11}{10}
 \end{aligned}$$

EX
1

$$\begin{aligned}
 1. \quad A &= \frac{5}{-8} + \frac{2}{-8} \div \frac{1}{6} \\
 A &= \frac{5}{-8} + \frac{2}{-8} \times 6 \\
 A &= \frac{5}{-8} + \frac{2 \times 6}{-8 \times 1} \\
 A &= \frac{5}{-8} + \frac{12}{-8} \\
 A &= \frac{5}{-8} + \frac{12}{-8} \\
 A &= \frac{17}{-8} \\
 A &= -\frac{17}{8}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{1}{3} \times \frac{-1}{9} - \frac{5}{9} \\
 B &= \frac{1}{3} \times \frac{-1}{9} - \frac{5}{9} \\
 B &= \frac{1 \times (-1)}{3 \times 9} - \frac{5}{9} \\
 B &= \frac{-1}{27} - \frac{5}{9} \\
 B &= \frac{-1}{27} - \frac{5 \times 3}{9 \times 3} \\
 B &= \frac{-1}{27} - \frac{15}{27} \\
 B &= \frac{-16}{27} \\
 B &= -\frac{16}{27}
 \end{aligned}$$

$$3. \quad C = \frac{-7}{8} \times \frac{-1}{7} + \frac{6}{7}$$

$$\begin{aligned}
 C &= \frac{-7}{8} \times \frac{-1}{7} + \frac{6}{7} \\
 C &= \frac{-7 \times (-1)}{8 \times 7} + \frac{6}{7} \\
 C &= \frac{7}{56} + \frac{6}{7} \\
 C &= \frac{7}{56} + \frac{6 \times 8}{7 \times 8} \\
 C &= \frac{7}{56} + \frac{48}{56} \\
 C &= \frac{55}{56}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{1}{10} + \frac{3}{10} \times \frac{7}{9} \\
 D &= \frac{1}{10} + \frac{3 \times 7}{10 \times 9} \\
 D &= \frac{1}{10} + \frac{21}{90} \\
 D &= \frac{1}{10} + \frac{7 \times 3}{30 \times 3} \\
 D &= \frac{1 \times 3}{10 \times 3} + \frac{7}{30} \\
 D &= \frac{3}{30} + \frac{7}{30} \\
 D &= \frac{10}{30} \\
 D &= \frac{1 \times 10}{3 \times 10} \\
 D &= \frac{1}{3}
 \end{aligned}$$



EX

1

$$\begin{aligned}
 1. \quad A &= \frac{-1}{-3} \div \frac{-8}{-5} - \frac{4}{-5} \\
 A &= \frac{-1}{-3} \times \frac{-5}{-8} - \frac{4}{-5} \\
 A &= \frac{-1}{-3} \times \frac{-5}{-8} - \frac{4}{-5} \\
 A &= \frac{-1 \times (-5)}{-3 \times (-8)} - \frac{4}{-5} \\
 A &= \frac{5}{24} - \frac{4}{-5} \\
 A &= \frac{5 \times (-5)}{24 \times (-5)} - \frac{4 \times 24}{-5 \times 24} \\
 A &= \frac{-25}{-120} - \frac{96}{-120} \\
 A &= \frac{-120}{-120} \\
 A &= \frac{121}{120}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad B &= \frac{-1}{7} + \frac{5}{7} \div \frac{7}{8} \\
 B &= \frac{-1}{7} + \frac{5}{7} \times \frac{8}{7} \\
 B &= \frac{-1}{7} + \frac{5 \times 8}{7 \times 7} \\
 B &= \frac{-1}{7} + \frac{40}{49} \\
 B &= \frac{-1 \times 7}{7 \times 7} + \frac{40}{49} \\
 B &= \frac{-7}{49} + \frac{40}{49} \\
 B &= \frac{33}{49}
 \end{aligned}$$

$$\begin{aligned}
 3. \quad C &= \frac{3}{10} \div \frac{9}{7} - \frac{-4}{7} \\
 C &= \frac{3}{10} \times \frac{7}{9} - \frac{-4}{7} \\
 C &= \frac{3}{10} \times \frac{7}{9} - \frac{-4}{7} \\
 C &= \frac{3 \times 7}{10 \times 9} - \frac{-4}{7} \\
 C &= \frac{21}{90} - \frac{-4}{7} \\
 C &= \frac{7 \times 3}{30 \times 3} - \frac{-4}{7} \\
 C &= \frac{7 \times 7}{30 \times 7} - \frac{-4 \times 30}{7 \times 30} \\
 C &= \frac{49}{210} - \frac{-120}{210} \\
 C &= \frac{169}{210}
 \end{aligned}$$

$$\begin{aligned}
 4. \quad D &= \frac{1}{5} - \frac{3}{5} \times \frac{5}{7} \\
 D &= \frac{1}{5} - \frac{3 \times 5}{5 \times 7} \\
 D &= \frac{1}{5} - \frac{15}{35} \\
 D &= \frac{1 \times 7}{5 \times 7} - \frac{15}{35} \\
 D &= \frac{7}{35} - \frac{15}{35} \\
 D &= \frac{-8}{35} \\
 D &= -\frac{8}{35}
 \end{aligned}$$