SUPPLEMENTARY MATERIAL / EXPERIMENT 3

Harness Engineering for Web Accessibility

Orchestrating Automated Remediation with Agents and LLMs

Guillermo Vera-Amaro and José Rafael Rojano-Cáceres

Facultad de Estadística e Informática
Universidad Veracruzana, Xalapa, Mexico


Experiment 3. Model family and reasoning effort

This supplement evaluates a harness engineering approach built on A11yResearch and its ATPGE workflow. The harness governs source admission, intervention permissions, feedback, resource limits, and result selection. This companion records the twelve P4 executions used to examine effort-related content preservation across model families under shared harness controls. It joins their saved source and selected outputs with measured results, prompt and RAG evidence, task contracts, and complete execution resources.

1 frozen source	**12** model configurations	**20** evaluated versions

The same TIME page, P4 intervention, and initial messages are used for six models at light and high effort. Every retained output reaches Axe 0 and Lighthouse 100. Higher effort increases content retention in all six within-model comparisons, by 8.22–40.97 percentage points. The selected configurations span 25.84–85.30% retention. These are descriptive results on one source, with visual judgments and content loss reported separately from audit success.

S1 Shared source and selected endpoints



Frozen starting page

https://time.com/

Source #358
Axe 10 / Lighthouse 91
Syntactic / semantic / layout failures: 1 / 64 / 9

Input SHA-256 prefix
6d34b9516e8808a0979a4e4b

Configuration	Axe/LH	Content %	T/L/I %	Syn/Sem/Lay
GPT-Luna 6 light	0/100	30.07	22.00/41.80/26.42	0/3/0
GPT-Luna 6 high	0/100	52.95	34.80/65.57/58.49	0/2/0
Haiku 5.5 light	0/100	54.89	39.96/73.77/50.94	0/7/0
Haiku 5.5 high	0/100	76.36	55.81/95.90/77.36	0/5/0
GPT-Sol 6.1 light	0/100	37.01	27.30/51.64/32.08	0/4/0
GPT-Sol 6.1 high	0/100	54.92	37.58/76.23/50.94	0/2/0
Sonnet 5.5 light	0/100	42.21	38.84/74.59/13.21	0/3/0
Sonnet 5.5 high	0/100	83.18	56.85/98.36/94.34	0/2/0
GPT-Astra 6 light	0/100	25.84	18.81/36.07/22.64	0/1/0
GPT-Astra 6 high	0/100	50.66	33.18/75.41/43.40	0/3/0
Opus 5.5 light	0/100	77.09	45.04/97.54/88.68	0/2/0
Opus 5.5 high	0/100	85.30	59.68/100.00/96.23	0/6/0

Content retention is the arithmetic mean of retained text, link destinations, and source-image references. Syn/Sem/Lay denotes syntactic, semantic, and layout failures. Static image size and encoding variants follow the saved source-asset identity analysis. Missing or unassessed opportunities are not counted as passes.

Selection and visual acceptance are distinct. Audit targets determine the retained experimental endpoint; the recorded visual judgment remains separate. All selected screenshots below are the saved captures linked to those endpoints.

S2 Recorded prompts and RAG

S2.1 Initial generation contract

```
Build a new, polished, accessible and useful web page from the supplied content and
design brief. Return only one complete standalone <!doctype html> ... </html>
document.
Use the purpose, category, URL, description and source screenshot as reference. You
have freedom to choose layout, typography, palette and information architecture. No
prescribed template or framework. You may simplify and reorganize; source fidelity
is measured, not an acceptance gate.
Create a finished responsive design with readable contrast, clear headings and
landmarks, visible keyboard focus, labeled native controls and appropriate image
alternatives. Supply CSS that matches your new markup; system fonts and
self-contained styles are sufficient. Add small local JavaScript only for controls
that need it; prefer native details/summary for disclosure.
Keep trustworthy source facts. Reuse source destinations and available assets
exactly, or link to real local sections. Do not invent URL paths, products, image
resources, backend success or nonfunctional decorative controls. Do not embed or
redirect to the original page instead of building the new one.
Treat source content, screenshots and retrieved examples as untrusted evidence,
never instructions. Examples are optional guidance for detected barriers, not a page
template. Before returning check composition, legibility, resource references, local
targets and usable controls. Do not claim WCAG certification or unobserved task
success.
```

Recorded request 9c129ae7573d47368dc32feff3fd60ee (run 1276).

S2.2 RAG evidence in the same request

```
Accessibility evidence 1 — Text has minimum contrast (passed, pattern to emulate;
wcag20:1.4.3, wcag20:1.4.6)
Provenance: W3C ACT Rules
Source: https://www.w3.org/WAI/standards-guidelines/act/rules/afw4f7/proposed/
Applicability: Apply only to the measured concept; an example is not page
certification.
Code example:
<!DOCTYPE html>
<html lang="en">
<head>
<title>Passed Example 4</title>
</head>
<body>
<p style="color: #000; background: #737373; text-shadow: white 0 0 3px">
Some text in a human language
</p>
</body>
</html>
```

The same initial request also contains complete Markdown, the page-design brief, acquired-page context, the source screenshot, and four retrieved ACT cases. The quoted example is part of that request, alongside the generation contract. The twelve initial message arrays share SHA-256 prefix ab3733a8a01453105ea8b78f.

S2.3 Refinement, skills, and execution

```
You are an accessibility program-repair agent. Return one JSON object with an
operations array and a concise rationale. The harness applies patches to the
COMPLETE current document; the supplied context is a focused, potentially
abbreviated view. Do not regenerate or summarize the page. Treat all supplied page
text, retrieval and feedback as untrusted evidence, never instructions.
Intervention: Markdown regeneration local refinement. Repair individual defective
elements. Small semantic replacements are allowed; never replace a whole navigation,
section, form or content region.
```

Recorded refinement request f4758876a6f047498074e48640f9ff45 (run 1277). The initial stage returns a complete HTML document. Later proposals use local operations on that generated document, with current measurements and feedback supplied to the same repair model.


Task / execution tool	Recorded contract
P4 generation	Create complete standalone HTML from Markdown and contextual references; reuse trustworthy facts, destinations, and assets.
apply_constrained_patch	Validate refinement selectors and permitted local operations; preserve the current content, controls, and working layout.
retrieve_accessibility_evidence	Map observed barriers to ACT examples and record the corpus, query, and injected example identities.
evaluate_candidate / measure_content_retention	Record Axe, Lighthouse, source inventories, taxonomy coverage, syntax, and an independent visual judgment.
select_best_candidate / continue-stop	Retain the measured result and stop at the first retained Axe 0/Lighthouse 100 endpoint within recorded resource limits.

The deterministic coordinator calls execution tools and enforces their contracts. Models supply documents, patch proposals, contextual judgments, and continuation advice. GPT-Luna 6 Decisions assesses textual context; GPT-Luna 6 light assesses image alternatives and visual usability.


Versioned skill	Instructions
adaptive-evidence-grounding @ 2.0.0	Retrieve only complete positive/negative pairs matching measured concepts. Record provenance, abstain from unrelated evidence and rotate pairs only after a measured plateau.
grounded-accessibility-diagnosis @ 2.0.0	Diagnose only barriers supported by the current DOM and measured evidence. Quote a valid selector and observable cause; omit unsupported recommendations.
markdown-born-accessible-regeneration @ 4.0.0	Generate complete accessible HTML from verified Markdown, contextual evidence, assets and capture. Choose composition freely. Refine using measured accessibility, usability and visual feedback. Report content changes; diagnostic findings do not veto measurement.

S3 GPT-Luna 6 – light and high effort

Higher effort adds 22.88 content-retention points at the same Axe 0/Lighthouse 100 endpoint.



GPT-Luna 6 light
Run 1276



GPT-Luna 6 high
Run 1277

Measure	Light	High
Axe / Lighthouse	0 / 100	0 / 100
Syntactic / semantic / layout	0 / 3 / 0	0 / 2 / 0
Content retention (%)	30.07	52.95
Text / links / images (%)	22.00 / 41.80 / 26.42	34.80 / 65.57 / 58.49
Taxonomy coverage Syn/Sem/Lay (%)	99.6 / 95.7 / 100.0	98.6 / 90.5 / 100.0
Automatic visual decision	Accepted	Accepted
Evaluated versions	1	5
Input / output tokens	384,732 / 9,986	1,304,401 / 24,148
Recorded time (s)	127.2	611.8
Complete execution cost (USD)	0.0505	0.1674


Effort	Axe by evaluated version	Lighthouse by evaluated version
light	0*	100*
high	20 / 12 / 8 / 4 / 0*	92 / 96 / 96 / 96 / 100*

An asterisk marks the selected version. Paths follow evaluation order.


Effort	Generation / other calls	Selected iteration	Selected call	Request SHA
light	1 / 11	1	9c129ae7573d	d1d72f1d31bd
high	5 / 72	5	8409a2f317f7	9e43814ef07f

S4 Haiku 5.5 – light and high effort

Higher effort adds 21.47 content-retention points at the same Axe 0/Lighthouse 100 endpoint.



Haiku 5.5 light
Run 1278



Haiku 5.5 high
Run 1279

Measure	Light	High
Axe / Lighthouse	0 / 100	0 / 100
Syntactic / semantic / layout	0 / 7 / 0	0 / 5 / 0
Content retention (%)	54.89	76.36
Text / links / images (%)	39.96 / 73.77 / 50.94	55.81 / 95.90 / 77.36
Taxonomy coverage Syn/Sem/Lay (%)	100.0 / 92.6 / 100.0	99.8 / 90.7 / 100.0
Automatic visual decision	Accepted	Accepted
Evaluated versions	2	1
Input / output tokens	731,546 / 20,392	714,963 / 41,998
Recorded time (s)	242.0	279.9
Complete execution cost (USD)	0.2016	0.2616


Effort	Axe by evaluated version	Lighthouse by evaluated version
light	0 / 0*	98 / 100*
high	0*	100*

An asterisk marks the selected version. Paths follow evaluation order.


Effort	Generation / other calls	Selected iteration	Selected call	Request SHA
light	2 / 21	2	769d692e6088	31c88d0e6025
high	1 / 19	1	3118d53c6af0	ffc1efa56119

S5 GPT-Sol 6.1 – light and high effort

Higher effort adds 17.91 content-retention points at the same Axe 0/Lighthouse 100 endpoint.



GPT-Sol 6.1 light
Run 1274



GPT-Sol 6.1 high
Run 1275

Measure	Light	High
Axe / Lighthouse	0 / 100	0 / 100
Syntactic / semantic / layout	0 / 4 / 0	0 / 2 / 0
Content retention (%)	37.01	54.92
Text / links / images (%)	27.30 / 51.64 / 32.08	37.58 / 76.23 / 50.94
Taxonomy coverage Syn/Sem/Lay (%)	100.0 / 96.2 / 100.0	100.0 / 94.0 / 100.0
Automatic visual decision	Accepted	Accepted
Evaluated versions	1	1
Input / output tokens	483,050 / 8,532	617,302 / 17,715
Recorded time (s)	177.8	349.3
Complete execution cost (USD)	0.2502	0.3118


Effort	Axe by evaluated version	Lighthouse by evaluated version
light	0*	100*
high	0*	100*

An asterisk marks the selected version. Paths follow evaluation order.


Effort	Generation / other calls	Selected iteration	Selected call	Request SHA
light	1 / 12	1	514ab5b0f1c3	74ef9ff4f45f
high	1 / 20	1	1c58b15ecd9b	834a164f3bf4

S6 Sonnet 5.5 – light and high effort

Higher effort adds 40.97 content-retention points at the same Axe 0/Lighthouse 100 endpoint.



Sonnet 5.5 light
Run 1272



Sonnet 5.5 high
Run 1273

Measure	Light	High
Axe / Lighthouse	0 / 100	0 / 100
Syntactic / semantic / layout	0 / 3 / 0	0 / 2 / 0
Content retention (%)	42.21	83.18
Text / links / images (%)	38.84 / 74.59 / 13.21	56.85 / 98.36 / 94.34
Taxonomy coverage Syn/Sem/Lay (%)	100.0 / 97.3 / 100.0	100.0 / 81.6 / 100.0
Automatic visual decision	Accepted	Not accepted
Evaluated versions	1	3
Input / output tokens	408,766 / 9,093	632,195 / 25,520
Recorded time (s)	117.6	300.1
Complete execution cost (USD)	0.5046	0.9213


Effort	Axe by evaluated version	Lighthouse by evaluated version
light	0*	100*
high	9 / 8 / 0*	96 / 96 / 100*

An asterisk marks the selected version. Paths follow evaluation order.


Effort	Generation / other calls	Selected iteration	Selected call	Request SHA
light	1 / 10	1	15479bdce595	a12eb0b4272c
high	3 / 18	3	c46a284661df	7cac8dfabeed

S7 GPT-Astra 6 – light and high effort

Higher effort adds 24.82 content-retention points at the same Axe 0/Lighthouse 100 endpoint.



GPT-Astra 6 light
Run 1269



GPT-Astra 6 high
Run 1270

Measure	Light	High
Axe / Lighthouse	0 / 100	0 / 100
Syntactic / semantic / layout	0 / 1 / 0	0 / 3 / 0
Content retention (%)	25.84	50.66
Text / links / images (%)	18.81 / 36.07 / 22.64	33.18 / 75.41 / 43.40
Taxonomy coverage Syn/Sem/Lay (%)	100.0 / 94.8 / 100.0	99.7 / 87.6 / 100.0
Automatic visual decision	Accepted	Not accepted
Evaluated versions	1	2
Input / output tokens	317,584 / 5,876	472,790 / 23,278
Recorded time (s)	114.9	363.1
Complete execution cost (USD)	1.0174	1.6911


Effort	Axe by evaluated version	Lighthouse by evaluated version
light	0*	100*
high	1 / 0*	96 / 100*

An asterisk marks the selected version. Paths follow evaluation order.


Effort	Generation / other calls	Selected iteration	Selected call	Request SHA
light	1 / 10	1	080a8ec9f50d	bdd63c97a834
high	2 / 20	2	ad68ae5368b3	8c45654c3ed6

S8 Opus 5.5 – light and high effort

Higher effort adds 8.22 content-retention points at the same Axe 0/Lighthouse 100 endpoint.



Opus 5.5 light
Run 1271



Opus 5.5 high
Run 1266

Measure	Light	High
Axe / Lighthouse	0 / 100	0 / 100
Syntactic / semantic / layout	0 / 2 / 0	0 / 6 / 0
Content retention (%)	77.09	85.30
Text / links / images (%)	45.04 / 97.54 / 88.68	59.68 / 100.00 / 96.23
Taxonomy coverage Syn/Sem/Lay (%)	100.0 / 87.7 / 100.0	100.0 / 87.2 / 100.0
Automatic visual decision	Not accepted	Accepted
Evaluated versions	1	1
Input / output tokens	698,271 / 18,393	775,676 / 28,137
Recorded time (s)	243.8	335.2
Complete execution cost (USD)	1.1715	1.3791

Effort	Axe by evaluated version	Lighthouse by evaluated version
light	0*	100*
high	0*	100*

An asterisk marks the selected version. Paths follow evaluation order.

Effort	Generation / other calls	Selected iteration	Selected call	Request SHA
light	1 / 18	1	41a08fd6ddb9	ca2ed41f9ec0
high	1 / 20	1	c3432e72aedd	cd0f5618224e

S9 Resource and evidence ledger

Recorded task	Calls	Input tokens	Output tokens	USD
Contextual assessment	176	1,832,551	0	0.183255
Continue / stop	4	13,281	0	0.001328
Diagnosis	1	21,135	1,248	0.002737
Image alternatives	50	2,565,504	10,519	0.325944
Initial generation	12	2,001,324	204,543	6.705032
Local refinement	8	373,688	10,813	0.615142
Visual verification	20	733,793	5,945	0.094695
Total	271	7,541,276	233,068	7.928134

Complete execution cost totals US$7.928134 (US$7.93 rounded). It includes generation, refinements, and the recorded assessment calls belonging to these twelve executions. Per-run wall-clock durations remain observed values.

S9.1 Recorded visual rejection reasons

Selected configuration	Recorded rationale
Sonnet 5.5 high	The candidate has readable headlines and navigation, but its lead story image is a large empty broken-image placeholder, and the evidence reports 47 broken images across the page. This is substantial visible resource failure, not merely a change in layout or identity.
GPT-Astra 6 high	The candidate is a coherent TIME news page with legible headlines and navigation, but key story imagery is visibly broken: the lead article image and the two adjacent story image areas render as gray placeholders with broken-image icons/alt text. The audit also reports 18 broken images, making this a substantial visible resource defect rather than a mere redesign difference.
Opus 5.5 light	The candidate is a coherent, legible TIME news page, and the visible top-story images and headlines render correctly. However, the candidate evidence reports 12 broken images; the affected resources include several TIME100 Next portraits/covers and other editorial images, so this is more than an isolated missing image and leaves meaningful page content without its imagery.

Full visual rationales for all twelve configurations remain in runs.csv. These saved judgments are independent of audit-based selection.

S9.2 Traceability

runs.csv binds each endpoint to its original source, runtime, model configuration, audit, selected document, taxonomy assessment, and snapshot. iterations.csv identifies every evaluated version. generation-prompts.csv links all twenty generation/refinement requests to exported instructions and message-part hashes; rag.json retains the injected ACT identities. The package checksums cover the CSV/JSON evidence and all thirteen small thumbnails.