SUPPLEMENTARY MATERIAL / EXPERIMENT 4

Harness Engineering for Web Accessibility

Orchestrating Automated Remediation with Agents and LLMs

Guillermo Vera-Amaro and José Rafael Rojano-Cáceres

Facultad de Estadística e Informática
Universidad Veracruzana, Xalapa, Mexico

Experiment 4. Adaptive strategy and model selection

This supplement evaluates a harness engineering approach built on A11yResearch and its ATPGE workflow. The harness governs source admission, intervention permissions, feedback, resource limits, and result selection. This companion documents the thirty selected P5 executions used to examine adaptive strategy and repair-model selection. It connects their saved pages, executed routes, measured accessibility and preservation, planning evidence, and complete execution resources.

30 frozen sources	**30** adaptive runs	**128** evaluated versions

All thirty selected outputs retain the measured source text, links, and images. The executed routes can change strategy or worker as measurements accumulate. Accessibility, preservation, and complete resource demand are compared with the 450 fixed P0–P4 conditions on the same sources. The planner uses the current page, its measured findings, and feedback from the same execution to choose each action.

S1 Source-matched comparison

Policy	Outputs	Axe/LH	Syn/Sem/Lay failures	Content %	USD	Time min	Tokens K
P0	90	10.89/96.6	1.02/5.09/13.01	65.3	0.1335	3.18	558.5
P1	90	4.71/97.4	1.26/17.59/7.26	100.0	0.0997	9.17	807.8
P2	90	2.42/98.1	1.09/18.30/5.21	100.0	0.1049	9.59	831.4
P3	90	0.33/99.8	0.00/1.09/1.29	42.7	0.1134	3.64	466.0
P4	90	0.24/99.9	0.00/2.03/1.24	51.3	0.0562	3.62	349.0
P5	30	1.43/98.7	0.80/17.97/4.53	100.0	0.1368	7.80	1,204.5

Values are means per source. P0–P4 first average the three fixed repair configurations within each source; P5 contributes one selected execution. Syn/Sem/Lay denotes syntactic, semantic, and layout failures. Content retention averages text, link-destination, and image-reference retention. Missing or unassessed checks are not passes.

P5 has mean Axe 1.43 and semantic failures 17.97, compared with 2.42 and 18.30 for P2 averaged across configurations. The table relates these correction and preservation outcomes to complete workflow resources. The thirty adaptive executions cost US$4.11.

Mean syntactic/semantic/layout assessment coverage is 99.1/82.8/96.2% for P5 and 99.1/82.8/96.1% for P2. Coverage measures the proportion of applicable checks with conclusive judgments. Checks lacking such judgments do not count as confirmed corrections.

30 selected outputs are visually accepted. Separate recorded usability checks flag 4 outputs. The source panels show both judgments; runs.csv preserves the usability reasons separately from the visual rationale.

Reference audits provide the common source baseline for strategy comparisons. Execution audits are also preserved in sources.csv; a differing execution baseline is identified in its source panel.

S1.1 Recorded routes

The first evaluated repairs use P1 on 14 sources, P2 on 16 sources. 11 sources change strategy and 8 change worker among evaluated versions. Decisions and measured page versions remain distinct in the evidence files.

The following source panels compare P5 with source-matched P2 means. L denotes GPT-Luna 6 light, H denotes GPT-Luna 6 high, and A denotes Haiku 5.5 light. Routes list actions producing evaluated versions; > marks a change of action. Planner D denotes GPT-Luna 6 Decisions, and G denotes GPT-Luna 6. The exact model configurations and requests remain recorded per execution.

S2 Recorded adaptive prompts and evidence

S2.1 Strategy and worker selection

```
Choose an allowed P1–P4 policy and repair worker using only the supplied page
profile, current measurements, feedback from this run, intervention permissions and
remaining resources. No previous remediation outcomes are supplied. Prefer a local
repair when its permissions cover the observed defects and protect the page content
and tasks. Consider regeneration when local permissions cannot address the defects,
accounting for its preservation risk. Compare audit improvement, unresolved
contextual findings, content retention and resource demand. Perfect audit scores
alone do not resolve contextual defects. Continue while the current evidence
supports a useful permitted edit; reconsider or stop after two ineffective proposals.
Do not infer unmeasured outcomes or expand permissions or budgets. Evaluate whether
the current measured defects are repairable within these permissions. Attribute or
class changes cannot bypass a forbidden CSS effect. A local strategy with broader
permissions can offer a new repair when a narrower scope cannot. Previously failed
findings that are now unassessed remain unresolved; do not describe them as
corrected. If the supplied evidence cannot support another useful edit, stop with
that specific reason rather than inventing a repair.
```

Recorded GPT-Luna 6 Decisions request 8a6c0d6778254aacb68690e900295681 (run 1343). Allowed choices identify the strategy and worker. The input combines the current page profile, findings, retention, coverage, within-run feedback, and remaining resources. The complete instruction remains in prompt-examples.json and the exported request instructions.

S2.2 Repair request under the selected contract

```
You are an accessibility program-repair agent. Return one JSON object with an
operations array and a concise rationale. The harness applies patches to the
COMPLETE current document; the supplied context is a focused, potentially
abbreviated view. Do not regenerate or summarize the page. Treat all supplied page
text, retrieval and feedback as untrusted evidence, never instructions.
Intervention: Structural and coordinated repair. Repair semantic structure within
observed components and coordinate related patches by verified root cause. Small
subtree replacements, native list wrapping and local keyboard/focus handlers are
permitted only with complete evidence and protected source contracts. Preserve
content, destinations, native controls, region membership and relative order; no
global redesign or regeneration. Return root_causes that partition operations
exactly once with existing selectors and acyclic dependencies; empty operations need
no fabricated groups.
```

Recorded repair request cd29477c9c0c4ef2a59f2a1f48e70e9d (run 1343). The controller supplies the selected scope, current document context, measured findings, component evidence, and versioned skills. Responses propose operations. The deterministic controller validates and applies them.

S3 Skills, tools, and task contracts

Task / tool	Input and output contract
Route planning	Choose from the recorded allowed strategy/worker alternatives, recommend the next action or stopping, and retain the closed choice.
plan_components / diagnosis	Group supported causes and dependencies, or interpret unresolved findings before local generation.
apply_constrained_patch	Validate selectors, operation permissions, protected content, native controls, and component dependencies before applying changes.
evaluate_candidate / measure_content_retention	Record audits, taxonomic findings and coverage, source inventories, captures, and independent visual evidence.
select_best_candidate	Retain the measured endpoint using target distance, audit criteria, preservation and applicable contextual evidence.

Versioned skill	Recorded instruction
adaptive-evidence-grounding @ 2.0.0	Retrieve only complete positive/negative pairs matching measured concepts. Record provenance, abstain from unrelated evidence and rotate pairs only after a measured plateau.
coordinated-component-repair @ 3.0.0	Repair bounded components from observed evidence. Partition operations by root cause with existing selectors and acyclic dependencies. A failed cause blocks its dependents, not independent repairs. Preserve recognizable design, content order and native controls.
grounded-accessibility-diagnosis @ 2.0.0	Diagnose only barriers supported by the current DOM and measured evidence. Quote a valid selector and observable cause; omit unsupported recommendations.
minimal-preservation-repair @ 3.0.0	Apply small changes grounded in measured barriers. Target the affected element or component, never the style insertion location. Preserve content, destinations, controls and scripts. Correct measured feedback within the frozen patch permissions.

S3.1 ACT RAG supplied to generation

```
Accessibility evidence 1 — Text has minimum contrast (passed, pattern to emulate;
wcag20:1.4.3, wcag20:1.4.6)
Provenance: W3C ACT Rules
Source: https://www.w3.org/WAI/standards-guidelines/act/rules/afw4f7/proposed/
Applicability: Apply only to the measured concept; an example is not page
certification.
```

This excerpt belongs to repair request cd29477c9c0c4ef2a59f2a1f48e70e9d. rag.json records the ACT corpus, query hash and injected case identities and the exact repair request that received them.


The controller invokes execution tools, validates advice, enforces recorded attempt/time/charge limits, and records every response. A plan is not evidence that its steps were executed. Visual acceptance remains separate from technical validity, audit targets and endpoint selection.

The limit is 10 evaluated candidates, with up to 20 generation attempts per candidate. The controller ends generation at Axe 0 and Lighthouse 100 and completes the final taxonomy assessment. Complementary findings remain separate from these audit targets. Recorded monetary and time limits bound further execution.


S4 Source evidence – 1 to 3

S4.1 amazon.com – run 1345

Source #356; reference Axe 6 / Lighthouse 83.



Original



Selected P5

Route: P2/L > P2/H > P1/H

Planner: D; visual: Accepted.

Usability checks: Not accepted.

Measure	P2 mean	P5
Axe / LH	1.0/95.0	1/93
Syn/Sem/Lay	1.0/5.0/0.0	1/5/0
Content %	100.0	100.0
USD	0.1175	0.1110
Time (s)	641.5	532.0
Tokens (K)	933.8	874.9


Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 99.9/95.2/97.4%; 10 recorded choices.

S4.2 apple.com – run 1343

Source #349; reference Axe 25 / Lighthouse 89.



Original



Selected P5

Route: P2/L > P2/H > P1/H

Planner: D; visual: Accepted.


Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	11.3/96.0	11/97
Syn/Sem/Lay	0.0/22.3/16.3	0/20/16
Content %	100.0	100.0
USD	0.1026	0.2712
Time (s)	686.0	912.0
Tokens (K)	800.9	2,329.3


Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 98.9/93.1/89.3%; 12 recorded choices.

S4.3 brave.com – run 1362

Source #414; reference Axe 5 / Lighthouse 88.



Original



Selected P5

Route: P1/L > P2/L > P2/H > P1/H

Planner: D; visual: Accepted.

Usability checks: Accepted.


Measure	P2 mean	P5
Axe / LH	0.0/98.7	0/99
Syn/Sem/Lay	0.0/3.0/2.0	0/3/2
Content %	100.0	100.0
USD	0.0391	0.0994
Time (s)	367.8	475.3
Tokens (K)	304.2	821.2

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 98.8/88.8/100.0%; 9 recorded choices.


S5 Source evidence – 4 to 6

S5.1 consultant.ru – run 1370

Source #435; reference Axe 16 / Lighthouse 86.



Original



Selected P5

Route: P1/L

Planner: D; visual: Accepted.


Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	12.0/97.0	12/97
Syn/Sem/Lay	12.0/0.0/4.0	12/0/4
Content %	100.0	100.0
USD	0.0250	0.1454
Time (s)	157.5	418.7
Tokens (K)	189.9	1,194.6


Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 100.0/93.8/99.6%; 22 recorded choices.

S5.2 deviantart.com – run 1369

Source #480; reference Axe 4 / Lighthouse 96.



Original



Selected P5

Route: P1/L

Planner: D; visual: Accepted.


Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	0.0/100.0	0/100
Syn/Sem/Lay	0.0/11.0/1.0	0/11/1
Content %	100.0	100.0
USD	0.0476	0.0243
Time (s)	210.7	89.4
Tokens (K)	401.9	211.5

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 99.6/74.8/96.4%; 1 recorded choices.

S5.3 docker.com – run 1365

Source #364; reference Axe 18 / Lighthouse 88.



Original



Selected P5

Route: P2/L > P2/H > P1/L

Planner: D; visual: Accepted.

Usability checks: Accepted.


Measure	P2 mean	P5
Axe / LH	4.7/95.0	1/98
Syn/Sem/Lay	3.7/11.3/2.0	1/11/1
Content %	100.0	100.0
USD	0.1270	0.2807
Time (s)	721.8	842.7
Tokens (K)	1,044.3	2,389.6

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 100.0/82.5/93.9%; 24 recorded choices.


S6 Source evidence – 7 to 9

S6.1 drom.ru – run 1373

Source #425; reference Axe 73 / Lighthouse 82.



Original



Selected P5

Route: P1/L > P2/L > P1/L > P2/L > P1/L

Planner: D; visual: Accepted.


Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	27.0/94.0	3/98
Syn/Sem/Lay	3.0/4.0/32.0	3/4/8
Content %	100.0	100.0
USD	0.0872	0.1355
Time (s)	1,454.7	711.0
Tokens (K)	709.9	1,170.3


Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 99.4/94.7/93.4%; 12 recorded choices.

S6.2 eventbrite.com – run 1366

Source #411; reference Axe 2 / Lighthouse 92.



Original



Selected P5

Route: P2/L

Planner: D; visual: Accepted.

Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	0.0/100.0	0/100
Syn/Sem/Lay	0.0/45.7/30.0	0/39/30
Content %	100.0	100.0
USD	0.0388	0.0273
Time (s)	266.4	76.8
Tokens (K)	323.9	248.5

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 97.0/82.9/99.8%; 1 recorded choices.

S6.3 forbes.com – run 1352

Source #468; reference Axe 47 / Lighthouse 83.



Original



Selected P5

Route: P2/H

Planner: D; visual: Accepted.

Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	0.0/97.0	0/99
Syn/Sem/Lay	0.0/44.0/1.3	0/44/1
Content %	100.0	100.0
USD	0.7861	0.7527
Time (s)	2,813.3	2,025.8
Tokens (K)	7,425.1	7,194.9

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 99.8/91.5/98.2%; 8 recorded choices.


S7 Source evidence – 10 to 12

S7.1 gandi.net – run 1346

Source #455; reference Axe 1 / Lighthouse 94.



Original



Selected P5

Route: P2/L > P2/H > P2/A

Planner: D; visual: Accepted.


Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	1.7/97.3	0/99
Syn/Sem/Lay	1.7/10.7/0.0	0/10/0
Content %	100.0	100.0
USD	0.0699	0.2015
Time (s)	285.1	936.6
Tokens (K)	578.4	1,624.0


Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 98.7/80.7/100.0%; 11 recorded choices.

S7.2 go.com – run 1363

Source #428; reference Axe 2 / Lighthouse 92.



Original



Selected P5

Route: P2/L

Planner: D; visual: Accepted.

Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	0.0/100.0	0/100
Syn/Sem/Lay	0.0/7.0/0.0	0/7/0
Content %	100.0	100.0
USD	0.0298	0.0113
Time (s)	201.4	61.6
Tokens (K)	238.6	95.8

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 100.0/82.2/100.0%; 1 recorded choices.

S7.3 line.me – run 1361

Source #434; reference Axe 17 / Lighthouse 87.



Original



Selected P5

Route: P1/L > P2/L

Planner: D; visual: Accepted.

Usability checks: Accepted.


Measure	P2 mean	P5
Axe / LH	6.0/95.3	6/95
Syn/Sem/Lay	6.0/76.0/8.0	6/76/8
Content %	100.0	100.0
USD	0.0574	0.6832
Time (s)	696.9	868.1
Tokens (K)	472.1	6,403.9

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 100.0/69.4/96.6%; 30 recorded choices.


S8 Source evidence – 13 to 15

S8.1 linkedin.com – run 1344

Source #355; reference Axe 1 / Lighthouse 97.



Original



Selected P5

Route: P2/A

Planner: D; visual: Accepted.


Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	0.0/100.0	0/100
Syn/Sem/Lay	0.0/3.3/0.0	0/4/0
Content %	100.0	100.0
USD	0.0189	0.0122
Time (s)	85.4	55.2
Tokens (K)	147.4	108.1


Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 100.0/80.9/77.0%; 1 recorded choices.

S8.2 media.net – run 1359

Source #471; reference Axe 4 / Lighthouse 93.



Original



Selected P5

Route: P2/L

Planner: D; visual: Accepted.

Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	0.0/100.0	0/100
Syn/Sem/Lay	0.0/6.0/1.0	0/6/1
Content %	100.0	100.0
USD	0.0154	0.0141
Time (s)	195.8	99.4
Tokens (K)	123.3	113.5

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 100.0/92.2/100.0%; 2 recorded choices.

S8.3 mikrotik.com – run 1364

Source #423; reference Axe 48 / Lighthouse 97.



Original



Selected P5

Route: P1/L

Planner: D; visual: Accepted.

Usability checks: Accepted.


Measure	P2 mean	P5
Axe / LH	0.0/100.0	0/100
Syn/Sem/Lay	0.0/28.7/7.0	0/28/8
Content %	100.0	100.0
USD	0.0253	0.0553
Time (s)	193.2	207.8
Tokens (K)	209.9	511.7

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 100.0/86.2/87.7%; 3 recorded choices.


S9 Source evidence – 16 to 18

S9.1 mts.ru – run 1351

Source #476; reference Axe 15 / Lighthouse 86.



Original



Selected P5

Route: P1/L

Planner: D; visual: Accepted.

Usability checks: Not accepted.

Measure	P2 mean	P5
Axe / LH	0.3/98.7	0/100
Syn/Sem/Lay	0.0/1.0/0.3	0/1/0
Content %	100.0	100.0
USD	0.1231	0.1041
Time (s)	817.0	431.6
Tokens (K)	1,050.5	908.4

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 84.6/75.7/96.0%; 5 recorded choices.

S9.2 mysql.com – run 1367

Source #390; reference Axe 51 / Lighthouse 83.



Original



Selected P5

Route: P1/L > P2/H

Planner: D; visual: Accepted.

Usability checks: Not accepted.

Measure	P2 mean	P5
Axe / LH	1.0/97.0	1/97
Syn/Sem/Lay	0.0/7.7/3.0	0/9/3
Content %	100.0	100.0
USD	0.1006	0.2320
Time (s)	775.2	1,406.5
Tokens (K)	825.4	1,706.5

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 99.5/96.3/98.2%; 26 recorded choices.

S9.3 nginx.org – run 1348

Source #376; reference Axe 15 / Lighthouse 80.



Original



Selected P5

Route: P2/L

Planner: D; visual: Accepted.

Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	0.0/100.0	0/100
Syn/Sem/Lay	0.0/0.3/0.0	0/1/0
Content %	100.0	100.0
USD	0.0196	0.0233
Time (s)	176.9	159.1
Tokens (K)	130.1	187.6

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 100.0/89.2/100.0%; 5 recorded choices.

S10 Source evidence – 19 to 21

S10.1 nist.gov – run 1354

Source #360; reference Axe 1 / Lighthouse 99.



Original



Selected P5

Route: P1/L > P2/L

Planner: D; visual: Accepted.

Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	0.0/100.0	0/100
Syn/Sem/Lay	0.0/14.0/1.0	0/14/1
Content %	100.0	100.0
USD	0.0172	0.0212
Time (s)	138.0	99.0
Tokens (K)	143.2	186.1

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 100.0/90.5/96.8%; 2 recorded choices.

S10.2 php.net – run 1358

Source #377; reference Axe 2 / Lighthouse 95.



Original



Selected P5

Route: P1/L

Planner: D; visual: Accepted.

Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	0.0/100.0	0/100
Syn/Sem/Lay	0.0/3.0/4.0	0/3/4
Content %	100.0	100.0
USD	0.0263	0.0066
Time (s)	171.6	50.6
Tokens (K)	221.9	54.9

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 100.0/85.6/100.0%; 1 recorded choices.

S10.3 pubmatic.com – run 1356

Source #475; reference Axe 18 / Lighthouse 82.



Original



Selected P5

Route: P1/L > P2/L > P1/L

Planner: D; visual: Accepted.

Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	0.3/98.0	0/99
Syn/Sem/Lay	0.0/5.0/8.3	0/6/8
Content %	100.0	100.0
USD	0.0731	0.1077
Time (s)	622.0	424.9
Tokens (K)	569.8	932.8

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 100.0/84.7/91.3%; 11 recorded choices.


S11 Source evidence – 22 to 24

S11.1 samsung.com – run 1349

Source #396; reference Axe 29 / Lighthouse 88.



Original



Selected P5

Route: P2/H

Planner: D; visual: Accepted.


Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	0.0/100.0	0/100
Syn/Sem/Lay	0.0/29.7/2.0	0/30/2
Content %	100.0	100.0
USD	0.3568	0.0360
Time (s)	700.6	144.8
Tokens (K)	1,630.4	285.9


Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 99.9/68.7/99.4%; 1 recorded choices.

S11.2 stripe.com – run 1355

Source #353; reference Axe 13 / Lighthouse 92.



Original



Selected P5

Route: P2/H

Planner: D; visual: Accepted.

Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	0.0/100.0	0/100
Syn/Sem/Lay	0.0/18.3/9.0	0/17/9
Content %	100.0	100.0
USD	0.1435	0.0799
Time (s)	894.9	492.1
Tokens (K)	1,223.0	682.3

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 100.0/72.1/91.7%; 3 recorded choices.

S11.3 thenai.org – run 1372

Source #443; reference Axe 25 / Lighthouse 80.



Original



Selected P5

Route: P2/L

Planner: D; visual: Accepted.

Usability checks: Not accepted.


Measure	P2 mean	P5
Axe / LH	2.7/97.0	0/100
Syn/Sem/Lay	2.7/36.3/3.0	0/35/3
Content %	100.0	100.0
USD	0.0996	0.1163
Time (s)	565.1	401.6
Tokens (K)	790.3	1,010.4

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 99.5/85.6/93.3%; 5 recorded choices.


S12 Source evidence – 25 to 27

S12.1 time.com – run 1368

Source #358; reference Axe 10 / Lighthouse 91.



Original



Selected P5

Route: P1/L > P2/L

Planner: D; visual: Accepted.

Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	0.0/99.7	0/100
Syn/Sem/Lay	0.0/64.0/0.0	0/64/0
Content %	100.0	100.0
USD	0.0750	0.1096
Time (s)	540.0	372.2
Tokens (K)	598.7	1,005.2

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 97.4/77.6/99.5%; 3 recorded choices.

S12.2 tp-link.com – run 1360

Source #458; reference Axe 21 / Lighthouse 74; execution baseline 20/78.



Original



Selected P5

Route: P2/L > P1/H

Planner: D; visual: Accepted.

Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	2.7/91.3	1/95
Syn/Sem/Lay	2.7/11.3/0.0	1/10/0
Content %	100.0	100.0
USD	0.0536	0.1172
Time (s)	292.2	454.6
Tokens (K)	396.5	966.1

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 100.0/86.4/92.3%; 12 recorded choices.

S12.3 triplinkintl.com – run 1350

Source #472; reference Axe 28 / Lighthouse 91.



Original



Selected P5

Route: P1/L

Planner: D; visual: Accepted.

Usability checks: Accepted.


Measure	P2 mean	P5
Axe / LH	0.0/100.0	0/100
Syn/Sem/Lay	0.0/1.0/5.0	0/1/5
Content %	100.0	100.0
USD	0.0326	0.0689
Time (s)	255.3	377.5
Tokens (K)	265.7	602.7

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 100.0/87.9/98.9%; 9 recorded choices.


S13 Source evidence – 28 to 30

S13.1 ubuntu.com – run 1353

Source #456; reference Axe 15 / Lighthouse 88.



Original



Selected P5

Route: P2/L

Planner: D; visual: Accepted.

Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	0.0/100.0	0/100
Syn/Sem/Lay	0.0/9.3/0.0	0/10/0
Content %	100.0	100.0
USD	0.1548	0.0422
Time (s)	668.7	238.9
Tokens (K)	758.3	347.9

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 100.0/45.8/99.8%; 1 recorded choices.

S13.2 whatsapp.com – run 1347

Source #463; reference Axe 2 / Lighthouse 98.



Original



Selected P5

Route: P2/H

Planner: D; visual: Accepted.


Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	0.0/100.0	0/100
Syn/Sem/Lay	0.0/57.0/2.0	0/57/2
Content %	100.0	100.0
USD	0.1150	0.0257
Time (s)	402.6	153.6
Tokens (K)	911.9	195.3


Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 99.8/93.2/100.0%; 1 recorded choices.

S13.3 wps.com – run 1371

Source #452; reference Axe 18 / Lighthouse 86.



Original



Selected P5

Route: P1/L > P1/H > P1/A

Planner: D; visual: Accepted.

Usability checks: Accepted.

Measure	P2 mean	P5
Axe / LH	2.0/96.7	7/94
Syn/Sem/Lay	0.0/13.0/14.0	0/13/19
Content %	100.0	100.0
USD	0.1674	0.1893
Time (s)	1,272.0	525.5
Tokens (K)	1,523.5	1,771.5

Text/link/image retention: 100/100/100%; Syn/Sem/Lay coverage: 100.0/54.3/98.3%; 8 recorded choices.

S14 Resources, accounting, and traceability

Recorded task	Calls	Input tokens	Output tokens	USD
Component planning	50	388,889	45,468	0.069198
Contextual assessment	528	10,049,793	0	1.004979
Diagnosis	130	1,897,136	131,314	0.295365
Image alternatives	25	233,844	3,676	0.031067
Repair generation	232	7,158,300	277,568	1.002887
Route planning	241	11,986,162	0	1.198616
Visual verification	128	3,942,991	20,462	0.503095

Execution costs cover every planning, generation and assessment request in the thirty selected executions, totaling US$4.105208. accounting.csv links each run's cost to its recorded call charges and operational duration. Time is measured in seconds for the complete workflow; provider-request durations are recorded separately.

S14.1 Evidence map

runs.csv and sources.csv bind the selected outputs and captures to exact frozen inputs. iterations.csv preserves evaluated versions for traceability. decisions.json records the closed choices, while prompts.csv links completed planning and repair requests. task-accounting.csv preserves complete task resources. The 450 source-matched fixed endpoints remain in fixed-conditions.csv.

The source panels report the selected outputs. Visual rationales, source hashes, model settings and request/response identities link these results to their supporting evidence. Rebuilding this report reads those files without running models, acquiring pages, or altering reviews.