

Swami Ramanand Teerth Marathwada University, Nanded



Dayanand College of Commerce, Latur
Department of Computer Application

Project Report on

“E-Commerce System”

Submitted By

Pal Gauravi Manish (ZI10308)

Pawar Shekhar Babruwan (ZI10314)

Sagar Pratiksha Bhima (ZI10315)

Guided By

Prof. L.S Shendge

Academic Year 2022-2023.



Dayanand College of Commerce Latur

Department of Computer Application

Certificate

This is to certify that the seminar report on

“E-Commerce System”

Submitted by

Sr. No.	Name of Student	Roll No.
1.	Pal Gauravi Manish	22575
2.	Pawar Shekhar Babruwan	22581
3.	Sagar Pratiksha Bhima	22583

BCA T.Y

As per the requirement of Swami Ramanand Teerth Marathwada University,
Nanded in partial fulfillment of degree “Bachelor of Computer Application”

For The Academic Year 2022-2023.

Prof. Shendge L.S
Project Guide

Internal Examiner

External Examiner

Prof. S.V.Swami
HOD

Declaration

We hereby declare that this project work entitled “E-Commerce System” has been prepared by us during the year 2022 – 23 under the guidance of Prof. Shendge L.S, Department of Computer Application, Dayanand College of Commerce, Latur in the partial fulfillment of the BCA degree prescribed by the college. We also declare that this project is the outcome of our effort and that it has not been submitted to any other university for the award of any degree.

Pal Gauravi Manish (22575)
Pawar Shekhar Babruwan (22581)
Sagar Pratiksha Bhima (22583)

Acknowledgment

We would like to express our deep sense of gratitude and convey thanks to everyone who helped us and supported us during the completion of this project. First, we would like to express a deep sense of gratitude to Prof. L.S. Shendge for helping and guiding us in project completion. We also convey thanks to our committee members for helping us from time to time and for being on our committee.

We acknowledge our department for providing the courses and a great atmosphere that helped us complete different chapters of this report and for helping us to develop the skills necessary for designing this application as part of our project research. Last but not least. We would like to thank my family members for their constant and unrelenting support towards my education and for their impartial love for us.

Pal Gauravi Manish (22575)
Pawar Shekhar Babruwan (22581)
Sagar Pratiksha Bhima (22583)

CONTENTS

Sr.no	Index	Page No
1.	Introduction	6
2.	Abstract	7
3.	Objective & Scope Of Project	8
4.	Future Scope	9
5.	Theoretical Background	10
6.	Software & Hardware Requirements	11
7.	Data Flow Diagram	13
8.	Source Code	16
9.	Design	153
10.	Conclusion	160
11.	Limitation	161
12.	Reference	162

Introduction

The "Online E-commerce System" has been developed to override the problems prevailing in the practicing manual system. This software is supported to eliminate and in some cases reduce the hardships faced by this existing system. Moreover, this system is designed for the particular need of the company to carry out operations smoothly and effectively.

The application is reduced as much as possible to avoid errors while entering the data. It also provides an error message while entering invalid data. No formal knowledge is needed for the user to use this system. Thus this all, proves it is user-friendly. Online E-commerce Systems, as described above, can lead to error-free, secure, reliable, and fast management systems. It can assist the user to concentrate on their other activities rather than concentrate on record keeping. Thus it will help an organization in better utilization of resources.

Every organization, whether big or small, has challenges to overcome and manage the information of Item Category, Men, Women, Child, Delivery Address, and Order. Every Online E-commerce System has different Food needs, therefore we design exclusive employee management systems that are adapted to your managerial requirements. This is designed to assist in strategic planning and will help you ensure that your organization is equipped with the right level of information and details for your future goals. Also, for those busy executives who are always on the go, our systems come with remote access features, which will allow you to manage your workforce anytime, at all times. These systems will ultimately allow you to better manage resources.

Abstract

Electronic Commerce is the process of doing business through computer networks. A person sitting on his chair in front of a computer can access all the facilities of the Internet to buy or sell products.

Unlike traditional commerce which is carried out physically with the effort of a person to go & get products, e-commerce has made it easier for a human to reduce physical work and save time. E-Commerce which was started in the early 1990s has taken a great leap in the world of computers, but the fact that has hindered the growth of e-commerce is security. Security is the challenge facing e-commerce today & there is still a lot of advancement made in the field of security.

The main advantage of e-commerce over traditional commerce is the user can browse online shops, compare prices, and order merchandise sitting at home on their PC.

For increasing the use of e-commerce in developing countries B2B ecommerce is implemented for improving access to global markets for firms in developing countries. For a developing country advancement in the field of ecommerce is essential. The research strategy shows the importance of the ecommerce in developing countries for business applications.

Scope Of Project

It may help collect perfect management in detail. In a very short time, the collection will be obvious, simple, and sensible. It will help a person to know the management of passed year perfectly and vividly. It also helps in current all work relative to Online E-commerce Systems. It will be also reduced the cost of collecting the management & collection procedure will go on smoothly.

Our project aims at Business process automation, i.e. we have tried to computerize various processes of an Online E-commerce System.

- In a computer system the person has to fill the various forms & number of copies of the forms can be easily generated at a time.
- In a computer system, it is not necessary to create the manifest but we can directly print it, which saves our time.
- To assist the staff in capturing the effort spent on their respective working areas.
- To utilize resources efficiently by increasing their productivity through automation.
- The system generates types of information that can be used for various purposes.
- It satisfies the user's requirement
- Be easy to understand by the user and operator
- Be easy to operate
- Have a good user interface
- Be expandable
- Delivered on schedule within the budget

Future Scope Of Project

The project has a very vast scope in the future. The project can be implemented intranet in the future. The project can be updated in near future as and when the requirement for the same arises, as it is very flexible in terms of expansion. With the proposed software of database Space Manager ready and fully functional the client is now able to manage and hence run the entire work in a much better, more accurate, and error-free manner.

The following is the future scope of the project.

- Should be added payment gateway
- Can be added inventory management system
- Can be added multiple branches
- Can be added multilingual to this site
- And many features can be added to this project to make it more robust.

Theoretical Background

There is a rising demand for products and services purchased online. Ecommerce is the latest fad among the general population across all age groups. The mad race for a share of the online business pie is certain to gain traction with more and more entrepreneurs joining in. If you are an e-retailer already in the business, you will know how important it is to have a business website that is secure, userfriendly, easy to update, and flexible enough to adapt to the rapid changes in customer preferences. No matter which architecture is chosen for e-commerce, a major question that arises in every development project is which technologies, programming languages, and tools are going to be used, bearing in mind that external requirements can seriously limit your options. A fair idea about PHP frameworks for developing a robust feature-rich ecommerce website will add to your advantage when hiring website developers. In this paper, the creation of a website using PHP 5, MySQL 5, and related technologies is done. Many programmers really like these technologies, but it doesn't necessarily mean they're the best choice for any kind of project, in any circumstances. PHP is an open-source technology for building dynamic, interactive web content. Its short description (on the official PHP website, <http://www.php.net>) is "PHP is a widely-used general-purpose scripting language that is especially suited for web development and can be embedded into HTML." PHP is free; especially when combined with Linux server software, PHP can prove to be a very costefficient technology to build dynamic web content. PHP has a shorter learning curve than other scripting languages. The PHP community is agile. Many useful helper libraries or new versions of the existing libraries are being developed (such as those you can find in the PEAR repository or at <http://www.phpclasses.org>), and new features are added frequently. PHP works very well on a variety of web servers and operating systems (Unix-like platforms, Windows, and Mac OS). However, PHP is not the only server-side scripting language around for creating dynamic web pages. Among its most popular competitors are Java ServerPages (JSP), Perl, ColdFusion, and ASP.NET. Most of the data your visitors will see while browsing the web site will be retrieved from a relational database. A relational database management system (RDBMS) is a complex softwareprogram, the purpose of which is to store, manage, and retrieve data as quickly and reliably as possible.

Software & Hardware Requirements

Hardware Requirements:

Name Of Components	Specification
Processor	Pentinium III 630 MHz
RAM	2 GB
Harddisk	20 GB
Monitor	15 Color monitor

Software Requirements:-

Name Of Components	Specifications
Operating System	Windows XP, Windows
Language	7,8,8.1,9,10, Linux
Database	HTML, CSS, Php
Browser	MYSQL Server
Web-Server Software	Any Of Mozilla, Opera, Chrome
Development Kit	XAMPP Server

Frontend & Back-end

Front-end:-

- **HyperText Markup Language (HTML)** is the basic scripting language used by web browsers to render pages on the world wide web. HyperText allows a user to click a link and be redirected to a new page referenced by that link.
- **Cascading Style Sheets (CSS)** is a stylesheet language used to describe the presentation of a document written in HTML or XML.
- **PHP** is a server side scripting language that is embedded in HTML. It is used to manage dynamic content, databases, session tracking, even build entire e-commerce sites. It is integrated with a number of popular databases, including MySQL, PostgreSQL, Oracle, Sybase, Informix, and Microsoft SQL Server.

Back-end:-


- **JavaScript (JS)** is a lightweight, interpreted, or just-in-time compiled programming language with first-class functions. While it is most wellknown as the scripting language for Web pages, many non-browser environments also use it, such as Node.js, Apache CouchDB and Adobe Acrobat.
- **MySQL** is a relational database management system (RDBMS) developed by Oracle that is based on structured query language (SQL). A database is a structured collection of data. It may be anything from a simple shopping list to a picture gallery or a place to hold the vast amounts of information in a corporate network

Data Flow Diagram


Level 0 DFD



Level 1 DFD



Level 2 DFD



Source Code

index.php

```
<!-- connect file -->

<?php include('includes/connect.php'); include('functions/common_function.php')
; session_start();
?>

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Ecommerce website using php and mysql</title>
<!-- boootstrat css-->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
<!-- font awesome link -->
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/fontawesome/6.2.0/css/all.
min.css" integrity="sha512-
xh6O/CkQoPOWDdYTDqeRdPCVd1SpvCA9XXcUnZS2FmJNp1coAFzvtCN9BmamE+4a
HK8yyUHUSCcJHgXloTyT2A=="
crossorigin="anonymous" referrerpolicy="no-referrer" />

<!-- css file -->
<link rel="stylesheet" href="style.css">
```



```

<style>    body{        overflow-x:hidden;
    }
</style>
</head>
<body>
<!-- navbar-->
<div class="container-fluid p-0">
<!-- first child-->
<nav class="navbar navbar-expand-lg navbar-light bg-info">
<div class="container-fluid">

<button class="navbar-toggler" type="button" data-bs-toggle="collapse"    data-bs-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent"
aria-expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent"> <ul class="navbar-
nav me-auto mb-2 mb-lg-0">

<li class="nav-item">
<a class="nav-link active" aria-current="page" href="index.php">Home</a> </li>

<li class="nav-item ">
<a class="nav-link" href="display_all.php">Products</a> </li>

<?php
if(isset($_SESSION['username'])) {        echo
"<li class='nav-item'>

```

```

<a class='nav-link' href='./users_area/profile.php'>My Account</a>
</li>";
    }else{        echo "<li class='nav-item'>
<a class='nav-link' href='./users_area/user_registration.php'>Register</a> </li>";
    }
?>

```

```

<li class="nav-item">
<a class="nav-link" href="cart.php"><i class="fa-sharp fa-solid
facartshopping"></i><sup><?php
    cart_item();?></sup></a>
</li>

```

```

<li class="nav-item">
<a class="nav-link" href="#">Total Price: <?php total_cart_price();?>/-</a> </li>

```

```

</ul>
<form class="d-flex" action="search_product.php" method="get">
<input class="form-control me-2" type="search"          placeholder="Search"
aria-label="Search" name="search_data">

```

```

<input type="submit" value="search" class="btn          btn-outlinelight"
name="search_data_product">

```

```

</form>

```

```

</div>

```

```

</div>

```

```

</nav>

```

```
<!-- calling cart function -->
```

```
<?php
```

```
cart ();
```

```
?>
```

```
<!-- second child -->
```

```
<nav class="navbar navbar-expand-lg navbar-dark bg-secondary">
```

```
<ul class="navbar-nav me-auto">
```

```
<?php
```

```
if(!isset($_SESSION['username'])){      echo
```

```
" <li class='nav-item'>
```

```
<a class='nav-link' href='#'>Welcome Guest</a>
```

```
</li>";
```

```
    }else{      echo "<li
```

```
class='nav-item'>
```

```
<a class='nav-link' href='#'>Welcome " .$_SESSION['username'] . "</a> </li>";
```

```
    }
```

```
    if(!isset($_SESSION['username'])){
```

```
echo " <li class='nav-item'>
```

```
<a class='nav-link' href='./users_area/user_login.php'>Login</a> </li>";
```

```
    }else{      echo "<li class='nav-item'>
```

```
<a class='nav-link' href='./users_area/logout.php'>Logout</a>
```

```
</li>";
```

```
    }
```

```

        ?>
</ul>
</nav>

<!-- third child -->
<div class="bg-light"></div>
<h3 class="text-center">SHOP</h3>
</div>
<p class="text-center">communication is at the e-commerce and community</p>

<!-- fourth child-->
<div class="row px-1" >
<div class="col-md-10">
<!-- products-->
<div class="row">

<!-- fetching the products -->
<?php
    // calling the function
    getproducts();    get_unique_categories();
    get_unique_brands();
    ?>
<!-- row end -->
</div>
<!-- column end-->
</div>
<div class="col-md-2 p-0 bg-secondary ">
20

```

```

<!-- brands to display-->
<ul class="navbar-nav me-auto text-center">
<li class="nav-item bg-info">
<a href="#" class="nav-link text-light"><h4>Delivery Brands</h4></a>
</li> <?php
getbrands();
?>
</ul>
<!-- categories-->
<ul class="navbar-nav me-auto text-center">
<li class="nav-item bg-info">
<a href="#" class="nav-link text-light"><h4>Categories</h4></a> </li>

<?php
getcategories();
?>

</ul>
</div>
</div>
<!-- last child -->
<!-- include footer -->
<?php include("../includes/footer.php") ?>
</div>
<!-- boot strap js link -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
21

```

ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IIRH9sENBO0LRn5q+8nbTov4+1p"
crossorigin="anonymous"></script>

</body> </html> **product_details.php**

<!-- connect file -->

<?php include('includes/connect.php');
include('functions/common_function.php'); session_start();
?>

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Ecommerce website using php and mysql</title>

<!-- bootstrap css-->

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">

<!-- font awesome link -->

<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome@6.2.0/css/all.
min.css" integrity="sha512-
xh6O/CkQoPOWDdYTDqeRdPCVd1SpvCA9XXcUnZS2FmJNp1coAFzvtCN9BmamE+4a
HK8yyUHUSCcJHgXloTyT2A=="
crossorigin="anonymous" referrerpolicy="no-referrer" />

```

<!-- css file -->
<link rel="stylesheet" href="style.css">
</head>
<body>
<!-- navbar-->
<div class="container-fluid p-0">
<!-- first child-->
<nav class="navbar navbar-expand-lg navbar-light bg-info">
<div class="container-fluid">

<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-
bstarget="#navbarSupportedContent" aria-controls="navbarSupportedContent"
ariaexpanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent"> <ul class="navbar-
nav me-auto mb-2 mb-lg-0">

<li class="nav-item">
<a class="nav-link active" aria-current="page" href="index.php">Home</a> </li>

<li class="nav-item">
<a class="nav-link" href="display_all.php">Products</a> </li>

<?php
if(isset($_SESSION['username'])) {      echo
"<li class='nav-item'">

```

```

<a class='nav-link' href='./users_area/profile.php'>My Account</a> </li>";
    }else{        echo "<li class='nav-item'>
<a class='nav-link' href='./users_area/user_registration.php'>Register</a> </li>";
    }
?>

```

```

<li class="nav-item">
<a class="nav-link" href="#"><i class="fa-sharp fa-solid fa-cart-
shopping"></i><sup><?php cart_item();?></sup></a>
</li>

```

```

<li class="nav-item">
<a class="nav-link" href="#">Total Price: <?php total_cart_price();?>/-</a> </li>

```

```

</ul>
<form class="d-flex" action="search_product.php" method="get">
<input class="form-control me-2" type="search"      placeholder="Search"
aria-label="Search" name="search_data"> <input type="submit"
value="search" class="btn      btn-outlinelight"
name="search_data_product">
</form>
</div>
</div>
</nav>

```

```

<!-- calling cart function -->

```

```

<?php

```

```

cart ();

```


?>

<!-- second child -->

<nav class="navbar navbar-expand-lg navbar-dark bg-secondary">

<ul class="navbar-nav me-auto">

<?php

if(!isset(\$_SESSION['username'])){ echo

" <li class='nav-item'>

Welcome Guest

";

}else{ echo "<li

class='nav-item'>

Welcome " .\$_SESSION['username'] . "

";

}

if(!isset(\$_SESSION['username'])){

echo " <li class='nav-item'>

Login ";

}else{ echo "<li class='nav-item'>

Logout

";

}

?>


```
</nav>
```

```
<!-- third child -->
```

```
<div class="bg-light"></div>
```

```
<h3 class="text-center">SHOP</h3>
```

```
</div>
```

```
<p class="text-center">communication is at the e-commerce and community</p>
```

```
<!-- fourth child-->
```

```
<div class="row px-1" >
```

```
<div class="col-md-10">
```

```
<!-- products-->
```

```
<div class="row">
```

```
<!-- fetching the products -->
```

```
<?php
```

```
    // calling the function
```

```
view_details();
```

```
get_unique_categories();    get_unique_brands();
```

```
?>
```

```
<!-- row end -->
```

```
</div>
```

```
<!-- column end-->
```

```
</div>
```

```
<div class="col-md-2 p-0 bg-secondary ">
```

```
<!-- brands to display-->
<ul class="navbar-nav me-auto text-center">
<li class="nav-item bg-info">
<a href="#" class="nav-link text-light"><h4>Delivery Brands</h4></a> </li>
```

```
<?php
getbrands();
?>
```

```
</ul>
```

```
<!-- categories-->
<ul class="navbar-nav me-auto text-center">
<li class="nav-item bg-info">
<a href="#" class="nav-link text-light"><h4>Categories</h4></a> </li>
```

```
<?php
getcategories();
?>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
<!-- last child -->
<!-- include footer -->
<?php include("../includes/footer.php") ?>
```

</div>

<!-- boot strap js link -->

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js" integrity="sha384-ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p" crossorigin="anonymous"></script>

</body>

</html>

search_product.php

<!-- connect file -->

<?php include('includes/connect.php'); include('functions/common_function.php')
; session_start();
?>

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Ecommerce website using php and mysql</title>

```

<!-- bootstrap css-->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
<!-- font awesome link -->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/fontawesome/6.2.0/css/all.min.css"
integrity="sha512-
xh6O/CkQoPOWDdYTDqeRdPCVd1SpvCA9XXcUnZS2FmJNp1coAFzvtCN9BmamE+4a
HK8yyUHUSCcJHgXloTyT2A=="
crossorigin="anonymous" referrerpolicy="no-referrer" />
<!-- css file -->
<link rel="stylesheet" href="style.css">
</head>
<body>
<!-- navbar-->
<div class="container-fluid p-0">
<!-- first child-->
<nav class="navbar navbar-expand-lg navbar-light bg-info">
<div class="container-fluid">

<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-
bstarget="#navbarSupportedContent" aria-controls="navbarSupportedContent"
ariaexpanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>

```

```
<div class="collapse navbar-collapse" id="navbarSupportedContent">    <ul
class="navbar-nav me-auto mb-2 mb-lg-0">
```

```
<li class="nav-item">
```

```
<a class="nav-link active" aria-current="page" href="index.php">Home</a>
```

```
</li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="display_all.php">Products</a>
```

```
</li>
```

```
<?php
```

```
if(isset($_SESSION['username'])){\
```

```
    echo "<li class='nav-item'>
```

```
    <a class='nav-link' href='./users_area/profile.php'>My Account</a>
```

```
</li>";    }else{        echo
```

```
"<li class='nav-item'>
```

```
    <a class='nav-link' href='./users_area/user_registration.php'>Register</a>
```

```
</li>";
```

```
}
```

```
?>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="cart.php"><i class="fa-sharp fa-solid
facartshopping"></i><sup><?php
```

```
    cart_item();?></sup></a>
```

```
</li>
```

```

<li class="nav-item">
    <a class="nav-link" href="#">Total Price: <?php total_cart_price();?>/</a>
</li>

</ul>

<form class="d-flex" action="" method="get">    <input class="form-
control me-2" type="search"    placeholder="Search" aria-label="Search"
name="search_data">    <input type="submit" value="search" class="btn
btn-outline-light" name="search_data_product">    </form>

</div>

</div>

</nav>

<!-- calling cart function -->
<?php
cart ();
?>

<!-- second child -->
<nav class="navbar navbar-expand-lg navbar-dark bg-secondary">
    <ul class="navbar-nav me-auto">

        <?php
if(!isset($_SESSION['username'])){
echo " <li class='nav-item'>
    <a class='nav-link' href='#'>Welcome Guest</a>
</li>";

```

```

    }else{      echo "<li class='nav-item'>
        <a class='nav-link' href='#'>Welcome ".$_SESSION['username']. "</a>
    </li>";
    }

    if(!isset($_SESSION['username'])){
echo " <li class='nav-item'>
        <a class='nav-link' href='./users_area/user_login.php'>Login</a>
    </li>";    }else{      echo " <li
class='nav-item'>
        <a class='nav-link' href='./users_area/logout.php'>Logout</a>
    </li>";
    }
    ?>

</ul>
</nav>

<!-- third child -->
<div class="bg-light"></div>
<h3 class="text-center">SHOP</h3>
</div>
<p class="text-center">communication is at the e-commerce and community</p>

<!-- fourth child-->
<div class="row px-1" >
    <div class="col-md-10">
        <!-- products-->

```



```

<div class="row">
    <!-- fetching the products -->
    <?php
        // calling the function
search_product();      get_unique_categories();
get_unique_brands();
    ?>

    <!-- row end -->

</div>
<!-- column end-->

</div>
<div class="col-md-2 p-0 bg-secondary ">

    <!-- brands to display-->
    <ul class="navbar-nav me-auto text-center">
        <li class="nav-item bg-info">
            <a href="#" class="nav-link text-light"><h4>Delivery Brands</h4></a> </li>

    <?php
getbrands();
    ?>
</ul>

    <!-- categories-->
    <ul class="navbar-nav me-auto text-center">

```

```

<li class="nav-item bg-info">
    <a href="#" class="nav-link text-light"><h4>Categories</h4></a> </li>

<?php
getcategories();
?>

</ul>

</div>

</div>

<!-- last child -->
<div class="bg-info p-3 text-center">
    <p>Copyright © 1996-2022 IndiaMART InterMESH Ltd. All rights reserved.</p> </div>

<!-- boot strap js link -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p"
crossorigin="anonymous"></script>

</body>

</html>

```

display_all.php

```

<!-- connect file -->

<?php include('includes/connect.php'); include('functions/common_function.php')
; session_start();
34

```

?>

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Ecommerce website using php and mysql</title>

<!-- bootstrap css-->

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">

<!-- font awesome link -->

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/fontawesome/6.2.0/css/all.min.css"
integrity="sha512-
xh6O/CkQoPOWDdYTDqeRdPCVd1SpvCA9XXcUnZS2FmJNp1coAFzvtCN9BmamE+4a
HK8yyUHUSCcJHgXloTyT2A=="
crossorigin="anonymous" referrerpolicy="no-referrer" />

<!-- css file -->

<link rel="stylesheet" href="style.css">

</head>

<body>

<!-- navbar-->

```

<div class="container-fluid p-0">
<!-- first child-->
<nav class="navbar navbar-expand-lg navbar-light bg-info">
<div class="container-fluid">

<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-
bstarget="#navbarSupportedContent" aria-controls="navbarSupportedContent"
ariaexpanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent"> <ul class="navbar-
nav me-auto mb-2 mb-lg-0">

<li class="nav-item">
<a class="nav-link active" aria-current="page" href="index.php">Home</a> </li>

<li class="nav-item">
<a class="nav-link" href="display_all.php">Products</a> </li>

<?php
if(isset($_SESSION['username'])) {      echo
"<li class='nav-item'>
<a class='nav-link' href='./users_area/profile.php'>My Account</a> </li>";
    } else {      echo "<li class='nav-item'>
<a class='nav-link' href='./users_area/user_registration.php'>Register</a> </li>";
    }
?>

<li class="nav-item">

```

```

<a class="nav-link" href="cart.php"><i class="fa-sharp fa-solid
facartshopping"></i><sup><?php
    cart_item();?></sup></a>
</li>

```

```

<li class="nav-item">

```

```

<a class="nav-link" href="#">Total Price: <?php total_cart_price();?>/-</a> </li>

```

```

</ul>

```

```

<form class="d-flex" action="search_product.php" method="get">

```

```

<input class="form-control me-2" type="search"

```

```

placeholder="Search" aria-label="Search" name="search_data">

```

```

<input type="submit" value="search" class="btn      btn-outlinelight"
name="search_data_product">

```

```

</form>

```

```

</div>

```

```

</div>

```

```

</nav>

```

```

<!-- second child -->

```

```

<nav class="navbar navbar-expand-lg navbar-dark bg-secondary">

```

```

<ul class="navbar-nav me-auto">

```

```

<?php

```

```

if(!isset($_SESSION['username'])) {      echo

```

```

" <li class='nav-item'>

```

```

<a class='nav-link' href='#'>Welcome Guest</a>

```

```

</li>";

        }else{            echo "<li class='nav-item'>
<a class='nav-link' href='#>Welcome ".$_SESSION['username']."</a>
</li>";
    }

```

```

        if(!isset($_SESSION['username'])) {
echo " <li class='nav-item'>

<a class='nav-link' href='./users_area/user_login.php'>Login</a>
</li>";    }else{            echo " <li class='nav-item'>
<a class='nav-link' href='./users_area/logout.php'>Logout</a>
</li>";
        }
    ?>
</ul>
</nav>

```

```

<!-- third child -->
<div class="bg-light"></div>
<h3 class="text-center">SHOP</h3>
</div>
<p class="text-center">communication is at the e-commerce and community</p>

```

```

<!-- fourth child-->
<div class="row px-1" >
<div class="col-md-10">

```

```

<!-- products-->
<div class="row">

<!-- fetching the products -->
<?php
    // calling the function
    get_all_products();
    get_unique_categories();    get_unique_brands();
    ?>

<!-- row end -->

</div>
<!-- column end-->

</div>
<div class="col-md-2 p-0 bg-secondary ">

<!-- brands to display-->
<ul class="navbar-nav me-auto text-center">
<li class="nav-item bg-info">
<a href="#" class="nav-link text-light"><h4>Delivery Brands</h4></a> </li>

<?php
getbrands();
?>

</ul>

```

```
<!-- categories-->
<ul class="navbar-nav me-auto text-center">
<li class="nav-item bg-info">
<a href="#" class="nav-link text-light"><h4>Categories</h4></a> </li>
```

```
<?php
getcategories();
?>
```

```
</ul>
</div>
</div>
```

```
<!-- last child -->
<div class="bg-info p-3 text-center">
<p>Copyright © 1996-2022 IndiaMART InterMESH Ltd. All rights reserved.</p> </div>
```

```
<!-- boot strap js link -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p"
crossorigin="anonymous"></script>
</body>
</html>
```


cart.php

```
!-- connect file -->

<?php include('includes/connect.php'); include('functions/common_function.php')
; session_start();
?>

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Ecommerce website-cart details</title>
<!-- bootstrap css-->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFIdvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">

<!-- font awesome link -->
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/font-awesome@6.2.0/css/all.min.css"
integrity="sha512-
xh6O/CkQoPOWDDdYTDqeRdPCVd1SpvCA9XXcUnZS2FmJNp1coAFzvtCN9BmamE+4a
HK8yyUHUSCcJHgXloTyT2A=="
41
```

```

        crossorigin="anonymous" referrerpolicy="no-referrer" />

<!-- css file -->
<link rel="stylesheet" href="style.css">
<style>    .cart_img{
width:100px;
height:100px;

        object-fit:contain
    }
</style>
</head>
<body>
<!-- navbar-->
<div class="container-fluid p-0">
<!-- first child-->
<nav class="navbar navbar-expand-lg navbar-light bg-info">
<div class="container-fluid">

<button class="navbar-toggler" type="button" data-bs-toggle="collapse"    data-
bstarget="#navbarSupportedContent" aria-controls="navbarSupportedContent"
ariaexpanded="false" aria-label="Toggle navigation">

<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
<ul class="navbar-nav me-auto mb-2 mb-lg-0">

```

```
<li class="nav-item">
<a class="nav-link active" aria-current="page" href="index.php">Home</a> </li>
```

```
<li class="nav-item">
<a class="nav-link " href="display_all.php">Products</a>
</li>
```

```
<?php
if(isset($_SESSION['username'])) {      echo
" <li class='nav-item'>
<a class='nav-link' href='./users_area/profile.php'>My Account</a> </li>";
      } else {      echo " <li
class='nav-item'>
<a class='nav-link' href='./users_area/user_registration.php'>Register</a> </li>";
      }
?>
```

```
<li class="nav-item">
<a class="nav-link" href="cart.php"><i class="fa-sharp fa-solid
facartshopping"></i><sup><?php
      cart_item();?></sup></a>
</li>
</ul>
</div>
</div>
</nav>
```

```
<!-- calling cart function -->
```

```
<?php
```

```
cart ();
```

```
?>
```

```
<!-- second child -->
```

```
<nav class="navbar navbar-expand-lg navbar-dark bg-secondary">
```

```
<ul class="navbar-nav me-auto">
```

```
<?php
```

```
if(!isset($_SESSION['username'])){      echo
```

```
" <li class='nav-item'>
```

```
<a class='nav-link' href='#'>Welcome Guest</a>
```

```
</li>";
```

```
    }else{      echo "<li class='nav-item'>
```

```
<a class='nav-link' href='#'>Welcome " .$_SESSION['username'] . "</a>
```

```
</li>";
```

```
    }
```

```
    if(!isset($_SESSION['username'])){
```

```
echo " <li class='nav-item'>
```

```
<a class='nav-link' href='./users_area/user_login.php'>Login</a>
```

```
</li>";    }else{      echo " <li class='nav-item'>
```

```
<a class='nav-link' href='./users_area/logout.php'>Logout</a>
```

```
</li>";
```

```
    }
```

```
?>
```

```
</ul>
```

```
</nav>
```

```
<!-- third child -->
```

```
<div class="bg-light">
```

```
<h3 class="text-center">SHOP</h3>
```

```
</div>
```

```
<p class="text-center">communication is at the e-commerce and community</p> </div>
```

```
<!-- fourth child -->
```

```
<div class="container">
```

```
<div class="row">
```

```
<form action="" method="post">
```

```
<table class="table table-bordered text-center">
```

```
<!-- php code to display dynamic data -->
```

```
<?php
```

```
    $get_ip_add = getIPAddress();
```

```
    $total_price=0;
```

```
    $cart_query="select * from cart_details where ip_address='$get_ip_add'";
```

```
$result=mysqli_query($con,$cart_query);          $result_count=mysqli_num_rows($result);
```

```
if($result_count>0){          echo "<thead> <tr>
```

```
<th>Product Title</th>
```

```
<th>Product Image</th>
```

```
<th>Quantity</th>
```

```
<th>Total Price</th>
```

```
<th>Remove</th>
```

```
<th colspan='2'>Operations</th>
```

```

</tr>
</thead>
<tbody>";

        while($row=mysqli_fetch_array($result)){
            $product_id=$row['product_id'];
            $select_products="select * from products where product_id='$product_id'";
            $result_products=mysqli_query($con,$select_products);
while($row_product_price=mysqli_fetch_array($result_products)){
            $product_price=array($row_product_price['product_price']);
            $price_table=$row_product_price['product_price'];
            $product_title=$row_product_price['product_title'];
            $product_image1=$row_product_price['product_image1'];
            $product_values=array_sum($product_price);
            $total_price+=$product_values;

        }
    }
    <tr>
    <td><?php echo $product_title ?></td>
    <td></td>
    <td><input type="text" name="qty" class="form-input
w-50"></td>
    <?php
        $get_ip_add = getIPAddress();          if(isset($_POST['update_cart'])){
            $quantities=$_POST['qty'];
            $update_cart="update cart_details set quantity=$quantities where
ip_address='$get_ip_add'";

```

```

        $result_products_quantity=mysqli_query($con,$update_cart);
$total_price=$total_price*$quantities;
    }
    ?>

```

```

<td><?php echo $price_table ?>/-</td>

```

```

<td><input type="checkbox" name="removeitem[]" value="<?php echo
        $product_id ?>"></td>

```

```

<td>

```

```

<input      type="submit"      value="Update      Cart"
class="bg-info      px-3      py-2      border-0      mx-3"
name="update_cart">

```

```

<input type="submit" value="Remove Cart"
        class="bg-info px-3 py-2 border-0 mx-3"          name="remove_cart">

```

```

</td>

```

```

</tr>

```

```

<?php

```

```

    }

```

```

    }    }    else{        echo "<h2 class='text-center textdanger'>cart
is empty </h2>";

```

```

    }

```

```

?>

```

```

</tbody>

```

```

</table>

```

```

<!-- subtotal -->

```

```

<div class="d-flex mb-5">

```

```

<?php
    $get_ip_add = getIPAddress();
    $cart_query="select * from cart_details where ip_address='$get_ip_add'";
    $result=mysqli_query($con,$cart_query);
    $result_count=mysqli_num_rows($result);        if($result_count>0){

        echo " <h4 class='px-3'>Subtotal:<strong class='text-info'>
$total_price /- </strong></h4>

<input type='submit' value='Continue Shopping'          class='bg-info
px-3 py-2 border-0 mx-3'
name='Continue_Shopping'>

<button class='bg-secondary p-3 py-2          border-0 '><a href='./users_area/checkout.php'
class='text-light text-decoration:none'>Checkout</a>
</button>";

    }else{
        echo "<input type='submit' value=
'Continue Shopping'          class='bg-info px-3 py-2 border-0
mx-3'          name='Continue_Shopping'>";
    }

    if(isset($_POST['Continue_Shopping']))){        echo
"<script>window.open('index.php','_self')</script>";
    }

?>

</div>
</div>
</div>

```



```

</form>

<!-- function to remove items -->

<?php      function remove_cart_item(){ global
$con; if(isset($_POST['remove_cart
'])){
foreach($_POST['removeite
m'] as $remove_id){    echo
$remove_id;

    $delete_query="Delete from cart_details where product_id=$remove_id";
    $run_delete=mysqli_query($con,$delete_query);    if($run_delete){
echo
"<script>window.open('cart.php','_self')</script>";
    }
    }
    } } echo
$remove_item=remove_cart_item();
?>

<!-- last child -->

<!-- include footer -->

<?php include("../includes/footer.php") ?>

</div>

<!-- boot strap js link -->

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IIRH9sENBO0LRn5q+8nbTov4+1p"
crossorigin="anonymous"></script>

</body>

</html>

```

admin_area.php admin_login.php

```
<?php include('../includes/connect.php');      include('../functions/common_function.php');
    @session_start();
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Admin Login</title>
<!-- boootstrat css-->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
<!-- font awesome link -->
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/fontawesome/6.2.0/css/all.
min.css"    integrity="sha512-
xh6O/CkQoPOWdYTDqerRdPCVd1SpvCA9XXcUnZS2FmJNp1coAFzvtCN9BmamE+4a
HK8yyUHUSCcJHgXloTyT2A=="
crossorigin="anonymous" referrerpolicy="no-referrer" />
<style>
    body{        overflow:
hidden;
    }
</style>
50
```

```

</head>
<body>
<div class="container-fluid m-3">
<h2 class="text-center mb-5">Admin Login
</h2>
<div class="row d-flex justify-content-center">
<div class="col-lg-6 col-xl-5">

</div>

<div class="col-lg-6 col-xl-4">
<form action="" method="post">
<div class="form-outline mb-4">
<label for="username" class="form-label">Username</label> <input
type="text" id="username" name="username" placeholder="Enter
your username" required="required" class="form-control">
</div>

<div class="form-outline mb-4">
<label for="password" class="form-label">Password</label> <input
type="password" id="password" name="password" placeholder="Enter
your password" required="required" class="form-control">
</div>

<div>
<input type="submit" class="bg-info py-2 px-3 border-0" name="admin_login"
value="Login">
</div>

```

```
<p class="small fw-bold mt-2 pt-1 mb-0">Don't you have an account?
<a href="admin_registration.php" class="text-danger"> Register </a></p>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

```
<?php if(isset($_POST['admin_login'])) {
```

```
$admin_name=$_POST['username'];
```

```
    $admin_password=$_POST['password'];
```

```
    $select_query="select * from admin_table where    admin_name='$admin_name'";
```

```
    $result=mysqli_query($con,$select_query);
```

```
    $row_count=mysqli_num_rows($result);    $row_data=mysqli_fetch_assoc($result);
```

```
    if($row_count>0){
```

```
        $_SESSION['username']= $admin_name;
```

```
        if(password_verify($admin_password,$row_data['admin_password'])) {
```

```
echo "<script>alert('Login Successful')</script>";           echo
```

```
"<script>window.open('index.php','_self')</script>";
```

```
        }else{            echo "<script>alert('Invalid  
Credentials')</script>";  
        }
```

```
    }else{        echo "<script>alert('Invalid  
Credentials')</script>";
```

```
    }  
}  
?>
```

admin_registration.php

```
<?php include('../includes/connect.php');        include('../functions/common_function.php');  
?>  
<!DOCTYPE html>  
<html lang="en">  
<head>
```

```

<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Admin Registration</title>
<!-- booootstrat css-->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
<!-- font awesome link -->
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/@fortawesome/fontawesome-free@6.2.0/css/all.min.css"
integrity="sha512-
xh6O/CkQoPOWDdYTDqeRdPCVd1SpvCA9XXcUnZS2FmJNp1coAFzvtCN9BmamE+4a
HK8yyUHUSCcJHgXloTyT2A=="
crossorigin="anonymous" referrerpolicy="no-referrer" />
<style>
    body{
        overflow:
hidden;
    }
</style>
</head>
<body>
<div class="container-fluid">
<h2 class="text-center mb-5">Admin Registration
</h2>
<div class="row d-flex justify-content-center">
<div class="col-lg-6 col-xl-5">


```

```
</div>
<div class="col-lg-6 col-xl-4">
<form action="" method="post">
<div class="form-outline mb-4">
<label for="username" class="form-label">Username</label> <input
type="text" id="username" name="username" placeholder="Enter
your username" required="required" class="form-control">
</div>
```

```
<div class="form-outline mb-4">
<label for="email" class="form-label">Email</label> <input
type="email" id="email" name="email" placeholder="Enter
your email" required="required" class="form-control">
</div>
```

```
<div class="form-outline mb-4">
<label for="password" class="form-label">Password</label> <input
type="password" id="password" name="password" placeholder="Enter
your password" required="required" class="form-control">
</div>
```

```
<div class="form-outline mb-4">
<label for="confirm_password" class="form-label">Confirm Password</label> <input
type="password" id="confirm_password" name="confirm_password"
placeholder="Enter your confirm password" required="required" class="form-
control">
</div>
```

```

<div>
<input type="submit" class="bg-info py-2 px-3 border-0"
name="admin_registration" value="Register">
</div>

<p class="small fw-bold mt-2 pt-1 mb-0">Do you already have an account? <a
href="admin_login.php" class="text-danger"> Login </a></p>

```

```

</form>

```

```

</div>

```

```

</div>

```

```

</div>

```

```

</body>

```

```

</html>

```

```

<!-- php code -->

```

```

<?php if(isset($_POST['admin_registration'])) {

```

```

    $admin_name=$_POST['username'];

```

```

    $admin_email=$_POST['email'];

```

```

    $admin_password=$_POST['password'];

```

```

    $hash_Password=password_hash($admin_password,PASSWORD_DEFAULT);

```

```

    $confirm_password=$_POST['confirm_password'];

```

```

    // select query

```

```

    $select_query="select * from admin_table where admin_name='$admin_name' or
admin_email='$admin_email'";

```

```

    $result=mysqli_query($con,$select_query);

```



```

$rows_count=mysqli_num_rows($result);  if($rows_count>0){      echo
"<script>alert('Username and Email already exist')</script>";
    }else if($user_password!=$conf_user_password){      echo
"<script>alert('Passwords do not match')</script>";
    }  else{
        // insert_query
        $insert_query="insert into admin_table (admin_name,admin_email,
admin_password)      values ('$admin_name','$admin_email','$hash_Password)";

        $sql_execute=mysqli_query($con,$insert_query);

        if($sql_execute){      echo "<script>alert('Data inserted
successfully')</script>";

        }else{      echo "<script>alert('You have inserted wrong information')</script>";
        }
    }
}
?>

```

delete_brands.php

```
<?php if(isset($_GET['delete_brands'])){  
$delete_brands=$_GET['delete_brands'];  
  
    // delete query  
    $delete_query="Delete from brands where brand_id=$delete_brands";  
    $result=mysqli_query($con,$delete_query);    if($result){        echo  
"<script>alert('Brands is been deleted successfully')</script>";        echo  
"<script>window.open('./index.php?view_brands','_self')</script>";  
    }  
}  
  
?>
```

delete_category.php

```
?php if(isset($_GET['delete_category'])){  
    $delete_category=$_GET['delete_category'];  
    // delete query  
    $delete_query="Delete from categories where category_id=$delete_category";  
    $result=mysqli_query($con,$delete_query);    if($result){        echo  
"<script>alert('category has deleted successfully')</script>";        echo  
"<script>window.open('./index.php?view_categories','_self')</script>";    }  
} ?>
```

delete_orders.php

```
<?php if(isset($_GET['delete_orders'])){  
$delete_orders=$_GET['delete_orders'];  
    // delete query  
    $delete_query="Delete from user_orders where order_id=$delete_orders";  
    $result=mysqli_query($con,$delete_query);    if($result){        echo  
"<script>alert('Order has been deleted successfully')</script>";        echo  
"<script>window.open('./index.php?list_orders','_self')</script>";  
    }  
}  
  
?>
```

delete_product.php

```
    <?php if(isset($_GET['delete_product'])){  
        $delete_id=$_GET['delete_product'];    // delete query  
        $delete_product="Delete from products where  
            product_id=$delete_id";  
        $result_product=mysqli_query($con,$delete_product);  
        if($result_product){            echo "<script>alert('Product deleted  
            successfully')</script>";  
        echo "<script>window.open('./index.php','_self')</script>";  
            }  
        }  
    }
```

?> edit_brands.php

```

<?php if(isset($_GET['edit_brands']))){
$edit_brand=$_GET['edit_brands'];
    $get_brands="select * from brands where brand_id=$edit_brand";
    $result=mysqli_query($con,$get_brands);
    $row=mysqli_fetch_assoc($result);
    $brand_title=$row['brand_title'];
} if(isset($_POST['edit_brand']))){
$brand_title=$_POST['brand_title'];
$update_query="update brands set
brand_title='$brand_title' where    brand_id=$edit_brand";
    $result_brand=mysqli_query($con,$update_query);    if($result_brand){        echo
"<script>alert('Brand is been updated successfully')</script>";        echo
"<script>window.open('./index.php?view_brands','_self')</script>";
    }
}
?>

<div class="container mt-3">
<h1 class="text-center">Edit Brands</h1>
<form action="" method="post" class="text-center">
<div class="form-outline mb-4 w-50 m-auto">
<label for="brand_title" class="form-label">Category Title</label> <input type="text"
name="brand_title" id="brand_title" class="form-control"        required="required"
value='<?php echo $brand_title;?>'>
</div>
<input type="submit" value="Update Brand" class="btn btn-info px-3 mb-3"
name="edit_brand">

```

```
</form> </div>
```

edit_category.php

```
<?php if(isset($_GET['edit_category'])){\n    $edit_category=$_GET['edit_category'];\n\n    $get_categories="select * from categories where category_id=$edit_category";\n    $result=mysqli_query($con,$get_categories);\n    $row=mysqli_fetch_assoc($result);\n    $category_title=$row['category_title'];\n}\nif(isset($_POST['edit_cat'])){\n    $cat_title=$_POST['category_title'];\n\n    $update_query="update categories set category_title='$cat_title' where\n    category_id=$edit_category";\n\n    $result_cat=mysqli_query($con,$update_query);    if($result_cat){        echo\n    "<script>alert('Category is been updated successfully')</script>";        echo\n    "<script>window.open('./index.php?view_categories','_self')</script>";\n    }\n}\n?>\n<div class="container mt-3">\n<h1 class="text-center">Edit Category</h1>\n<form action="" method="post" class="text-center">\n<div class="form-outline mb-4 w-50 m-auto">\n<label for="category_title" class="form-label">Category Title</label>\n<input type="text" name="category_title" id="category_title" class="form-control"\nrequired="required" value='<?php echo $category_title;?>'>
```

```

</div>

<input type="submit" value="Update Category" class="btn btn-info px-3 mb-3"
name="edit_cat">

</form>

</div>

```

edit_products.php

```

<?php if(isset($_GET['edit_products'])) {
    $edit_id=$_GET['edit_products'];

    $get_data="select * from products where product_id=$edit_id";
    $result=mysqli_query($con,$get_data);
    $row=mysqli_fetch_assoc($result);
    $product_title=$row['product_title'];
    $product_description=$row['product_description'];
    $product_keywords=$row['product_keywords'];
    $category_id=$row['category_id'];
    $brand_id=$row['brand_id'];
    $product_image1=$row['product_image1'];
    $product_image2=$row['product_image2'];
    $product_image3=$row['product_image3'];
    $product_price=$row['product_price'];

    // fetchong category name
    $select_category="select * from categories where category_id=$category_id";
    $result_category=mysqli_query($con,$select_category);
    $row_category=mysqli_fetch_assoc($result_category);

```

```
$category_title=$row_category['category_title'];
```

```
// echo $category_title;
```

```
// fetchong brand name
```

```
$select_brand="select * from brands where brand_id=$brand_id";
```

```
$result_brand=mysqli_query($con,$select_brand);
```

```
$row_brand=mysqli_fetch_assoc($result_brand);
```

```
$brand_title=$row_brand['brand_title'];
```

```
// echo $brand_title;
```

```
}
```

```
?>
```

```
<div class="container mt-5">
```

```
<h1 class="text-center">Edit Product</h1>
```

```
<form action="" method="post" enctype="multipart/form-data">
```

```
<div class="form-outline w-50 m-auto mb-4">
```

```
<label for="product_title" class="form-label">Product Title</label> <input
```

```
type="text" id="product_title" value="<?php echo $product_title?>"
```

```
name="product_title" class="form-control" required="required"> </div>
```

```
<div class="form-outline w-50 m-auto mb-4">
```

```
<label for="product_desc" class="form-label">Product Description</label> <input
```

```
type="text" id="product_desc" value="<?php echo $product_description?>"
```

```
name="product_desc" class="form-control" required="required"> </div>
```

```

<div class="form-outline w-50 m-auto mb-4">
<label for="product_keywords" class="form-label">Product Keywords</label> <input
type="text" id="product_keywords" value="<?php echo $product_keywords?>"
name="product_keywords" class="form-control"          required="required"> </div>

```

```

<div class="form-outline w-50 m-auto mb-4">
<label for="product_category" class="form-label">Product Categories</label>
<select name="product_category" class="form-select">
<option value="<?php echo $category_title ?>"><?php echo $category_title ?></option>
<?php
$select_category_all="select * from categories";
$result_category_all=mysqli_query($con,$select_category_all);
while($row_category_all=mysqli_fetch_assoc($result_category_all)){
    $category_title=$row_category_all['category_title'];
    $category_id=$row_category_all['category_id'];    echo "<option
value='$category_id'>$category_title</option>"; };
?>
</select>
</div>

```

```

<div class="form-outline w-50 m-auto mb-4">
<label for="product_brands" class="form-label">Product Brands</label>
<select name="product_brands" class="form-select">
<option value="<?php echo $brand_title ?>"><?php echo $brand_title ?></option> <?php
$select_brand_all="select * from brands";

```



```

$result_brand_all=mysqli_query($con,$select_brand_all);
while($row_brand_all=mysqli_fetch_assoc($result_brand_all)){
    $brand_title=$row_brand_all['brand_title'];    $brand_id=$row_brand_all['brand_id'];
    echo "<option value='$brand_id'>$brand_title</option>"; }
?>
</select>
</div>

```

```

<div class="form-outline w-50 m-auto mb-4">
<label for="product_image1" class="form-label">Product Image1</label>
<div class="d-flex">
<input type="file" id="product_image1" name="product_image1"          class="form-
control w-90 m-auto" required="required">

</div>
</div>

```

```

<div class="form-outline w-50 m-auto mb-4">
<label for="product_image2" class="form-label">Product Image2</label>
<div class="d-flex">
<input type="file" id="product_image2" name="product_image2"          class="form-
control w-90 m-auto" required="required">

</div>
</div>

```

```

<div class="form-outline w-50 m-auto mb-4">
<label for="product_image3" class="form-label">Product Image3</label>

```

```

<div class="d-flex">
<input type="file" id="product_image3" name="product_image3" class="form-
control w-90 m-auto" required="required">

</div>
</div>

```

```

<div class="form-outline w-50 m-auto mb-4">
<label for="product_price" class="form-label">Product Price</label> <input type="text"
id="product_price" value="<?php echo $product_price?>"
name="product_price" class="form-control" required="required">
</div>

```

```

<div class=" w-50 m-auto">
<input type="submit" name="edit_product" value="Update product"
class="btn btn-info px-3 mb-3">
</div>

```

```

</form>
</div>

```

```

<?php if(isset($_POST['edit_product']))){ $product_title=$_POST['product_title'];
$product_desc=$_POST['product_desc'];
$product_keywords=$_POST['product_keywords'];
$product_category=$_POST['product_category'];
$product_brands=$_POST['product_brands'];
$product_price=$_POST['product_price'];

```

```

$product_image1=$_FILES['product_image1']['name'];

```

```

$product_image2=$_FILES['product_image2']['name'];
$product_image3=$_FILES['product_image3']['name'];

$temp_image1=$_FILES['product_image1']['tmp_name'];
$temp_image2=$_FILES['product_image2']['tmp_name'];
$temp_image3=$_FILES['product_image3']['tmp_name'];

// checking for fields are empty or not  if($product_title==" or
$product_desc==" or $product_keywords==" or $product_category==" or
$product_brands==" or $product_image1==" or $product_image2==" or
$product_image3==" or $product_price==" ){  echo "<script>alert('please
fill all the fields and continue the process')</script>";
} else{
move_uploaded_file($temp_image1,"./product_images/$product_image1");
move_uploaded_file($temp_image2,"./product_images/$product_image2");
move_uploaded_file($temp_image3,"./product_images/$product_image3");

// query to update products
$update_products="update products set product_title='$product_title',
product_description='$product_desc', product_keywords='$product_keywords',
category_id='$product_category', brand_id='$product_brands',
product_image1='$product_image1', product_image2='$product_image2',
product_image3='$product_image3',product_price='$product_price',date=NOW() where
product_id=$edit_id";

$result_update=mysqli_query($con,$update_products);  if($result_update){

```

```

        echo "<script>alert('Product updated successfully')</script>";
echo "<script>window.open('./index.php','_self')</script>";
    }
}
}
?>

```

insert_categorirs.php

```

<?php include('./includes/connect.php'); if(isset($_POST['insert_cat'])) {

    $category_title=$_POST['cat_title'];

    // select data from data base
    $select_query="select * from categories where category_title='$category_title'";
    $result_select=mysqli_query($con , $select_query);
    $number=mysqli_num_rows($result_select); if($number>0){

        echo "<script>alert('this category already present inside the database ')</script>"; }else{

    $insert_query="insert into categories (category_title) values ('$category_title')";
    $result=mysqli_query($con,$insert_query); if($result){
        echo "<script>alert('category has been inserted successfully')</script>";
    }
} }

?>

<h2 class="text-center">Insert Categories</h2>

```

```

<form action="" method="POST" class="mb-2">
<div class="input-group w-90 mb-3">
<span class="input-group-text bg-info" id="basic-addon1"><i class="fa-solid
fareceipt"></i>
</span>
<input type="text" class="form-control" name ="cat_title" placeholder="insert
categories" aria-label="Username" ariadescrbedby="basic-addon1">
</div>
<div class="input-group w-10 mb-2 m-auto">

<input type="submit" class="bg-info border-0 p-2 my-3" name ="insert_cat" value="Insert
Categories">

</div>
</form>

```

insert_products.php

```

<?php include('../includes/connect.php'); if(isset($_POST['insert_product'])) {

$product_title=$_POST['product_title'];
$description=$_POST['description'];
$product_keywords=$_POST['product_keywords'];
$product_category=$_POST['product_category'];
$product_brands=$_POST['product_brands'];
$product_price=$_POST['product_price'];
$product_status='true';

```

```

// Accessing images
$product_image1=$_FILES['product_image1'] ['name'];
$product_image2=$_FILES['product_image2'] ['name'];
$product_image3=$_FILES['product_image3'] ['name'];

// Accessing img temp name
$temp_image1=$_FILES['product_image1'] ['tmp_name'];
$temp_image2=$_FILES['product_image2'] ['tmp_name'];
$temp_image3=$_FILES['product_image3'] ['tmp_name'];
//checking empty condition  if( $product_title==" or
$product_description==" or $product_keywords==" or
$product_category==" or $product_brands==" or $product_price==" or
$product_image1==" or
$product_image2==" or
$product_image3==" ){

    echo "<script>alert('please fill all the available fields')</script>";    exit();
}else{
move_uploaded_file($temp_image1,"./product_images/$product_image1");
move_uploaded_file($temp_image2,"./product_images/$product_image2");
move_uploaded_file($temp_image3,"./product_images/$product_image3");

//insert query
$insert_products="insert into products (product_title,product_description,
product_keywords,category_id,brand_id,product_image1,product_image2,product_image3,
product_price,date, status) values ('$product_title', '$description', '$product_keywords',

```

```

'$product_category', '$product_brands', '$product_image1', '$product_image2',
'$product_image3', '$product_price', NOW(), '$product_status') ";

$result_query=mysqli_query($con, $insert_products);    if($result_query)
{
    echo "<script>alert('successfully inserted the products')</script>";

}
}
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Insert Products-Amin Dashbord</title>
<!-- bootstrap  css links -->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
<!-- font awesome link-->
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/
all.min.css" integrity="sha512-
MV7K8+y+gLIBoVD59lQIYicR65iaqukzvf/nwasF0nqhPay5w/

```

```

9lJmVM2hMDcnK1OnMGCdVK+iQrJ7lzPJQd1w==" crossorigin="anonymous"
referrerpolicy="no-referrer" />
<!-- css file -->
<link rel="stylesheet" href="../style.css">
</head>
<body class="bg-light">
<div class="container mt-3">
<h1 class="text-center">Insert Products</h1>
<!-- form-->
<form action="" method="POST" enctype="multipart/form-data"> <div class="form-outline
mb-4 w-50 m-auto">

<!-- title-->
<label for="product_title" class="form-label">Product          title</label>
<input type="text" name="product_title"          id="product_title"
class="form-control"          placeholder="Enter product title"
autocomplete="off"          required="required">
</div>

<!--description-->
<div class="form-outline mb-4 w-50 m-auto"> <label for="description"
class="form-label">Product          description</label>
<input type="text" name="description"          id="description"
class="form-control"          placeholder="Enter product description"
autocomplete="off"          required="required">
</div>

<!--keywords-->

```



```

<div class="form-outline mb-4 w-50 m-auto">
<label for="product_keywords" class="form-label">Product      keywords</label>

<input type="text" name="product_keywords"
id="products_keywords" class="form-control"      placeholder="Enter
product keywords" autocomplete="off"      required="required">
</div>

```

```

<!--categories-->
<div class="form-outline mb-4 w-50 m-auto">
<select name="product_category" id="" class="form-select">
<option value="">Select a Category</option>
<?php
        $select_query="select * from categories ";
$result_query=mysqli_query($con,$select_query);
while($row=mysqli_fetch_assoc($result_query)){
$category_title=$row['category_title'];        $category_id=$row['category_id'];
echo "<option value=' $category_id'>$category_title</option>";
        }
?>

</select>
</div>

```

```

<!--brands-->
<div class="form-outline mb-4 w-50 m-auto">
<select name="product_brands" id="" class="form-select">

```

```

<option value="">Select a Brands</option>

<?php
    $select_query="select * from brands ";
    $result_query=mysqli_query($con,$select_query);
    while($row=mysqli_fetch_assoc($result_query)){
        $brand_title=$row['brand_title'];
        $brand_id=$row['brand_id'];          echo "<option
value='$brand_id'>$brand_title</option>";
    }
    ?>

</select>

</div>

<!--Image 1-->
<div class="form-outline mb-4 w-50 m-auto">
<label for="product_image1" class="form-label">Product      image
1</label>
<input type="file" name="product_image1"
id="product_image1" class="form-control"      required="required">
</div>

<!--Image 2-->
<div class="form-outline mb-4 w-50 m-auto">
<label for="product_image2" class="form-label">Product      image
2</label>

```

```

<input type="file" name="product_image2"
id="product_image2" class="form-control"          required="required">
</div>

```

```

<!--Image 3-->
<div class="form-outline mb-4 w-50 m-auto">
<label for="product_image3" class="form-label">Product      image
3</label>
<input type="file" name="product_image3"
id="product_image3" class="form-control"          required="required">
</div>

```

```

<!--price-->
<div class="form-outline mb-4 w-50 m-auto"> <label for="product_price"
class="form-label">Product
      price</label>
<input type="text" name="product_price"
id="product_price" class="form-control"          placeholder="Enter
product price" autocomplete="off"          required="required">
</div>

```

```

<!--price-->
<div class="form-outline mb-4 w-50 m-auto"> <input
type="submit" name="insert_product" class="btn          btn-info
mb-3 px-3" value="Insert Products">

```

```
</div>
</form>
</div>
</body>
</html>
```

list_orders.php

```
<h3 class="text-center text-success">All Orders</h3>
<table class="table table-bordered mt-5">
<thead class="bg-info text-center">

<?php
    $get_orders="select * from user_orders";
    $result=mysqli_query($con,$get_orders);
    $row_count=mysqli_num_rows($result);

if($row_count==0){    echo "<h2 class='text-danger text-center mt-
5'>No orders yet</h2>";

}else{    echo
"<tr> <th>Sr
no</th>
```

```

<th>Due Amount</th>
<th>Invoice Number</th>
<th>Total Products</th>
<th>Order Date</th>
<th>Status</th>
</tr>
</thead>
<tbody class='bg-secondary text-light'>;
    $number=0; while($row_data=mysqli_fetch_assoc($result)){
        $order_id=$row_data['order_id'];
        $user_id=$row_data['user_id'];
        $amount_due=$row_data['amount_due'];
        $invoice_number=$row_data['invoice_number'];
        $total_products=$row_data['total_products'];
        $order_date=$row_data['order_date'];
        $order_status=$row_data['order_status'];
        $number++;      echo "<tr
class='text-center'> <td>$number</td>
<td>$amount_due</td>
<td>$invoice_number</td>
<td>$total_products</td>
<td>$order_date</td>
<td>$order_status</td>

</tr>";
    }
}
?>

```

```
</tbody>
```

```
</table>
```

list_payments.php

```
<h3 class="text-center text-success">All payments</h3>
```

```
<table class="table table-bordered mt-5">
```

```
<thead class="bg-info text-center">
```

```
<?php
```

```
    $get_payments="select * from user_payments";
```

```
    $result=mysqli_query($con,$get_payments);
```

```
    $row_count=mysqli_num_rows($result);
```

```
if($row_count==0){    echo "<h2 class='text-danger text-center mt-5'>No  
payments received yet</h2>";
```

```
}else{    echo
```

```
"<tr> <th>Sr
```

```
no</th>
```

```
<th>Invoice Number</th>
```

```
<th>Amount</th>
```

```
<th>Payment mode</th>
```

```
<th>Order date</th>
```

```

</tr>
</thead>
<tbody class='bg-secondary text-light'>;
    $number=0;   while($row_data=mysqli_fetch_assoc($result)){
$order_id=$row_data['order_id'];
    $payment_id=$row_data['payment_id'];
    $invoice_number=$row_data['invoice_number'];
    $amount=$row_data['amount'];
    $payment_mode=$row_data['payment_mode'];
    $date=$row_data['date'];
$number++;      echo "<tr class='text-center'>
<td>$number</td>
<td>$invoice_number</td>
<td>$amount</td>
<td>$payment_mode</td>
<td>$date</td>

</tr>";
    }
}
?>
</tbody>
</table>

```

lists_users.php

```
<h3 class="text-center text-success">All Users</h3>
<table class="table table-bordered mt-5">
<thead class="bg-info text-center">

<?php
    $get_payments="select * from user_table";
    $result=mysqli_query($con,$get_payments);
    $row_count=mysqli_num_rows($result);

if($row_count==0){    echo "<h2 class='text-danger text-center mt-
5'>No users yet</h2>";

}else{    echo
"<tr>
<th>Sr no</th>
<th>Username</th>
<th>User email</th>
<th>User image</th>
<th>User address</th>
<th>User mobile</th>
</tr>
</thead>
<tbody class='bg-secondary text-light'>";
    $number=0; while($row_data=mysqli_fetch_assoc($result)){
        $user_id=$row_data['user_id'];
```



```

$username=$row_data['username'];
$user_email=$row_data['user_email'];
$user_image=$row_data['user_image'];
$user_address=$row_data['user_address'];
$user_mobile=$row_data['user_mobile'];
$number++;      echo "<tr
class='text-center'> <td>$number</td>
<td>$username</td>
<td>$user_email</td>
<td><img src='../users_area/user_images/$user_image'      alt='$username'
class='product_img'/></td>
<td>$user_address</td>
<td>$user_mobile</td>
</tr>";
    }
}
?>
</tbody>
</table>

```

view_brands.php

```

<h3 class="text-center text-success">All Brands</h3>
<table class="table table-bordered mt-5">
    <thead class="bg-info">

```

```

<tr class="text-center">
    <th>Sr no</th>
    <th>Brand title</th>
    <th>Edit</th>
    <th>Delete</th>

</tr>

</thead>
<tbody class="bg-secondary text-light">
<?php
    $select_cat="select * from brands";
    $result=mysqli_query($con,$select_cat);
    $number=0;
while($row=mysqli_fetch_assoc($result)){
    $brand_id=$row['brand_id'];
    $brand_title=$row['brand_title'];
    $number++;

?>
<tr class="text-center">
    <td><?php echo $number;?></td>
    <td><?php echo $brand_title; ?></td>
    <td><a href='index.php?edit_brands=<?php echo $brand_id?>' class='text-light'><i
class='fa-solid          fa-pen-to-square'></i></a></td>
    <td><a href='index.php?delete_brands=<?php echo $brand_id?>' class='text-light'><i
class='fa-solid          fa-trash'></i></a></td>

```

```
</tr>
```

```
<?php
```

```
}?>
```

```
</tbody>
```

```
</table>
```

view.categories.php

```
<h3 class="text-center text-success">All Categories</h3>
```

```
<table class="table table-bordered mt-5">
```

```
<thead class="bg-info">
```

```
<tr class="text-center">
```

```
<th>Sr no</th>
```

```
<th>Category title</th>
```

```
<th>Edit</th>
```

```
<th>Delete</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody class="bg-secondary text-light">
```

```
<?php
```

```
$select_cat="select * from categories";
```

```
$result=mysqli_query($con,$select_cat);
```

```
$number=0; while($row=mysqli_fetch_assoc($result)){
```

```
$category_id=$row['category_id'];
```

```
$category_title=$row['category_title'];
```

```
$number++;
```

```

?>
<tr class="text-center">
    <td><?php echo $number;?></td>
    <td><?php echo $category_title; ?></td>
    <td><a href='index.php?edit_category=<?php echo $category_id ?>'
class='text-light'><i class='fa-solid          fa-pen-to-square'></i></a></td>
    <td><a href='index.php?delete_category=<?php echo $category_id ?>'
class='textlight'><i class='fa-solid          fa-trash'></i></a></td>

</tr>
<?php

}>
</tbody>
</table>

```

view_products.php

```

<h2 class="text-center text-success">All products</h2>
<table class="table table-bordered mt-5">
    <thead class="bg-info">
        <tr class="text-center">
            <th>Product Id</th>
            <th>Product Title</th>
            <th>Product Image</th>
            <th>Product Price</th>
            <th>Total Sold</th>
            <th>Status</th>

```

```

        <th>Edit</th>

        <th>Delete</th>

    </tr>

</thead>

<tbody class="bg-secondary text-light">

    <?php
    $get_products="select * from products";
    $result=mysqli_query($con,$get_products);
    $number=0;    while($row=mysqli_fetch_assoc($result)){
$product_id=$row['product_id'];
    $product_title=$row['product_title'];
    $product_image1=$row['product_image1'];
    $product_price=$row['product_price'];    $status=$row['status'];
    $number++;
    ?>

    <tr class='text-center'>

    <td><?php echo $number; ?></td>

    <td><?php echo $product_title; ?></td>

    <td><img src='./product_images/<?php echo $product_image1; ?>'
class='product_img'/></td>

    <td><?php echo $product_price;?>/-</td>

    <td><?php
    $get_count="select * from orders_pending where product_id=$product_id";
    $result_count=mysqli_query($con,$get_count);
    $rows_count=mysqli_num_rows($result_count);    echo $rows_count;

```

```

?></td>

<td><?php echo $status; ?></td>

<td><a href='index.php?edit_products=<?php echo $product_id ?>'
class='textlight'><i class='fa-solid
fa-pen-to-square'></i></a></td>

<td><a href='index.php?delete_product=<?php echo $product_id ?>'
class='textlight'><i class='fa-solid fa-trash'></i></a></td> </tr>

<?php

}

?>

</tbody>
</table>

```

Includes.php

connect.php

```

<?php

$con=mysqli_connect('localhost','root','','mystore'); if(!$con){

    die(mysqli_error($con));
}

?>

```

footer.php

```
<div class="bg-info p-3 text-center">
<p>All rights reserved ©- Designed by DCCL BCA-TY 2022-2023.</p>
</div>
```

common_functions.php

```
<?php

// including connect file
// include('./includes/connect.php');

// getting products
function getproducts(){
global $con;

// condition to check isset or not
if(!isset($_GET['category'])) { if(!isset($_GET['brand'])) {

$select_query="select * from products order by rand() LIMIT 0,9";
$result_query=mysqli_query($con,$select_query);
//$row=mysqli_fetch_assoc($result_query);
//echo $row['product_title'];
while($row=mysqli_fetch_assoc($result_query)){
$product_id=$row['product_id'];
$product_title=$row['product_title'];
```

```
$product_description=$row['product_description'];
```

```
$product_image1=$row['product_image1'];
```

```
$product_price=$row['product_price'];
```

```
$category_id=$row['category_id'];
```

```
$brand_id=$row['brand_id'];
```

```
echo "<div class='col-md-4 mb-2'>
```

```
<div class='card'>
```

```
<img src='./admin_area/product_images/$product_image1' class='cardimg-top'
alt='$product_title'>
```

```
<div class='card-body'>
```

```
<h5 class='card-title'>$product_title</h5>
```

```
<p class='card-text'>$product_description</p> <p
```

```
class='card-text'>Price: $product_price/-</p> <a
```

```
href='index.php?add_to_cart=$product_id' class='btn
```

```
btn-info'>Add to cart</a>
```

```
<a href='product_details.php?product_id=$product_id' class='btn
```

```
btn-secondary'>view more</a>
```

```
</div>
```

```
</div>
```

```
</div>";
```

```
}
```

```
}
```



```

    }
}

// getting all products
function get_all_products(){
global $con;

// condition to check isset or not
if(!isset($_GET['category'])) { if(!isset($_GET['brand'])) {
$select_query="select * from products order by rand()";

$result_query=mysqli_query($con,$select_query);
//$row=mysqli_fetch_assoc($result_query);
//echo $row['product_title']; while($row=mysqli_fetch_assoc($result_query)){
$product_id=$row['product_id'];
$product_title=$row['product_title'];
$product_description=$row['product_description'];
$product_image1=$row['product_image1'];
$product_price=$row['product_price'];
$category_id=$row['category_id'];
$brand_id=$row['brand_id'];

echo "<div class='col-md-4 mb-2'>
<div class='card'>
<img src='./admin_area/product_images/$product_image1' class='cardimg-top'
alt='$product_title'>
<div class='card-body'>

```

```

<h5 class='card-title'>$product_title</h5>
<p class='card-text'>$product_description</p>
<p class='card-text'>Price: $product_price/-</p>
<a href='index.php?add_to_cart=$product_id' class='btn btninfo'>Add
to cart</a>
<a href='product_details.php?product_id=$product_id' class='btn
btn-secondary'>view more</a>

```

```

</div>
</div>
</div>";

```

```

    }
}
}
}

```

```

// getting unique categories

```

```

function get_unique_categories(){
global $con;

```

```

    // condition to check isset or not
if(isset($_GET['category'])){$category_id=$_GET['category'];

```

```

    $select_query="select * from products where category_id=$category_id";
    $result_query=mysqli_query($con,$select_query);
    $num_of_rows=mysqli_num_rows($result_query);    if($num_of_rows==0){        echo
"<h2 class='text-center text-danger'> No stock for this category</h2>";

```

```

    }

    //$row=mysqli_fetch_assoc($result_query);
    //echo $row['product_title'];    while($row=mysqli_fetch_assoc($result_query)){
        $product_id=$row['product_id'];
        $product_title=$row['product_title'];
        $product_description=$row['product_description'];
        $product_image1=$row['product_image1'];
        $product_price=$row['product_price'];
        $category_id=$row['category_id'];
        $brand_id=$row['brand_id'];

        echo "<div class='col-md-4 mb-2'>
<div class='card'>
<img src='./admin_area/product_images/$product_image1'        class='cardimg-top'
alt='$product_title'>
<div class='card-body'>
<h5 class='card-title'>$product_title</h5>
<p class='card-text'>$product_description</p>
<p class='card-text'>Price: $product_price/-</p>
<a href='index.php?add_to_cart=$product_id' class='btn        btninfo'>Add
to cart</a>
<a href='product_details.php?product_id=$product_id'
class='btn btn-secondary'>view more</a>
</div>
</div>
</div>";
    }

```

```
}  
}
```

```
// getting unique brands
```

```
function get_unique_brands(){  
global $con;
```

```
    // condition to check isset or not    if(isset($_GET['brand'])){  
$brand_id=$_GET['brand'];
```

```
$select_query="select * from products where brand_id=$brand_id";  
$result_query=mysqli_query($con,$select_query);  
$num_of_rows=mysqli_num_rows($result_query);
```

```
    if($num_of_rows==0){        echo "<h2 class='text-center text-  
danger'> This brand is not available        for service</h2>";  
    }
```

```
    //$row=mysqli_fetch_assoc($result_query);  
    //echo $row['product_title'];    while($row=mysqli_fetch_assoc($result_query)){  
        $product_id=$row['product_id'];  
        $product_title=$row['product_title'];  
        $product_description=$row['product_description'];  
        $product_image1=$row['product_image1'];  
        $product_price=$row['product_price'];  
        $category_id=$row['category_id'];
```

```
$brand_id=$row['brand_id'];
```

```
    echo "<div class='col-md-4 mb-2'>
<div class='card'>
<img src='./admin_area/product_images/$product_image1'      class='cardimg-top'
alt='$product_title'>
<div class='card-body'>
<h5 class='card-title'>$product_title</h5>
<p class='card-text'>$product_description</p> <p
class='card-text'>Price: $product_price/-</p> <a
href='index.php?add_to_cart=$product_id' class='btn
btn-info'>Add to cart</a>
<a href='product_details.php?product_id=$product_id'      class='btn
btn-secondary'>view more</a>
</div>
</div>
</div>";
    }

}
```

```
// displaying brands in sidenav bar  function
getbrands(){    global
$con;
```

```

$select_brands="select * from brands";
$result_brands=mysqli_query($con,$select_brands);

while($row_data=mysqli_fetch_assoc($result_brands)){
$brand_title=$row_data['brand_title'];  $brand_id=$row_data['brand_id'];  echo " <li
class='nav-item'>
<a href= 'index.php?brand=$brand_id' class='nav-link  textlight'>$brand_title</a>
</li>";
    }
}

// displaying categories in sidenav bar

function getcategories(){
global $con;

$select_categories="select * from categories";
$result_categories=mysqli_query($con,$select_categories);

while($row_data=mysqli_fetch_assoc($result_categories)){
$category_title=$row_data['category_title'];
$category_id=$row_data['category_id'];  echo
" <li class='nav-item'>
<a href= 'index.php?category=$category_id' class='nav-link text-light'>$category_title</a>
</li>";
    }
}

```

```

// searching products

function search_product(){
global $con;

if(isset($_GET['search_data_product'])){
$search_data_value=$_GET['search_data'];

$search_query="select * from products where product_keywords like
'%"$search_data_value%" ";

$result_query=mysqli_query($con,$search_query);
$num_of_rows=mysqli_num_rows($result_query);

if($num_of_rows==0){      echo "<h2 class='text-center text-
danger'>No result match. No
products found on this category </h2>";
}
while($row=mysqli_fetch_assoc($result_query)){
$product_id=$row['product_id'];
$product_title=$row['product_title'];
$product_description=$row['product_description'];
$product_image1=$row['product_image1'];
$product_price=$row['product_price'];
$category_id=$row['category_id'];
$brand_id=$row['brand_id'];

echo "<div class='col-md-4 mb-2'>
<div class='card'>

```

```

<img src='./admin_area/product_images/$product_image1'          class='cardimg-top'
alt='$product_title'>
<div class='card-body'>
<h5 class='card-title'>$product_title</h5>
<p class='card-text'>$product_description</p> <p
class='card-text'>Price: $product_price/-</p> <a
href='index.php?add_to_cart=$product_id' class='btn
btn-info'>Add to cart</a>
<a href='product_details.php?product_id=$product_id'          class='btn
btn-secondary'>view more</a>
</div>
</div>
</div>";
    }
}
}

```

```
// view details function
```

```
function view_details(){
```

```
global $con;
```

```
    // condition to check isset or not
```

```
    if(isset($_GET['product_id'])){\
```

```
    if(!isset($_GET['category'])){\    if(!isset($_GET['brand'])){\
```

```
        $product_id=$_GET['product_id'];
```



```

$select_query="select * from products where product_id=$product_id";
$result_query=mysqli_query($con,$select_query);
//$row=mysqli_fetch_assoc($result_query);

//echo $row['product_title']; while($row=mysqli_fetch_assoc($result_query)){
    $product_id=$row['product_id'];
    $product_title=$row['product_title'];
    $product_description=$row['product_description'];
    $product_image1=$row['product_image1'];
    $product_image2=$row['product_image2'];
    $product_image3=$row['product_image3'];    $product_price=$row['product_price'];
    $category_id=$row['category_id'];
    $brand_id=$row['brand_id'];

```

```

echo "<div class='col-md-4 mb-2'>

```

```

<div class='card'>
<img src='./admin_area/product_images/$product_image1' class='cardimg-top'
alt='$product_title'>
<div class='card-body'>
<h5 class='card-title'>$product_title</h5>
<p class='card-text'>$product_description</p> <p
class='card-text'>Price: $product_price/-</p> <a
href='index.php?add_to_cart=$product_id' class='btn
btn-info'>Add to cart</a>
<a href='index.php' class='btn btn-secondary'>Go home</a>

</div>
</div>

```

```
</div>
```

```
<div class='col-md-8'>
```

```
<div class='row'>
```

```
<div class='col-md-12'>
```

```
<h4 class='text-center text-info mb-5'>Related  
products</h4>
```

```
</div>
```

```
<div class='col-md-6'>
```

```
<img src='./admin_area/product_images/$product_image2'      class='cardimg-top'  
alt='$product_title'>
```

```
</div>
```

```
<div class='col-md-6'>
```

```
<img src='./admin_area/product_images/$product_image3'      class='cardimg-top'  
alt='$product_title'>
```

```
</div>
```

```
</div>
```

```
</div>";
```

```
}
```

```
}
```

```
}
```

```
}
```

```
}
```

```
// get ip addresss function
```

```

function getIPAddress() {
    //whether ip is from the share internet
    if(!empty($_SERVER['HTTP_CLIENT_IP'])) {
        $ip = $_SERVER['HTTP_CLIENT_IP'];
    }
    //whether ip is from the proxy
    elseif (!empty($_SERVER['HTTP_X_FORWARDED_FOR'])) {
        $ip = $_SERVER['HTTP_X_FORWARDED_FOR'];
    }
    //whether ip is from the remote address    else{
        $ip = $_SERVER['REMOTE_ADDR'];
    }
    return $ip;
}

// $ip = getIPAddress();
// echo 'User Real IP Address - '.$ip;

// cart function function cart (){ if(isset($_GET['add_to_cart']))
{
    global $con;
    $get_ip_add= getIPAddress();
    $get_product_id=$_GET['add_to_cart'];

    $select_query="select * from cart_details where ip_address='$get_ip_add'
and product_id=$get_product_id";
    $result_query=mysqli_query($con,$select_query);
    $num_of_rows=mysqli_num_rows($result_query); if($num_of_rows>0){ echo
"<script>alert('this item is already present inside the cart')

```

```

</script>";

echo "<script>window.open('index.php','_self')</script>";
    }else{
        $insert_query="insert into cart_details (product_id,ip_address,        quantity)
values ($get_product_id,$get_ip_add,0)";
$result_query=mysqli_query($con,$insert_query);        echo
"<script>alert('Item is added to cart') </script>";        echo
"<script>window.open('index.php','_self')</script>";

    }
}
}

// functio to get cart items numbers

function cart_item(){
if(isset($_GET['add_to_cart'])){        global
$con;
    $get_ip_add= getIPAddress();
    $select_query="select * from cart_details where    ip_address='$get_ip_add'";
    $result_query=mysqli_query($con,$select_query);
    $count_cart_items=mysqli_num_rows($result_query);

    }else{        global
$con;
    $get_ip_add= getIPAddress();

```

```

$select_query="select * from cart_details where    ip_address='$get_ip_add'";
$result_query=mysqli_query($con,$select_query);
$count_cart_items=mysqli_num_rows($result_query);

}
echo $count_cart_items;
}

//total    price    function
function total_cart_price(){
global $con;
$get_ip_add = getIPAddress();
$total_price=0;
$cart_query="select * from cart_details where ip_address='$get_ip_add'";
$result=mysqli_query($con,$cart_query);
while($row=mysqli_fetch_array($result)){
    $product_id=$row['product_id'];
    $select_products="select * from products where product_id='$product_id'";
    $result_products=mysqli_query($con,$select_products);
while($row_product_price=mysqli_fetch_array($result_products)){
    $product_price=array($row_product_price['product_price']);
    $product_values=array_sum($product_price);
    $total_price+=$product_values;
    }
} echo
$total_price; }

```

```
// get user order details
```

```
function get_user_order_details(){
global $con;
$username=$_SESSION['username'];
$get_details="Select * from user_table where username='$username'";
$result_query=mysqli_query($con,$get_details);
while($row_query=mysqli_fetch_array($result_query)){
    $user_id=$row_query['user_id'];
    if(!isset($_GET['edit_account'])){    if(!isset($_GET['my_orders'])){
    if(!isset($_GET['delete_account'])){
        $get_orders="Select * from user_orders where user_id=$user_id and
order_status='pending'";
        $result_orders_query=mysqli_query($con,$get_orders);
        $row_count=mysqli_num_rows($result_orders_query);    if($row_count>0){
            echo "<h3 class='text-center text-success mt-5 mb-2'> You have <span
class='text-danger'>$row_count</span>    pending orders</h3>
<p class='text-center'><a href='profile.php?my_orders' class='text-dark'>Order
Details</a></p>";
        }else{    echo "<h3 class='text-center text-success mt-5 mb-2'> You have zero
pending orders</h3>
<p class='text-center'><a href='../index.php' class='text-dark'>Explore
products</a></p>";
        }
    }
}
}
```

}

?>

Users_area.php

Checkout.php

```
<!-- connect file -->
```

```
<?php include('../includes/connect.php'); session_start();
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Ecommerce website-Checkout Page</title>
```

```
<!-- bootstrap css-->
```

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
```

```
rel="stylesheet" integrity="sha384-
```

```
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
```

```
crossorigin="anonymous">
```

```
<!-- font awesome link -->
```

```

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/fontawesome/6.2.0/css/all.min.css" integrity="sha512-xh6O/CkQoPOWDdYTDqeRdPCVd1SpvCA9XXcUnZS2FmJNp1coAFzvtCN9BmamE+4aHK8yyUHUSCcJHgXloTyT2A=="
crossorigin="anonymous" referrerpolicy="no-referrer" />

<!-- css file -->
<link rel="stylesheet" href="../style.css">

</head>
<body>
<!-- navbar-->
<div class="container-fluid p-0">
<!-- first child-->
<nav class="navbar navbar-expand-lg navbar-light bg-info">
<div class="container-fluid">

<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-
bstarget="#navbarSupportedContent" aria-controls="navbarSupportedContent"
ariaexpanded="false" aria-label="Toggle navigation">

<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
<ul class="navbar-nav me-auto mb-2 mb-lg-0">

<li class="nav-item">
<a class="nav-link active" aria-current="page" href="../index.php">Home</a> </li>

```



```

<li class="nav-item">
<a class="nav-link" href="../display_all.php">Products</a> </li>

<li class="nav-item">
<a class="nav-link" href="user_registration.php">Register</a> </li>

<li class="nav-item">
<a class="nav-link" href="#">Contacts</a>
</li>
</ul>

<form class="d-flex" action="search_product.php" method="get">
<input class="form-control me-2" type="search"      placeholder="Search"
aria-label="Search" name="search_data">

<input type="submit" value="search" class="btn      btn-outlinelight"
name="search_data_product"> </form>

</div>
</div>
</nav>

<!-- second child -->
<nav class="navbar navbar-expand-lg navbar-dark bg-secondary">
<ul class="navbar-nav me-auto">

<?php
if(!isset($_SESSION['username'])){      echo
" <li class='nav-item'>

```

```
<a class='nav-link' href='#'>Welcome Guest</a>
</li>";
```

```
    }else{        echo "<li class='nav-item'>
<a class='nav-link' href='#'>Welcome ".$_SESSION['username']."</a>
</li>";
    }
```

```
    if(!isset($_SESSION['username'])){
echo " <li class='nav-item'>
<a class='nav-link' href='./user_login.php'>Login</a>
</li>";    }else{        echo " <li
class='nav-item'> <a class='navlink'
href='logout.php'>Logout</a>

</li>";
    }
    ?>
```

```
</ul>
</nav>
```

```
<!-- third child -->
<div class="bg-light"></div>
<h3 class="text-center">SHOP</h3>
</div>
```

<p class="text-center">communication is at the e-commerce and community</p>

<!-- fourth child-->

<div class="row px-1" >

<div class="col-md-12">

<!-- products-->

<div class="row">

<?php if(!isset(\$_SESSION['username'])) {

include('user_login.php');

else { include('payment.php');

}

?>

</div>

<!-- column end-->

</div>

</div>

<!-- last child -->

<!-- include footer -->

<?php include("../includes/footer.php") ?>

</div>

<!-- boot strap js link -->

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"

integrity="sha384-

ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IIRH9sENBO0LRn5q+8nbTov4+1p"

crossorigin="anonymous"></script>

</body>

</html>

payment.php

```
<?php include('../includes/connect.php');      include('../functions/common_function.php');
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Payment page</title>
<!-- boootstrat css-->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFIdvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
</head>
<style>
```

```

        .payment_img{
width:90%;      margin:auto;
display:block:
        }
</style>
<body>
<!-- php code to access user ID -->
<?php
    $user_ip=getIPAddress();
    $get_user="select * from user_table where user_ip='$user_ip'";
    $result=mysqli_query($con,$get_user);
    $run_query=mysqli_fetch_array($result);
    $user_id=$run_query['user_id'];

?>
<div class="container">
<h2 class="text-center text-info">Payment options</h2> <div
class="row d-flex justify-content-center align-items-center      my-5">
<div class="col-md-6">
<a href="https://www.paypal.com" target="_blank"></a>
</div>

<div class="col-md-6">
<a href="order.php?user_id=<?php echo $user_id ?>"><h2 class="text-center">Pay
offline</h2></a>

```

```

</div>
</div>
</div>
</body>
</html>

```

confirm_payment.php

```

<?php include('../includes/connect.php'); include('../functions/common_function.php')
; session_start();
if(isset($_GET['order_id'])) {
$order_id=$_GET['order_id'];
    // echo $order_id;
    $select_data="select * from user_orders where order_id=$order_id";
    $result=mysqli_query($con,$select_data);
    $row_fetch=mysqli_fetch_assoc($result);
    $invoice_number=$row_fetch['invoice_number'];
    $amount_due=$row_fetch['amount_due'];
} if(isset($_POST['confirm_payment'])) {
    $invoice_number=$_POST['invoice_number'];
    $amount=$_POST['amount'];
    $payment_mode=$_POST['payment_mode'];
    $insert_query="insert into user_payments (order_id,invoice_number,amount,
        payment_mode) values($order_id,$invoice_number,$amount,'$payment_mode')";
    $result=mysqli_query($con,$insert_query);    if($result){        echo "<h3
class='textcenter text-light'>Successfully completed the payment</h3>";        echo
"<script>window.open('profile.php?my_orders','_self')</script>";

```

```

    }

    $update_orders="update user_orders set order_status='Complete' where
order_id=$order_id";

    $result_orders=mysqli_query($con,$update_orders);

}

?>

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Payment page</title>

<!-- boot-strap css links -->

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">

</head>

<body class="bg-secondary"> <div class="container
my-5">

<h1 class="text-center text-light">Confirm Payment</h1>

<form action="" method="post">

<div class="form-outline my-4 text-center w-50 m-auto">

<input type="text" class="form-control w-50 m-auto" name="invoice_number"
value="<?php echo $invoice_number ?>">

```

</div>

<div class="form-outline my-4 text-center w-50 m-auto">

<label for="" class="text-light">Amount</label>

<input type="text" class="form-control w-50 m-auto" name="amount" value="<?php
echo \$amount_due ?>">

</div>

<div class="form-outline my-4 text-center w-50 m-auto">

<select name="payment_mode" class="form-select w-50 m-auto">

<option>Select Payment mode</option>

<option>UPI</option>

<option>Netbanking</option>

<option>Paypal</option>

<option>Cash on Delivery</option>

<option>Payoffline</option>

</select>

</div>

<div class="form-outline my-4 text-center w-50 m-auto">

<input type="submit" class="bg-info py-2 px-3 border-0" value="Confirm"
name="confirm_payment">

</div>

</form>


```
</div>
</body>
</html>
```

delete.account.php

```
<h3 class="text-danger mb-4">Delete Account</h3>
<form action="" method="post" class="mt-5">
<div class="form-outline mb-4">
<input type="submit" class="form-control w-50 m-auto" name="delete" value="Delete
Account">
</div>

<div class="form-outline mb-4">
<input type="submit" class="form-control w-50 m-auto" name="dont_delete"
value="Don't Delete Account">
</div>

</form>

<?php
$username_session=$_SESSION['username']; if(isset($_POST['delete'])){
    $delete_query="Delete from user_table where username='$username_session';

$result=mysqli_query($con,$delete_query);          if($result){
session_destroy();          echo "<script>alert('Account Deleted
successfully')</script>";
```

```

echo "<script>window.open('../index.php','_self')</script>";

}

} if(isset($_POST['dont_delete'])){

    echo "<script>window.open('profile.php','_self')</script>";

}

?>

```

edit_account.php

```

<?php if
(isset($_GET['edit_account'])){
    $user_session_name=$_SESSION['username'];
    $select_query="select * from user_table where username='$user_session_name'";
    $result_query=mysqli_query($con,$select_query);
    $row_fetch=mysqli_fetch_assoc($result_query);
    $user_id=$row_fetch['user_id'];
    $username=$row_fetch['username'];
    $user_email=$row_fetch['user_email'];
    $user_address=$row_fetch['user_address'];
    $user_mobile=$row_fetch['user_mobile'];
}

if(isset($_POST['user_update'])){
    $update_id=$user_id;

```

```

$username=$_POST['user_username'];
$user_email=$_POST['user_email'];
$user_address=$_POST['user_address'];
$user_mobile=$_POST['user_mobile'];
$user_image=$_FILES['user_image']['name'];
$user_image_tmp=$_FILES['user_image']['tmp_name'];

move_uploaded_file($user_image_tmp, "./user_images/".$user_image);

// update query
$update_data="update user_table set username='$username',user_email='$user_email',
user_image='$user_image',user_address='$user_address',user_mobile='$user_mobile'
where      user_id=$update_id";

$result_query_update=mysqli_query($con,$update_data);

if($result_query_update){      echo "<script>alert('Data
updated successfully')</script>";      echo
"<script>window.open('logout.php','_self')</script>";
    }
} ?>

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Edit account</title>

```

```

</head>
<body>
<h3 class="text-success mb-4">Edit Account</h3>
<form action="" method="post" enctype="multipart/form-data">
<div class="form-outline mb-4">
<input type="text" class="form-control w-50 m-auto" value="<?php echo $username ?>"
name="user_username">
</div>

<div class="form-outline mb-4">
<input type="email" class="form-control w-50 m-auto" name="user_email"
value="<?php echo $user_email ?>"> </div>

<div class="form-outline mb-4 d-flex w-50 m-auto"> <input
type="file" class="form-control m-auto" name="user_image">

</div>

<div class="form-outline mb-4">
<input type="text" class="form-control w-50 m-auto" name="user_address"
value="<?php echo $user_address ?>">
</div>

<div class="form-outline mb-4">
<input type="text" class="form-control w-50 m-auto" name="user_mobile"
value="<?php echo $user_mobile ?>">
</div>

```

```

<input type="submit" value="Update" class="bg-info py-2 px-3 border-0"
name="user_update">
</form>
</body>
</html>

```

Order.php

```

<?php include('../includes/connect.php');      include('../functions/common_function.php');

```

```

    if(isset($_GET['user_id'])){      $user_id=$_GET['user_id'];
    }

    // getting total items and total price of all items
    $get_ip_address=getIPAddress();
    $total_price=0;
    $cart_query_price="select * from cart_details where    ip_address='$get_ip_address'";
    $result_cart_price=mysqli_query($con,$cart_query_price);
    $invoice_number=mt_rand();
    $status='pending';
    $count_products=mysqli_num_rows($result_cart_price);
    while($row_price=mysqli_fetch_array($result_cart_price)){
        $product_id=$row_price['product_id'];

        $select_product="select * from products where

```

```

product_id=$product_id";    $run_price=mysqli_query($con,$select_product);
while($row_product_price=mysqli_fetch_array($run_price)){
$product_price=array($row_product_price['product_price']);
    $product_values=array_sum($product_price);
    $total_price+=$product_values;
}
}

// getting quantity from cart
$get_cart="select * from cart_details";
$run_cart=mysqli_query($con,$get_cart);
$get_item_quantity=mysqli_fetch_array($run_cart);
$quantity=$get_item_quantity['quantity'];
if($quantity==0){
    $quantity=1;
    $subtotal=$total_price;
}else{
    $quantity=$quantity;
    $subtotal=$total_price*$quantity;
}

$insert_orders="Insert into user_orders (user_id,amount_due,invoice_number,
total_products,order_date,order_status) values ($user_id,
$subtotal,$invoice_number,$count_products,NOW(),'$status')";
$result_query=mysqli_query($con,$insert_orders);    if($result_query){
echo "<script>alert('orders are submitted successfully')</script>";    echo
"<script>window.open('profile.php','_self')</script>";

}

```

```

// orders pending

$insert_pending_orders="Insert into orders_pending (user_id,invoice_number,product_id,
quantity,order_status) values ($user_id,$invoice_number,$product_id,$quantity,$status)";

$result_pending_orders=mysqli_query($con,$insert_pending_orders);


// delete items from cart

$empty_cart="Delete from cart_details where    ip_address='$get_ip_address'";

$result_delete=mysqli_query($con,$empty_cart); ?>

```

Profile.php

```

<!-- connect file -->

<?php include('../includes/connect.php'); include('../functions/common_function.php')
; session_start();

?>


<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Welcome <?php echo $_SESSION['username'] ?></title>
<!-- bootstrap css-->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">

```

```
<!-- font awesome link -->
```

```
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/fontawesome/6.2.0/css/all.min.css" integrity="sha512-xh6O/CkQoPOWDdYTDqeRdPCVd1SpvCA9XXcUnZS2FmJNp1coAFzvtCN9BmamE+4aHK8yyUHUSCcJHgXloTyT2A==" crossorigin="anonymous" referrerpolicy="no-referrer" />
```

```
<!-- css file -->
```

```
<link rel="stylesheet" href="../style.css">
```

```
<style>  body{      overflow-x:hidden;
    }
```

```
    .profile_img{
width:90%;  margin:auto;
```

```
display:block;
```

```
objectfit:contain;
```

```
    }
```

```
    .edit_image{  width:100px;
```

```
height:100px;
```

```
objectfit:contain;
```

```
    }
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<!-- navbar-->
```

```
<div class="container-fluid p-0">
```

```
<!-- first child-->
```

```
<nav class="navbar navbar-expand-lg navbar-light bg-info">
```



```

<div class="container-fluid">

<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-
bstarget="#navbarSupportedContent" aria-controls="navbarSupportedContent"
ariaexpanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent"> <ul class="navbar-
nav me-auto mb-2 mb-lg-0">

<li class="nav-item">
<a class="nav-link active" aria-current="page" href="../index.php">Home</a> </li>

<li class="nav-item">
<a class="nav-link" href="../display_all.php">Products</a> </li>

<li class="nav-item">
<a class="nav-link" href="profile.php">MY Account</a>
</li>

<li class="nav-item">
<a class="nav-link" href="../cart.php"><i class="fa-sharp fa-solid
facartshopping"></i><sup><?php
    cart_item();?></sup></a>
</li>

<li class="nav-item">
<a class="nav-link" href="#">Total Price: <?php total_cart_price();?>/</a> </li>

```

```

</ul>
<form class="d-flex" action="../search_product.php" method="get">
<input class="form-control me-2" type="search"      placeholder="Search"
aria-label="Search" name="search_data">

<input type="submit" value="search" class="btn      btn-outlinelight"
name="search_data_product">
</form>
</div>
</div>
</nav>

```

```

<!-- calling cart function -->
<?php
cart ();
?>

```

```

<!-- second child -->
<nav class="navbar navbar-expand-lg navbar-dark bg-secondary">
<ul class="navbar-nav me-auto">

```

```

<?php
if(!isset($_SESSION['username'])){      echo
" <li class='nav-item'>

<a class='nav-link' href='#'>Welcome Guest</a>
</li>";

```

```

    }else{      echo "<li class='nav-item'>
<a class='nav-link' href='#'>Welcome ".$_SESSION['username']."</a>
</li>";
    }

```

```

    if(!isset($_SESSION['username'])){
echo " <li class='nav-item'>
<a class='nav-link' href='./users_area/user_login.php'>Login</a>
</li>";

```

```

    }else{      echo "<li class='nav-item'>
<a class='nav-link' href='./users_area/logout.php'>Logout</a>
</li>";
    }

```

```

?>

```

```

</ul>

```

```

</nav>

```

```

<!-- third child -->

```

```

<div class="bg-light"></div>

```

```

<h3 class="text-center">SHOP</h3>

```

```

</div>

```

```

<p class="text-center">communication is at the e-commerce and community</p>

```

```

<!-- fourth child -->
<div class="row">
<div class="col-md-2">
<ul class="navbar-nav bg-secondary text-center" style="height:100vh">
<li class="nav-item bg-info">
<a class="nav-link text-light" href="#"><h4>Your profile</h4></a> </li>

```

```

<?php
$username=$_SESSION['username'];
$user_image="Select * from user_table where username='$username'";
$user_image=mysqli_query($con, $user_image);
$row_image=mysqli_fetch_array($user_image);
$user_image=$row_image['user_image'];      echo
"<li class='nav-item'>
<img src='./user_images/$user_image' class='profile_img my-4' alt='>
</li>";
?>

```

```

<li class="nav-item">
<a class="nav-link text-light" href="profile.php">Pending orders</a> </li>

```

```

<li class="nav-item">
<a class="nav-link text-light" href="profile.php?edit_account">Edit Account</a> </li>

```

```

<li class="nav-item">
<a class="nav-link text-light" href="profile.php?my_orders">My orders</a> </li>

```

```
<li class="nav-item">
<a class="nav-link text-light" href="profile.php?delete_account">Delete Account</a> </li>
```

```
<li class="nav-item">
<a class="nav-link text-light" href="logout.php">Logout</a> </li>
```

```
</ul>
```

```
</div>
```

```
<div class="col-md-10 text-center">
```

```
<?php
```

```
    get_user_order_details();
```

```
if(isset($_GET['edit_account'])) {      include('edit_account.php');
```

```
    }
```

```
    if(isset($_GET['my_orders'])) {
```

```
include('user_orders.php');
```

```
    }
```

```
    if(isset($_GET['delete_account'])) {
```

```
include('delete_account.php');
```

```
    }
```

```
?>
```

```
</div>
```

```
</div>
```

```

<!-- last child -->
<!-- include footer -->
<?php include("../includes/footer.php") ?>
</div>

<!-- boot strap js link -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p"
crossorigin="anonymous"></script>
</body>
</html>

```

user_login.php

```

<?php include('../includes/connect.php');      include('../functions/common_function.php');
    @session_start();
?>

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>UserLogin</title>

```

```

<!-- booootstrat css-->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">

```

```

</head> <style>    body{
overflowx:hidden;
    }
</style>
<body>
<div class="container-fluid my-3">
<h2 class="text-center">User Login</h2>
<div class="row d-flex align-items-center justify-content-center mt-5">
<div class="col-lg-12 col-xl-6">
<form action="" method="post">

<!-- username field -->
<div class="form-outline mb-4">
<label for="user_username" class="form-label">Username</label> <input
type="text" id="user_username" class="form-control"      placeholder="Enter
your username" autocomplete="off"      required="reduired"
name="user_username"/>
</div>

```

```

<!-- password field -->
<div class="form-outline mb-4">
<label for="user_password" class="form-label">password</label> <input
type="password" id="user_password" class="form-control"
placeholder="Enter your password" autocomplete="off"      required="required"
name="user_password"/>
</div>

```

```

<div class="mt-4 pt-2">
<input type="submit" value="Login" class="bg-info py-2 px-3
border-0" name="user_login">
<p class="small fw-bold mt-2 pt-1 mb-0">Don't have an account ?
<a href="user_registration.php" class="text-danger"> Register </a></p> </div>

```

```

</form>
</div>
</div>
</div>

```

```

</body>
</html>

```

```

<?php if(isset($_POST['user_login'])){
    $user_username=$_POST['user_username'];
    $user_password=$_POST['user_password'];

    $select_query="select * from user_table where      username='$user_username'";

```



```

$result=mysqli_query($con,$select_query);
$row_count=mysqli_num_rows($result);
$row_data=mysqli_fetch_assoc($result);
$user_ip=getIPAddress();

// cart item
$select_query_cart="select * from cart_details where    ip_address='$user_ip'";
$select_cart=mysqli_query($con,$select_query_cart);
$row_count_cart=mysqli_num_rows($select_cart);    if($row_count>0){
    $_SESSION['username']= $user_username;

    if(password_verify($user_password,$row_data['user_password']))){
// echo "<script>alert('Login Successful')</script>";
if($row_count==1 and $row_count_cart==0){
$_SESSION['username']= $user_username;

        echo "<script>alert('Login Successful')</script>";
echo "<script>window.open('profile.php','_self')</script>";
        }else{
            $_SESSION['username']= $user_username;

            echo "<script>alert('Login Successful')</script>";
echo "<script>window.open('payment.php','_self')</script>";

        }

    }else{
        echo "<script>alert('Invalid Credentials')</script>";
    }
}

```

```

    }else{      echo "<script>alert('Invalid
Credentials')</script>";
    }

}  ?>

```

users_orders.php

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Document</title>
</head>
<body>
<?php
    $username=$_SESSION['username'];
    $get_user="select * from user_table where username='$username'";
    $result=mysqli_query($con,$get_user);
    $row_fetch=mysqli_fetch_assoc($result);
    $user_id=$row_fetch['user_id'];
    // echo $user_id;

    ?>

<h3 class="text-success">All my Orders</h3>
<table class="table table-bordered mt-5">
<thead class='bg-info'>

```

```

<tr>
<th>Sr no</th>
<th>Amount Due</th>
<th>Total Products</th>
<th>Invoice Number</th>
<th>Date</th>
<th>Complete/Incomplete</th>
<th>Status</th>
</tr>
</thead>
<tbody class="bg-secondary text-light">
<?php
    $get_order_details="select * from user_orders where user_id=$user_id";
    $result_orders=mysqli_query($con,$get_order_details);
    $number=1;
while($row_orders=mysqli_fetch_assoc($result_orders)){
    $order_id=$row_orders['order_id'];
    $amount_due=$row_orders['amount_due'];
    $total_products=$row_orders['total_products'];
    $order_id=$row_orders['order_id'];
    $invoice_number=$row_orders['invoice_number'];
$order_status=$row_orders['order_status'];        if($order_status=='pending'){
$order_status='Incomplete';

    }else{
        $order_status='Complete';
    }
}

```

```

        $order_date=$row_orders['order_date'];
echo "
<tr>
<td>$number</td>
<td>$amount_due</td>
<td>$total_products</td>
<td>$invoice_number</td>
<td>$order_date</td>
<td>$order_status</td>";
        ?>

<?php
        if($order_status=='Complete'){
echo "<td>Paid</td>";

        }else{
        echo "<td><a href='confirm_payment.php?order_id=$order_id'
class='text-
light'>Confirm</a></td>
</tr>";

        }

        $number++;
    }
    ?>

</tbody>
</table>

```

```
</body> </html>
```

user_registration.php

```
<?php include('../includes/connect.php');      include('../functions/common_function.php');  
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>User  
Registration</title>
```

```
<!-- bootstrap css-->
```

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"  
rel="stylesheet" integrity="sha384-
```

```
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"  
crossorigin="anonymous">
```

```
</head>
```

```
<body>
```

```
<div class="container-fluid my-3">
```

```
<h2 class="text-center">New User Registration</h2>
```

```
<div class="row d-flex align-items-center justify-content-center">
```

```
<div class="col-lg-12 col-xl-6">
```

```
<form action="" method="post" enctype="multipart/form-data">
```

```
<!-- username field -->
```

```
<div class="form-outline mb-4">
```

```
<label for="user_username" class="form-label">Username</label> <input  
type="text" id="user_username" class="form-control"      placeholder="Enter  
your username" autocomplete="off"      required="required"  
name="user_username"/>
```

```
</div>
```

```
<!-- email field -->
```

```
<div class="form-outline mb-4">
```

```
<label for="user_email" class="form-label">Email</label> <input  
type="email" id="user_email" class="form-control"      placeholder="Enter  
your email" autocomplete="off"      required="required"  
name="user_email"/>
```

```
</div>
```

```
<!-- image field -->
```

```
<div class="form-outline mb-4">
```

```
<label for="user_image" class="form-label">User Image</label> <input  
type="file" id="user_image" class="form-control"      required="required"  
name="user_image"/>
```

```
</div>
```

```
<!-- password field -->
```

```
<div class="form-outline mb-4">
```

```
<label for="user_password" class="form-label">password</label> <input type="password"
id="user_password" class="form-control"      placeholder="Enter your password"
autocomplete="off"      required="required" name="user_password"/>
</div>
```

```
<!--confirm password field -->
```

```
<div class="form-outline mb-4">
```

```
<label for="conf_user_password" class="form-label">Confirm password</label> <input
type="password" id="conf_user_password" class="form-control"
placeholder="Confirm password" autocomplete="off"      required="required"
name="conf_user_password"/>
```

```
</div>
```

```
<!-- Address field -->
```

```
<div class="form-outline mb-4">
```

```
<label for="user_address" class="form-label">Address</label> <input
type="text" id="user_address" class="form-control"      placeholder="Enter
your address" autocomplete="off"      required="required"
name="user_address"/>
```

```
</div>
```

```
<!-- contact field -->
```

```
<div class="form-outline mb-4">
```

```
<label for="user_contact" class="form-label">Contact</label> <input
type="text"      id="user_contact"      class="form-control"
placeholder="Enter your mobile number" autocomplete="off"
required="required" name="user_contact"/>
```

```
</div>
```

```
<div class="mt-4 pt-2">
```

```
<input type="submit" value="Register" class="bg-info py-2 px-3 border-0"
name="user_register">
```

```
<p class="small fw-bold mt-2 pt-1 mb-0">Already have an account?
```

```
<a href="user_login.php" class="text-danger"> Login </a></p>
```

```
</div>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

```
<!-- php code --> <?php
```

```
if(isset($_POST['user_register']))
```

```
{
```

```
    $user_username=$_POST['user_username'];
```

```
    $user_email=$_POST['user_email'];
```

```
    $user_password=$_POST['user_password'];
```

```
    $hash_Password=password_hash($user_password,PASSWORD_DEFAULT);
```

```
    $conf_user_password=$_POST['conf_user_password'];
```

```
    $user_address=$_POST['user_address'];
```

```
    $user_contact=$_POST['user_contact'];
```



```

    $user_image=$_FILES['user_image']['name'];
    $user_image_tmp=$_FILES['user_image']['tmp_name'];

    $user_ip=getIPAddress();

    // select query

    $select_query="select * from user_table where username='$user_username' or
    user_email='$user_email'";

    $result=mysqli_query($con,$select_query);
    $rows_count=mysqli_num_rows($result);    if($rows_count>0){        echo
    "<script>alert('Username and Email already exist')</script>";

        }else if($user_password!=$conf_user_password){        echo
    "<script>alert('Passwords do not match')</script>";

        }    else{

    //
    insert_query
    move_uploaded_file(
    $user_image_tmp,
    "../user_images/$user_image");

```

```

$insert_query="insert into user_table (username,user_email,
user_password,user_image,user_ip,user_address,user_mobile)    values
('$user_username','$user_email','$hash_Password',
'$user_image','$user_ip','$user_address','$user_contact');"

$sql_execute=mysqli_query($con,$insert_query);

// if($sql_execute){
//   echo "<script>alert('Data inserted successfully')</script>";

// }else{
//   die(mysqli_error($con));
// }

}

// seleting cart items
$select_cart_items="select * from cart_details where ip_address='$user_ip'";
$result_cart=mysqli_query($con,$select_cart_items);
$rows_count=mysqli_num_rows($result_cart); if($rows_count>0){
    $_SESSION['username']= $user_username;    echo
"<script>alert('You have items in your cart')</script>";    echo
"<script>window.open('checkout.php','_self')</script>";
}else{    echo
"<script>window.open('../index.php','_self')</script>";
}

```

```
}
```

```
?>
```

logout.php

```
<?php session_start();
```

```
session_unset();
```

```
session_destroy();
```

```
echo "<script>window.open('../index.php','_self')</script>";
```

```
?>
```

Mystore.sql

phpMyAdmin

Server: 127.0.0.1 > Database: mystore

Structure SQL Search Query Export Import Operations Privileges Routines Events Triggers

Filters

Containing the word:

Table	Action	Rows	Type	Collation	Size	Overhead
<input type="checkbox"/> admin_table		2	InnoDB	utf8mb4_general_ci	16.0 KiB	-
<input type="checkbox"/> brands		6	InnoDB	utf8mb4_general_ci	16.0 KiB	-
<input type="checkbox"/> cart_details		0	InnoDB	utf8mb4_general_ci	16.0 KiB	-
<input type="checkbox"/> categories		6	InnoDB	utf8mb4_general_ci	16.0 KiB	-
<input type="checkbox"/> orders_pending		7	InnoDB	utf8mb4_general_ci	16.0 KiB	-
<input type="checkbox"/> products		4	InnoDB	utf8mb4_general_ci	16.0 KiB	-
<input type="checkbox"/> user_orders		7	InnoDB	utf8mb4_general_ci	16.0 KiB	-
<input type="checkbox"/> user_payments		1	InnoDB	utf8mb4_general_ci	16.0 KiB	-
<input type="checkbox"/> user_table		2	InnoDB	utf8mb4_general_ci	16.0 KiB	-
9 tables	Sum	35	InnoDB	utf8mb4_general_ci	144.0 KiB	0 B

☐ Check all With selected:

Console

Design

Webuy Home Products Register Total Price: 0/- Search search

Welcome Guest Login

SHOP

communication is at the e-commerce and community

wallet
George black RFID blocking leather wallet for Men
Price: 799/-
[Add to cart](#) [view more](#)

shoes
Air Jordan 4 Retro
Price: 18000/-
[Add to cart](#) [view more](#)

Jacket
Jacket with padded interior. High neck and long sleeves. Welt pockets at the hip and inside pocket detail
Price: 4000/-
[Add to cart](#) [view more](#)

Delivery Brands

- nike
- zara
- prada
- peter england
- mochi
- Dior

Categories

- shoes
- clothing

All products

Product Id	Product Title	Product Image	Product Price	Total Sold	Status	Edit	Delete
1	shoes		18000/-	1	true	✎	🗑
2	Jacket		4000/-	1	true	✎	🗑
3	handbags		4005/-	1	true	✎	🗑
4	wallet		799/-	4	true	✎	🗑

New User Registration

Username

gauripal

Email

palgauripal@gmail.com

User Image

Choose File

admin.png

password

.....

Confirm password

.....

Address

Latur

Contact

Email

User Image

password

Confirm password

Address

Contact

Already have an account? [Login](#)

Admin Login



Username

Password

Don't you have an account? [Register](#)

communication is at the e-commerce and community

Product Title	Product Image	Quantity	Total Price	Remove	Operations
handbags		<input type="text" value="1"/>	4005/-	<input type="checkbox"/>	<div>Update CartRemove Cart</div>

Subtotal: 4005 /-

Continue Shopping

Checkout

All rights reserved ©- Designed by DCCL BCA-TY 2022-2023.

George black RFID blocking leather wallet for Men

Price: 799/-

Add to cartview more

Air Jordan 4 Retro


Price: 18000/-

Add to cartview more

Jacket with padded interior. High neck and long sleeves. Welt pockets at the hip and inside pocket detail

Price: 4000/-

Add to cartview more



handbags

Beautiful prada blue leather handbag

Price: 4005/-

Add to cartview more

Dior

Categories

shoes

clothing



handbags

accessories

footwear

Perfumes & Cosmetics


All rights reserved ©- Designed by DCCL BCA-TY 2022-2023.


[Home](#)
[Products](#)
[My Account](#)


Welcome gauripal [Logout](#)


SHOP

communication is at the e-commerce and community

Product Title	Product Image	Quantity	Total Price	Remove	Operations
handbags		<input type="text" value="1"/>	4005/-	<input type="checkbox"/>	Update Cart Remove Cart

Subtotal: 4005 /-
[Continue Shopping](#)
[Checkout](#)

All rights reserved ©- Designed by DCCL BCA-TY 2022-2023.



[Home](#)
[Products](#)
[Register](#)
[Contacts](#)

Welcome gauripal [Logout](#)

SHOP

communication is at the e-commerce and community

Payment options



[Pay offline](#)

Manage Details

[Insert Products](#)[View Products](#)[Insert Categories](#)[View Categories](#)[Insert Brand](#)[View Brand](#)[All Orders](#)[All Payments](#)[List Users](#)[Logout](#)

All Categories

Sr no	Category title	Edit	Delete
1	shoes	Edit	Delete
2	clothing	Edit	Delete
3	handbags	Edit	Delete
4	accessories	Edit	Delete
5	footwear	Edit	Delete
6	Perfumes & Cosmetics	Edit	Delete

All rights reserved ©- Designed by DCCL BCA-TY 2022-2023.

[Webuy](#)[Home](#)[Products](#)[MY Account](#)

Total Price: 0/-

[search](#)

Welcome rushi [Logout](#)

SHOP



communication is at the e-commerce and community

Your profile

[Pending orders](#)[Edit Account](#)[My orders](#)[Delete Account](#)[Logout](#)

All my Orders

Sr no	Amount Due	Total Products	Invoice Number	Date	Complete/Incomplete	Status
1	799	1	638194295	2023-04-09 00:16:19	Complete	Paid
2	22799	3	86708192	2023-04-08 23:45:52	Incomplete	Confirm
3	18000	1	1650170365	2023-04-09 00:06:35	Incomplete	Confirm
4	799	1	1506123098	2023-04-09 01:19:00	Incomplete	Confirm

[Home](#) [Products](#) [MY Account](#)  2 Total Price: 22005/-

Welcome gauripal [Logout](#)



SHOP

communication is at the e-commerce and community

Delete Account

Your profile

[Pending orders](#)
[Edit Account](#)
[My orders](#)
[Delete Account](#)
[Logout](#)


[Home](#) [Products](#) [MY Account](#)  0 Total Price: 0/-

Welcome rushi [Logout](#)


SHOP

communication is at the e-commerce and community

Edit Account



Your profile


[Pending orders](#)
[Edit Account](#)
[My orders](#)
[Delete Account](#)
[Logout](#)

Conclusion

As we can see, online shopping may or may not be greener than traditional shopping. There are simply way too many factors that we have to consider in such a model.

As we focus on the costs of online shopping, it seems that online shopping is really detrimental for the environment. Online shopping brings us great convenience, but it also encourages irresponsible consumption habits like exploiting the advantages of free returns and expedited shipping. These add on to the existing pool of environmental problems that we are dealing with – global warming, wastes and pollution. Therefore, we should change our attitude towards e-commerce – to be more responsible, less exploitative and more thoughtful for the environment.

There are more than what meets the eye when it comes to deciding to buy online. People put more thought when it comes to purchasing e.g. if the site is safe and how it will be delivered. However one thing I find sticks out is that it is more convince than price that pushes people to buy online and that is the main factor when people decided to shop online even though you can get some products cheaper and there is a global recession. That is not to say that price is not a big factor when it comes to the consumers decision making process, it is still a massive factor to consumers, it seems thought that it is not the number one factor.

Limitations

- One of the biggest disadvantages of online shopping is that this shopping the product is a delay in delivery sometimes□ Lack of interactivity in online shopping.
- You cannot bargain.
- Lack of pf significant discount in an online shop.
- You have to lack touch and feel merchandise in online shopping. In addition, we can not touch the product□ .Lack of shopping experience.
- Sometimes returning the product
- Online shoppers do not get to take benefits of seasonal statewide tax-free shopping events.
- Frauds in online shopping.
- Sometimes hidden the cost and shipping charges.
- Restocking and shipping costs are often charged on return.
- Online shoppers do not have the ability to physically inspect or try on the item being considered for purchase
- Item ordered online are sometimes back-ordered, but shoppers may not find out until weeks later. Additionally, this is particularly problematic when buying gifts.
- Online shoppers often do not have a person to talk to when dealing with a problem.

References

- <https://www.google.com>
- <https://github.com>
- <https://www.geeksforgeeks.org/>
- <https://www.w3schools.com/>
- Learning PHP, MySQL & JavaScript
-Robin Nixon -5th edition