SolCacao Artisanal Chocolate Platform

Database Schema Specification — MySQL

Engine: MySQL 8+ | ORM: Sequelize | Character Set: utf8mb4

users

Stores both retail consumer and B2B corporate account credentials and profile data.

Field	Type	Constraints
id	INT	PK, AUTO_INCREMENT
first_name	VARCHAR(50)	NOT NULL
last_name	VARCHAR(50)	NOT NULL
email	VARCHAR(100)	UNIQUE, NOT NULL
password_hash	VARCHAR(255)	NOT NULL
account_type	ENUM('retail','b2b')	NOT NULL, DEFAULT 'retail'
phone	VARCHAR(20)	NULL
preferred_locale	VARCHAR(5)	DEFAULT 'en'
created_at	DATETIME	DEFAULT CURRENT_TIMESTAMP
updated_at	DATETIME	DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP

addresses

Shipping/billing addresses linked to a user; a user may have multiple addresses.

Field	Type	Constraints
id	INT	PK, AUTO_INCREMENT
user_id	INT	FK → users.id, NOT NULL
label	VARCHAR(50)	NULL (e.g. 'Home', 'Office')
address_line1	VARCHAR(255)	NOT NULL
address_line2	VARCHAR(255)	NULL
city	VARCHAR(100)	NOT NULL
state	VARCHAR(100)	NULL
zip_code	VARCHAR(20)	NOT NULL
country	VARCHAR(100)	NOT NULL
is_default	BOOLEAN	DEFAULT FALSE

corporate_partners

Extended B2B profile for users with account_type = 'b2b' (wholesale partners, hotels, corporate events).

Field	Type	Constraints
id	INT	PK, AUTO_INCREMENT
user_id	INT	FK → users.id, UNIQUE, NOT NULL
company_name	VARCHAR(150)	NOT NULL
tax_id	VARCHAR(50)	NULL
industry	VARCHAR(100)	NULL
contact_person	VARCHAR(100)	NULL
verification_status	ENUM('pending','verified','rejected')	DEFAULT 'pending'
created_at	DATETIME	DEFAULT CURRENT_TIMESTAMP

categories

Bilingual product categories; self-referencing for sub-category hierarchies.

Field	Type	Constraints
id	INT	PK, AUTO_INCREMENT
name_en	VARCHAR(100)	NOT NULL
name_es	VARCHAR(100)	NOT NULL
slug	VARCHAR(100)	UNIQUE, NOT NULL
parent_category_id	INT	FK → categories.id, NULL

products

Catalog items: single-origin bars, truffle collections, and seasonal chocolates.

Field	Type	Constraints
id	INT	PK, AUTO_INCREMENT
name_en	VARCHAR(255)	NOT NULL
name_es	VARCHAR(255)	NOT NULL
description_en	TEXT	NULL
description_es	TEXT	NULL
sku	VARCHAR(50)	UNIQUE, NOT NULL
cacao_percentage	DECIMAL(5,2)	NOT NULL
origin	VARCHAR(100)	NOT NULL
product_type	ENUM('bar','truffle','seasonal')	NOT NULL
price	DECIMAL(10,2)	NOT NULL
image_url	VARCHAR(255)	NULL

Field	Type	Constraints
category_id	INT	FK → categories.id, NULL
is_active	BOOLEAN	DEFAULT TRUE
created_at	DATETIME	DEFAULT CURRENT_TIMESTAMP

inventory

Per-product stock levels, tracked separately from product metadata.

Field	Type	Constraints
id	INT	PK, AUTO_INCREMENT
product_id	INT	FK → products.id, UNIQUE, NOT NULL
stock_quantity	INT	NOT NULL, DEFAULT 0
reorder_threshold	INT	DEFAULT 10
updated_at	DATETIME	DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP

carts

Active shopping carts for both guests (session id) and logged-in users; merged on login.

Field	Type	Constraints
id	INT	PK, AUTO_INCREMENT
user_id	INT	FK → users.id, NULL
guest_session_id	VARCHAR(100)	NULL
status	ENUM('active','converted','abandoned')	DEFAULT 'active'
created_at	DATETIME	DEFAULT CURRENT_TIMESTAMP
updated_at	DATETIME	DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP

cart_items

Line items within a cart.

Field	Type	Constraints
id	INT	PK, AUTO_INCREMENT
cart_id	INT	FK → carts.id, NOT NULL
product_id	INT	FK → products.id, NOT NULL
quantity	INT	NOT NULL, DEFAULT 1
added_at	DATETIME	DEFAULT CURRENT_TIMESTAMP

orders

Completed D2C retail orders.

Field	Type	Constraints
id	INT	PK, AUTO_INCREMENT
user_id	INT	FK → users.id, NOT NULL
order_number	VARCHAR(30)	UNIQUE, NOT NULL
total_amount	DECIMAL(10,2)	NOT NULL
status	VARCHAR(50)	DEFAULT 'pending'
shipping_address_id	INT	FK → addresses.id, NOT NULL
placed_at	DATETIME	DEFAULT CURRENT_TIMESTAMP

order_items

Line items within an order, with price captured at time of purchase.

Field	Type	Constraints
id	INT	PK, AUTO_INCREMENT
order_id	INT	FK → orders.id, NOT NULL
product_id	INT	FK → products.id, NOT NULL
quantity	INT	NOT NULL
unit_price	DECIMAL(10,2)	NOT NULL

b2b_quote_requests

Submissions from the 4-step B2B customization wizard. quote_number is the human-readable reference shown to the requester.

Field	Type	Constraints
id	INT	PK, AUTO_INCREMENT
corporate_partner_id	INT	FK → corporate_partners.id, NOT NULL
quote_number	VARCHAR(30)	UNIQUE, NOT NULL (e.g. 'SC-B2B-4821')
cacao_profile	VARCHAR(150)	NOT NULL
packaging_preference	VARCHAR(150)	NULL
estimated_quantity	INT	NULL
status	ENUM('submitted','in_review','quoted','completed')	DEFAULT 'submitted'
notes	TEXT	NULL
created_at	DATETIME	DEFAULT CURRENT_TIMESTAMP

b2b_quote_files

Uploaded brand vectors / tech packs attached to a B2B quote request.

Field	Type	Constraints
id	INT	PK, AUTO_INCREMENT
quote_request_id	INT	FK → b2b_quote_requests.id, NOT NULL
file_url	VARCHAR(255)	NOT NULL
file_type	VARCHAR(50)	NULL
original_filename	VARCHAR(255)	NULL
uploaded_at	DATETIME	DEFAULT CURRENT_TIMESTAMP

contact_inquiries

General contact / support / wholesale inquiry submissions routed via email.

Field	Type	Constraints
id	INT	PK, AUTO_INCREMENT
name	VARCHAR(100)	NOT NULL
email	VARCHAR(100)	NOT NULL
category	ENUM('general','wholesale','support')	NOT NULL
message	TEXT	NOT NULL
status	VARCHAR(50)	DEFAULT 'new'
created_at	DATETIME	DEFAULT CURRENT_TIMESTAMP

custom_samplers

User-built custom chocolate sampler configurations.

Field	Type	Constraints
id	INT	PK, AUTO_INCREMENT
user_id	INT	FK → users.id, NULL
guest_session_id	VARCHAR(100)	NULL
sampler_name	VARCHAR(150)	NULL
created_at	DATETIME	DEFAULT CURRENT_TIMESTAMP

custom_sampler_items

Products selected within a custom sampler.

Field	Type	Constraints
id	INT	PK, AUTO_INCREMENT
sampler_id	INT	FK → custom_samplers.id, NOT NULL
product_id	INT	FK → products.id, NOT NULL
quantity	INT	NOT NULL, DEFAULT 1

Relationships & Cardinalities

From Table	To Table	Cardinality	Description
users	addresses	1 : M	One user can have multiple addresses.
users	corporate_partners	1 : 1	One B2B user has exactly one corporate profile.
users	carts	1 : M	One user can have multiple cart sessions over time.
users	orders	1 : M	One user can place multiple orders.
users	custom_samplers	1 : M	One user can build multiple samplers.
categories	categories	1 : M	One category can have multiple sub-categories.
categories	products	1 : M	One category can contain multiple products.
products	inventory	1 : 1	One product has exactly one inventory record.
products	cart_items	1 : M	One product can appear in multiple cart items.
products	order_items	1 : M	One product can appear in multiple order items.
products	custom_sampler_items	1 : M	One product can appear in multiple sampler items.
carts	cart_items	1 : M	One cart can contain multiple items.
orders	order_items	1 : M	One order can contain multiple items.
addresses	orders	1 : M	One address can be used as shipping address for multiple orders.
corporate_partners	b2b_quote_requests	1 : M	One corporate partner can submit multiple quote requests.
b2b_quote_requests	b2b_quote_files	1 : M	One quote request can include multiple uploaded files.
custom_samplers	custom_sampler_items	1 : M	One sampler can contain multiple product items.

Note: ES/EN localization of static UI strings (navigation, labels, form text) is served via static JSON dictionaries, not a database table.