```
mysql> USE college;
Database changed
mysql> CREATE TABLE STUDENT_SELECT (
    ->     RegNo INT PRIMARY KEY,
    ->     Name VARCHAR(20),
    ->     Gender CHAR(1),
    ->     City VARCHAR(20)
    -> );
Query OK, 0 rows affected (0.03 sec)

mysql> DESC STUDENT;
+----------+-------------+------+-----+---------+-------+
| Field    | Type        | Null | Key | Default | Extra |
+----------+-------------+------+-----+---------+-------+
| RegNo    | int         | YES  |     | NULL    |       |
| Name     | varchar(15) | YES  |     | NULL    |       |
| Gender   | char(1)     | YES  |     | NULL    |       |
| DOB      | date        | YES  |     | NULL    |       |
| MobileNo | bigint      | YES  |     | NULL    |       |
| City     | varchar(15) | YES  |     | NULL    |       |
+----------+-------------+------+-----+---------+-------+
6 rows in set (0.00 sec)

mysql> INSERT INTO STUDENT_SELECT VALUES
    -> (101, 'Anu', 'F', 'Chennai'),
    -> (102, 'Priya', 'F', 'Madurai'),
    -> (103, 'Arun', 'M', 'Salem'),
    -> (104, 'Kavin', 'M', 'Chennai'),
    -> (105, 'Divya', 'F', 'Coimbatore');
Query OK, 5 rows affected (0.02 sec)
Records: 5  Duplicates: 0  Warnings: 0

mysql> SELECT * FROM STUDENT_SELECT
    -> WHERE City = 'Chennai';
+-------+-------+--------+---------+
| RegNo | Name  | Gender | City    |
+-------+-------+--------+---------+
|   101 | Anu   | F      | Chennai |
|   104 | Kavin | M      | Chennai |
+-------+-------+--------+---------+
2 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM STUDENT_SELECT
    -> WHERE RegNo > 102;
+-------+-------+--------+------------+
| RegNo | Name  | Gender | City       |
+-------+-------+--------+------------+
|   103 | Arun  | M      | Salem      |
|   104 | Kavin | M      | Chennai    |
|   105 | Divya | F      | Coimbatore |
+-------+-------+--------+------------+
3 rows in set (0.00 sec)

mysql> SELECT * FROM STUDENT_SELECT
    -> WHERE Name LIKE 'A%';
+-------+------+--------+---------+
| RegNo | Name | Gender | City    |
+-------+------+--------+---------+
|   101 | Anu  | F      | Chennai |
|   103 | Arun | M      | Salem   |
+-------+------+--------+---------+
2 rows in set (0.00 sec)

mysql> SELECT * FROM STUDENT_SELECT
    -> WHERE Name LIKE '%a';
+-------+-------+--------+------------+
| RegNo | Name  | Gender | City       |
+-------+-------+--------+------------+
|   102 | Priya | F      | Madurai    |
|   105 | Divya | F      | Coimbatore |
+-------+-------+--------+------------+
2 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM STUDENT_SELECT
    -> WHERE Name LIKE '%vi%';
+--------+-------+--------+---------+
| RegNo  | Name  | Gender | City    |
+--------+-------+--------+---------+
|    104 | Kavin | M      | Chennai |
+--------+-------+--------+---------+
1 row in set (0.00 sec)

mysql> SELECT * FROM STUDENT_SELECT
    -> WHERE Name LIKE '___';
+--------+------+--------+---------+
| RegNo  | Name | Gender | City    |
+--------+------+--------+---------+
|    101 | Anu  | F      | Chennai |
+--------+------+--------+---------+
1 row in set (0.00 sec)
```