



WebScan TruCheck™ USB Verification Report

Software Version: 3.03.74, Unit Serial: TC-829-0213-021

Verified: Sun 23-Aug-2026 09:35:03 AM, Last Calibrated: Sat 22-Aug-2026 08:28:42 AM

Page 1 of 3


Report Summary

GS1 Acceptance Criteria	PASS
Data	<F1>01008500102243671727100410CU26E02
Symbology	GS1 DataMatrix
Verified By	GW4
Company Name	Product Identification & Processing Systems, Inc.
Product Name	TC-829-0213-021
Job Number	VeriWedge Development

Verification Grades

Standard	Grade	Aperture	Wavelength	Lighting	Formal Grade
ISO15415:2011	A (4.0)	08	660	45	4.0/08/660/45

Image



ISO15415 Quality Parameters

1. Unused Error Correction (UEC)	100%	4.0 (A)		PASS
2. Symbol Contrast (SC)	81%	4.0 (A)	RI/Rd (91/10)	PASS
3a. Modulation (MOD)		4.0 (A)		PASS
3b. Reflectance Margin (RM)		4.0 (A)		PASS
4. Axial Nonuniformity (ANU)	00.4%	4.0 (A)		PASS
5. Grid Nonuniformity (GNU)	3%	4.0 (A)		PASS
6. Fixed Pattern Damage (FPD)		4.0 (A)		PASS
7. Left 'L' Side (LLS)		4.0 (A)		PASS
8. Bottom 'L' Side (BLS)		4.0 (A)		PASS
9. Left Quiet Zone (LQZ)		4.0 (A)		PASS
10. Bottom Quiet Zone (BQZ)		4.0 (A)		PASS
11. Top Quiet Zone (TQZ)		4.0 (A)		PASS
12. Right Quiet Zone (RQZ)		4.0 (A)		PASS
13. Top Transition Ratio (TTR)	0%	4.0 (A)		PASS
14. Right Transition Ratio (RTR)	0%	4.0 (A)		PASS
15. Top Clock Track (TCT)		4.0 (A)		PASS
16. Right Clock Track (RCT)		4.0 (A)		PASS
17. Average Grade (AG)	4.0	4.0 (A)		PASS
18. DECODE		4.0 (A)		PASS

Data Format Check

GS1 Application Data Format: PASS

Name	Data	Check
GS1 Header	<F1>	PASS
AI:GTIN	01	PASS
GTIN	0085001022436	PASS
Chk Digit	7	PASS
AI:Expiry	17	PASS
YY	27	PASS
MM	10	PASS
DD	04	PASS
AI:BatchLot	10	PASS
BatchLot	CU26E02	PASS

General Characteristics

Matrix Size	20x20 (Data: 18x18)
Horizontal BWG	21%
Vertical BWG	10%
Encoded characters	34
Total Codewords	40
Data Codewords	22
Image	Black on white
Nominal X Dim	19.9 mil
Contrast Uniformity	58 at module(18,17)



WebScan TruCheck™ USB Verification Report

Software Version: 3.03.74, Unit Serial: TC-829-0213-021

Verified: Sun 23-Aug-2026 09:35:03 AM, Last Calibrated: Sat 22-Aug-2026 08:28:42 AM

Page 2 of 3


Report Summary

GS1 Acceptance Criteria	PASS
Data	<F1>01006961147042882172803282010
Symbology	GS1 DataMatrix
Verified By	GW4
Company Name	Product Identification & Processing Systems, Inc.
Product Name	TC-829-0213-021
Job Number	VeriWedge Development

Verification Grades

Standard	Grade	Aperture	Wavelength	Lighting	Formal Grade
ISO15415:2011	A (4.0)	20	660	45	4.0/20/660/45

Image



ISO15415 Quality Parameters

1. Unused Error Correction (UEC)	100%	4.0 (A)		PASS
2. Symbol Contrast (SC)	90%	4.0 (A)	RI/Rd (92/3)	PASS
3a. Modulation (MOD)		4.0 (A)		PASS
3b. Reflectance Margin (RM)		4.0 (A)		PASS
4. Axial Nonuniformity (ANU)	01.4%	4.0 (A)		PASS
5. Grid Nonuniformity (GNU)	8%	4.0 (A)		PASS
6. Fixed Pattern Damage (FPD)		4.0 (A)		PASS
7. Left 'L' Side (LLS)		4.0 (A)		PASS
8. Bottom 'L' Side (BLS)		4.0 (A)		PASS
9. Left Quiet Zone (LQZ)		4.0 (A)		PASS
10. Bottom Quiet Zone (BQZ)		4.0 (A)		PASS
11. Top Quiet Zone (TQZ)		4.0 (A)		PASS
12. Right Quiet Zone (RQZ)		4.0 (A)		PASS
13. Top Transition Ratio (TTR)	0%	4.0 (A)		PASS
14. Right Transition Ratio (RTR)	0%	4.0 (A)		PASS
15. Top Clock Track (TCT)		4.0 (A)		PASS
16. Right Clock Track (RCT)		4.0 (A)		PASS
17. Average Grade (AG)	4.0	4.0 (A)		PASS
18. DECODE		4.0 (A)		PASS

Data Format Check

GS1 Application Data Format: PASS

Name	Data	Check
GS1 Header	<F1>	PASS
AI:GTIN	01	PASS
GTIN	0069611470428	PASS
Chk Digit	8	PASS
AI:Serial	21	PASS
Serial	72803282010	PASS

General Characteristics

Matrix Size	18x18 (Data: 16x16)
Horizontal BWG	0%
Vertical BWG	0%
Encoded characters	30
Total Codewords	32
Data Codewords	18
Image	Black on white
Nominal X Dim	29.7 mil
Contrast Uniformity	75 at module(14,7)



WebScan TruCheck™ USB Verification Report

Software Version: 3.03.74, Unit Serial: TC-829-0213-021

Verified: Sun 23-Aug-2026 09:35:03 AM, Last Calibrated: Sat 22-Aug-2026 08:28:42 AM

Page 3 of 3

Report Summary

GS1 Acceptance Criteria	PASS
Data	696114704288
Symbology	UPCA
Verified By	GW4
Company Name	Product Identification & Processing Systems, Inc.
Product Name	TC-829-0213-021
Job Number	VeriWedge Development

Verification Grades

Standard	Grade	Aperture	Wavelength	Formal Grade	Notes
ANSI/ISO	A (3.9)	06	660	3.9/06/660	ISO15416:2016 Warning: Symbol Magnification is less than 80%

Image



Data Format Check

GS1 Application Data Format: PASS

Name	Data	Check
GTIN	69611470428	PASS
Chk Digit	8	PASS

ANSI/ISO Parameter Avg Values

1. EDGE	59	4.0 (A)	PASS
2. Reflectance Light / Reflectance Dark (Rl/Rd)	94/3	4.0 (A)	PASS
3. Symbol Contrast (SC)	91%	4.0 (A)	PASS
4. Minimum Edge Contrast (MinEC)	73%	4.0 (A)	PASS
5. Modulation (MOD)	80%	4.0 (A)	PASS
6. Defect (Def)	0%	4.0 (A)	PASS
7. Decode (DCD)	10/10	4.0 (A)	PASS
8. Decodability (DEC)	71%	4.0 (A)	PASS
9. Minimum Quiet Zone (MinQZ)	35	4.0 (A)	PASS

General Characteristics

BWG	-4%
BWG	-0.4 MIL
Magnification	77%
Nominal X Dim	10.0 mil
Inspection Zone Height	407 MILS
Decodable Symbol Height	509.8 MILS

Individual Scan Results

Scan	Edge	Min Refl	SC	Min EC	MOD	DEF	DCODE	DEC	QZ	LEFT QZ	RIGHT QZ	Grade
1	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→ 4.0
2	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→ 4.0
3	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→ 4.0
4	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→ 4.0
5	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→ 4.0
6	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→ 4.0
7	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→ 4.0
8	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→ 4.0
9	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→ 4.0
10	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	3.7 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→ 3.7

Total Scans: 10