

Verification Report

Unit Serial: 1A1903PP010754
Verified: Wed 31-Dec-1970 07:00:00(000ms) PM
Firmware Version: 6.1.16_sr4
Last Calibrated: 1/15/2026 3:04:14 PM

Report Summary

Data	\000026https://scanned.page/67645c1593669
Symbology	QR
Device Name	DM475-63530E-PIPS-Verif-Lab
Company	Product Identification and Processing Systems, Inc.
Operator	GW4

Verification Grades

Standard	Grade	Aperture	Wavelength	Lighting	Formal Grade
ISO 15415:2011	4.0 (A)	07	660	45Q	4.0/07/660/45Q
Custom	Fail (Data Format)				

Image

General Characteristics



QR Size	29x29
Horizontal BWG	2%
Vertical BWG	0%
Encoded characters	41
Total Codewords	70
Data Codewords	44
Error Correction Budget	26
Errors Corrected	0
Error Capacity Used	0
Error Correction Level	M
Data Mask Pattern	4
Image	Black on white
Nominal X Dim	8.7 mil
Pixels per Module	6.41
ECI	000026

QR Quality Parameters

1. Unused Error Correction (UEC)		100.0%	4.0	A	PASS
2. Symbol Contrast (SC)	RI/Rd (99/0)	nan%	4.0	A	PASS
3a. Modulation (MOD)			4.0	A	PASS
3b. Reflectance Margin (RM)			4.0	A	PASS
4. Axial Nonuniformity (ANU)		0.3%	4.0	A	PASS
5. Grid Nonuniformity (GNU)		0.0%	4.0	A	PASS
6. Fixed Pattern Damage (FPD)			4.0	A	PASS
7. Upper Left Pattern (ULP)			4.0	A	PASS
8. Upper Right Pattern (URP)			4.0	A	PASS
9. Lower Left Pattern (LLP)			4.0	A	PASS
10. Horizontal Clock Track (HCT)			4.0	A	PASS
11. Vertical Clock Track (VCT)			4.0	A	PASS
12. Alignment Pattern (ALP)			4.0	A	PASS
13. Version Information Block (VIB)			-		PASS
14. Format Information Block (FIB)			4.0	A	PASS
15. DECODE			4.0	A	PASS

Data Format Check

ISO 15434 Data Format: FAIL

Name	Data	Check
ISO 15434 Header	\	FAIL
Error: Application Header is Expected.		

[illegible]

