

Verification Report

Unit Serial: 1A1903PP010754
Verified: Wed 14-Jan-2026 01:10:23(830ms) PM
Firmware Version: 6.1.16_sr3
Last Calibrated: Wed 14-Jan-2026 12:50 PM


Report Summary

Data	///00
Symbology	DataMatrix
Device Name	DM475-63530E-PIPS-Verif-Lab
Company	Product Identification and Processing Systems, Inc. (PIPS)
Operator	GW4

Verification Grades

Standard	Grade	Aperture	Wavelength	Lighting	Formal Grade
ISO 15415:2024	4.0 (A)	12	660	45Q	4.0/12/660/45Q
Custom	Pass				

Image



General Characteristics

Matrix Size	12x12 (Data: 10x10)
Horizontal BWG	3%
Vertical BWG	4%
Encoded characters	5
Total Codewords	12
Data Codewords	5
Error Correction Budget	6
Errors Corrected	0
Error Capacity Used	0
Error Correction Type	ECC 200
Image	Black on white
Nominal X Dim	14.4 mil
Pixels per Module	11.04
Contrast Uniformity	19 at module(2,4)
MRD	38% (76% - 38%)

DataMatrix Quality Parameters

1. Unused Error Correction (UEC)		100%	4.0	A	PASS
2. Symbol Contrast (SC)	Rl/Rd (91/6)	84%	4.0	A	PASS
3. Modulation (MOD)			4.0	A	PASS
4. Axial Nonuniformity (ANU)		0.1%	4.0	A	PASS
5. Grid Nonuniformity (GNU)		0.7%	4.0	A	PASS
6. Fixed Pattern Damage (FPD)			4.0	A	PASS
7. Left 'L' Side (LLS)			4.0	A	PASS
8. Bottom 'L' Side (BLS)			4.0	A	PASS
9. Left Quiet Zone (LQZ)			4.0	A	PASS
10. Bottom Quiet Zone (BQZ)			4.0	A	PASS
11. Top Quiet Zone (TQZ)			4.0	A	PASS
12. Right Quiet Zone (RQZ)			4.0	A	PASS
13. Top Transition Ratio (TTR)		0%	4.0	A	PASS
14. Right Transition Ratio (RTR)		0%	4.0	A	PASS
15. Top Clock Track (TCT)			4.0	A	PASS
16. Right Clock Track (RCT)			4.0	A	PASS
17. Distributed FPD (DFPD)		4.0	4.0	A	PASS
18. DECODE			4.0	A	PASS
19. Print Growth (PG)		4%	4.0	A	PASS

Encodation Analysis

Codeword	Mode	Result
048	ASCII	/
048	ASCII	/
048	ASCII	/
130	ASCII	00
129	ASCII	ASCII PAD
018, 026, 227, 021, 254, 024, 031	ECC	

ASCII Values

047 047 047 048 048

Codewords

048 048 048 130 129 018 026 227 021 254 024 031

*=Fixed by Error Correction

