Webscan TruCheck™ USB Verification Report

Software Version: 3.03.73, Unit Serial: TC-830-0924-015
Verified: Fri 26-Sep-2025 11:58:38 AM, Last Calibrated: Fri 12-Sep-2025 08:59:35 AM

Report Summary

Data	*VE1-13MIL*
Symbology	C39
Verified By	JCC/GW4 - 1.18/T2/B1/LA8
Company Name	Product Identification & Processing Systems, Inc. (PIPS)
Product Name	COGNEX Aachen DM580-DM380 Tunnel Labels
Job Number	C39, 13 Mil Label Set -- TransTherm 1C Thermal Transfer Label Stock
Batch Number	585-20166 R6, PCN: 13250926-200-R, Sheet 1 of 5

Verification Grades

Standard	Grade	Aperture	Wavelength	Formal Grade	Notes
ANSI/ISO	A (3.9)	10	660	3.9/10/660	ISO15416:2025

Image

ANSI/ISO Parameter Avg Values

1. EDGE	109	4.0 (A)	PASS
2. Reflectance Light / Reflectance Dark (Rl/Rd)	92/4	4.0 (A)	PASS
3. Symbol Contrast (SC)	88%	4.0 (A)	PASS
4. Minimum Edge Contrast (MinEC)	71%	4.0 (A)	PASS
5. Modulation (MOD)	80%	4.0 (A)	PASS
6. Defect (Def)	0%	4.0 (A)	PASS
7. Decode (DCD)	10/10	4.0 (A)	PASS
8. Decodability (DEC)	63%	4.0 (A)	PASS
9. Minimum Quiet Zone (MinQZ)	16	4.0 (A)	PASS

General Characteristics

BWG	0%
BWG	+0.0 MIL
Nominal X Dim	13.1 mil
Inspection Zone Height	272 MILS
Decodable Symbol Height	342.5 MILS
Ratio	1.9

Individual Scan Results

Scan	Edge	MinRefl	SC	MinEC	MOD	DEF	DECODE	DEC	QZ	LEFT QZ	RIGHT QZ		Scan Grade
1	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→	4.0
2	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→	4.0
3	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→	4.0
4	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→	4.0
5	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	3.8 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→	3.8
6	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→	4.0
7	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→	4.0
8	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	3.9 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→	3.9
9	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→	4.0
10	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	4.0 (A)	→	4.0

Total Scans: 10

Webscan TruCheck™ USB Verification Report

Software Version: 3.03.73, Unit Serial: TC-830-0924-015
Verified: Fri 26-Sep-2025 11:58:38 AM, Last Calibrated: Fri 12-Sep-2025 08:59:35 AM

Report Summary

Data	B0-TOP-DM-25MIL--
Symbology	DataMatrix
Verified By	JCC/GW4 - 1.18/T2/B1/LA8
Company Name	Product Identification & Processing Systems, Inc. (PIPS)
Product Name	COGNEX Aachen DM580-DM380 Tunnel Labels
Job Number	C39, 13 Mil Label Set -- TransTherm 1C Thermal Transfer Label Stock
Batch Number	585-20166 R6, PCN: 13250926-200-R, Sheet 1 of 5

Verification Grades

Standard	Grade	Aperture	Wavelength	Lighting	Formal Grade
ISO15415:2024	A (4.0)	20	660	45	4.0/20/660/45

Image



General Characteristics

Matrix Size	18x18 (Data: 16x16)
Horizontal BWG	-2%
Vertical BWG	-5%
Encoded characters	17
Total Codewords	32
Data Codewords	18
Image	Black on white
Nominal X Dim	24.7 mil
Contrast Uniformity	74 at module(7,4)

ISO15415 Quality Parameters

1. Unused Error Correction (UEC)	100%	4.0 (A)		PASS
2. Symbol Contrast (SC)	86%	4.0 (A)	RI/Rd (89/3)	PASS
3. Modulation (MOD)		4.0 (A)		PASS
4. Axial Nonuniformity (ANU)	01.9%	4.0 (A)		PASS
5. Grid Nonuniformity (GNU)	4%	4.0 (A)		PASS
6. Fixed Pattern Damage (FPD)		4.0 (A)		PASS
7. Left 'L' Side (LLS)		4.0 (A)		PASS
8. Bottom 'L' Side (BLS)		4.0 (A)		PASS
9. Left Quiet Zone (LQZ)		4.0 (A)		PASS
10. Bottom Quiet Zone (BQZ)		4.0 (A)		PASS
11. Top Quiet Zone (TQZ)		4.0 (A)		PASS
12. Right Quiet Zone (RQZ)		4.0 (A)		PASS
13. Top Transition Ratio (TTR)	0%	4.0 (A)		PASS
14. Right Transition Ratio (RTR)	0%	4.0 (A)		PASS
15. Top Clock Track (TCT)		4.0 (A)		PASS
16. Right Clock Track (RCT)		4.0 (A)		PASS
17. DFPD	4.0	4.0 (A)		PASS
18. DECODE		4.0 (A)		PASS
19. PrntGrw	5%	4.0 (A)		PASS

Webscan TruCheck™ USB Verification Report

Software Version: 3.03.73, Unit Serial: TC-830-0924-015
Verified: Fri 26-Sep-2025 11:58:38 AM, Last Calibrated: Fri 12-Sep-2025 08:59:35 AM

Report Summary

Data	A0-FRONT-DM-65MIL
Symbology	DataMatrix
Verified By	JCC/GW4 - 1.18/T2/B1/LA8
Company Name	Product Identification & Processing Systems, Inc. (PIPS)
Product Name	COGNEX Aachen DM580-DM380 Tunnel Labels
Job Number	C39, 13 Mil Label Set -- TransTherm 1C Thermal Transfer Label Stock
Batch Number	585-20166 R6, PCN: 13250926-200-R, Sheet 1 of 5

Verification Grades

Standard	Grade	Aperture	Wavelength	Lighting	Formal Grade
ISO15415:2024	A (4.0)	51	660	45	4.0/51/660/45

Image



ISO15415 Quality Parameters

1. Unused Error Correction (UEC)	100%	4.0 (A)		PASS
2. Symbol Contrast (SC)	89%	4.0 (A)	Rl/Rd (91/2)	PASS
3. Modulation (MOD)		4.0 (A)		PASS
4. Axial Nonuniformity (ANU)	01.5%	4.0 (A)		PASS
5. Grid Nonuniformity (GNU)	4%	4.0 (A)		PASS
6. Fixed Pattern Damage (FPD)		4.0 (A)		PASS
7. Left 'L' Side (LLS)		4.0 (A)		PASS
8. Bottom 'L' Side (BLS)		4.0 (A)		PASS
9. Left Quiet Zone (LQZ)		4.0 (A)		PASS
10. Bottom Quiet Zone (BQZ)		4.0 (A)		PASS
11. Top Quiet Zone (TQZ)		4.0 (A)		PASS
12. Right Quiet Zone (RQZ)		4.0 (A)		PASS
13. Top Transition Ratio (TTR)	0%	4.0 (A)		PASS
14. Right Transition Ratio (RTR)	0%	4.0 (A)		PASS
15. Top Clock Track (TCT)		4.0 (A)		PASS
16. Right Clock Track (RCT)		4.0 (A)		PASS
17. DFPD	4.0	4.0 (A)		PASS
18. DECODE		4.0 (A)		PASS
19. PrntGrw	4%	4.0 (A)		PASS

General Characteristics

Matrix Size	18x18 (Data: 16x16)
Horizontal BWG	-4%
Vertical BWG	-4%
Encoded characters	17
Total Codewords	32
Data Codewords	18
Image	Black on white
Nominal X Dim	64.1 mil
Contrast Uniformity	82 at module(16,10)