

Verification Report

Unit Serial: 1A1903PP010754
Verified: Sun 17-May-2026 04:20:36(658ms) PM
Firmware Version: 6.1.16_sr4
Last Calibrated: 1/15/2026 3:04:14 PM


Report Summary

Data	<F1>010061414199999621GNU50
Symbology	GS1 DataMatrix
Device Name	DM475-63530E-PIPS-Verif-Lab
Company	Product Identification and Processing Systems, Inc. (PIPS)
Operator	GW4
Batch	TC Cal. 11 JAN 2026, 2nd New Master SN 260010221 Using Data Matrix
Custom Note	Results from UPCE-44960 Cal. 23 JUN 2023

Verification Grades

Standard	Grade	Aperture	Wavelength	Lighting	Formal Grade
ISO 15415:2011	1.0 (D)	15	660	45Q	1.0/15/660/45Q
Custom	Fail (Quality)				

Image



General Characteristics

Matrix Size	18x18 (Data: 16x16)
Horizontal BWG	13%
Vertical BWG	11%
Encoded characters	24
Total Codewords	32
Data Codewords	18
Error Correction Budget	14
Errors Corrected	0
Error Capacity Used	0
Error Correction Type	ECC 200
Image	Black on white
Nominal X Dim	18.9 mil
Pixels per Module	14.29
Contrast Uniformity	62 at module(14,15)
MRD	61% (69% - 8%)

GS1 DataMatrix Quality Parameters

1. Unused Error Correction (UEC)		100.0%	4.0	A	PASS
2. Symbol Contrast (SC)	RI/Rd (83/5)	78%	4.0	A	PASS
3a. Modulation (MOD)			4.0	A	PASS
3b. Reflectance Margin (RM)			4.0	A	PASS
4. Axial Nonuniformity (ANU)		0.5%	4.0	A	PASS
5. Grid Nonuniformity (GNU)		74.2%	1.0	D	FAIL
6. Fixed Pattern Damage (FPD)			4.0	A	PASS
7. Left 'L' Side (LLS)			4.0	A	PASS
8. Bottom 'L' Side (BLS)			4.0	A	PASS
9. Left Quiet Zone (LQZ)			4.0	A	PASS
10. Bottom Quiet Zone (BQZ)			4.0	A	PASS
11. Top Quiet Zone (TQZ)			4.0	A	PASS
12. Right Quiet Zone (RQZ)			4.0	A	PASS
13. Top Transition Ratio (TTR)		0%	4.0	A	PASS
14. Right Transition Ratio (RTR)		0%	4.0	A	PASS
15. Top Clock Track (TCT)			4.0	A	PASS
16. Right Clock Track (RCT)			4.0	A	PASS
17. Average Grade (AG)		4.0	4.0	A	PASS
18. DECODE			4.0	A	PASS

Encodation Analysis

Codeword	Mode	Result
232	FNC1	<F1>
131	ASCII	01
130	ASCII	00
191	ASCII	61
171	ASCII	41
171	ASCII	41
229	ASCII	99
229	ASCII	99
226	ASCII	96
151	ASCII	21
072	ASCII	G
079	ASCII	N
086	ASCII	U
180	ASCII	50
129	ASCII	ASCII PAD
237	ASCII	ASCII PAD
133	ASCII	ASCII PAD
028	ASCII	ASCII PAD
207, 072, 217, 164, 058, 245, 227, 152, 110, 036, 059, 204, 203, 087	ECC	

ASCII Values																															
048 049 048 048 054 049 052 049 052 049 057 057 057 057 057 054 050 049 071 078 085 053 048																															
Codewords																															
232	131	130	191	171	171	229	229	226	151	072	079	086	180	129	237	133	028	207	072	217	164	058	245	227	152	110	036	059	204	203	087
*=Fixed by Error Correction																															
Modulation																															
90	86	91	80	95	83	96	87	93	80	90	81	90	79	86	78	85	82	94	92												
92	94	70	94	80	98	81	98	80	96	87	95	78	95	90	95	80	95	80	90												
87	95	97	81	87	97	83	99	98	99	85	97	96	84	90	91	92	89	95	90												
90	93	78	84	85	97	82	97	99	98	80	97	84	96	95	89	87	95	78	95												
91	92	71	96	97	97	79	97	84	97	99	98	90	94	82	96	97	97	94	98												
85	95	97	97	85	83	97	98	83	80	97	98	88	94	87	96	94	82	85	99												
86	94	70	95	77	95	78	96	97	99	96	75	90	83	82	93	80	85	90	85												
92	92	96	71	95	95	89	90	94	89	84	94	77	94	95	79	94	95	80	88												
90	92	77	82	94	80	96	92	87	83	95	94	95	70	93	95	83	96	93	90												
87	93	70	94	72	95	77	96	97	95	79	84	85	93	94	77	90	94	79	94												
90	92	97	97	96	96	99	75	79	97	96	94	87	83	76	92	89	85	91	92												
90	93	94	73	89	85	99	99	98	97	95	73	86	84	79	94	81	86	82	97												
90	93	74	93	84	99	86	95	98	98	69	96	98	96	96	96	96	96	92	90												
84	95	75	95	97	83	92	83	96	97	73	95	97	72	95	97	97	85	81	90												
87	95	95	73	97	99	84	81	96	67	96	76	81	94	80	96	95	76	93	90												
90	93	74	94	78	98	97	99	98	97	97	96	79	87	81	96	62	96	76	97												
92	94	90	97	94	87	87	97	86	85	71	99	97	79	93	98	95	98	92	95												
91	96	80	90	90	90	86	96	85	81	96	99	98	97	71	96	75	96	71	98												
91	90	90	89	88	91	89	90	90	91	91	91	88	90	89	88	89	89	87	90												
98	94	92	97	97	94	96	96	96	90	87	97	89	87	93	87	85	88	87	96												

