

=====

MONEY STRAIGHT TALK LLC  
DIAGNOSTIC PROGRAM MEDIA MALWARE CHECK POLICY

=====

Document ID: POL-MA-004  
Version: 1.0  
Effective Date: February 5, 2026  
Review Date: February 5, 2027  
Owner: Terrell Banks, Systems Administrator  
Approved By: Camille Odom, Managing Director

=====

1. PURPOSE

This policy requires that media containing diagnostic programs used during system maintenance is checked for malicious code before use on MST systems.

2. SCOPE

Applies to any media containing diagnostic software brought into the MST environment for maintenance purposes, including:

- USB flash drives with bootable diagnostic tools
- External hard drives with system utilities
- Optical discs (CDs/DVDs) with diagnostic software
- Technician laptops connected to MST systems

3. SCAN REQUIREMENT

Before any diagnostic media is connected to or used on an MST system, Terrell Banks must:

- a) Scan the media with Microsoft Defender for Endpoint (or an equivalent up-to-date AV scanner)
- b) If no USB port is available to scan, boot from the media on an air-gapped test machine first
- c) Document the scan result in the maintenance ticket

4. VENDOR MEDIA

Vendor-supplied diagnostic media (from Dell, Microsoft, etc.) from sealed, verified manufacturer packaging may be used with reduced (but not eliminated) scanning - visual inspection of packaging integrity plus one quick scan.

5. FAILED SCAN

If a scan finds malicious code on diagnostic media:

- Do NOT use the media
- Confiscate the media and contact the vendor
- Document the incident and report to Camille Odom

=====

Approved: Camille Odom 02/05/2026  
Prepared: Terrell Banks 02/03/2026

=====