



Gwen Report Portal Integration

No longer supported since Gwen-Web v4.0.0

gwen.rp.send.meta = **true**

All > Gwen #18 > features/todo/AddItems.feature

PARENT: 15s Passed 100.00% Total: 47

REFINE: Suite name

NAME	START ^	TTL	PS	FL	SKP	PRODUCT BUG	AUTO BUG	SYSTEM ISSUE	TO INVEST
Meta: TodoMVC meta	11 days ago	31	31						
Feature: Add Todo items	11 days ago	16	16						

1 - 2 of 2 50 per page

Meta and Feature reported

gwen.rp.send.meta = **false**

All > Gwen #19

PARENT: 30s Passed 100.00% Total: 16

REFINE: Suite name

NAME	START ^	TTL	PS	FL	SKP	PRODUCT BUG	AUTO BUG	SYSTEM ISSUE	TO INVEST
features/todo/AddItems.feature	11 days ago	16	16						

1 - 1 of 1 50 per page

Feature reported only (meta not reported)

```
gwen.rp.send.stepDefs = inlined
```

All > Gwen #17 > features/todo/AddItems.feature > Feature: Add Todo items > Scenario: Add items in my Todo list > When I add a "Walk the dog" item

LAUNCH #17

StepDef inlined

Copy defect Post issue Link issue


STACK TRACE ATTACHMENTS ITEM DETAILS HISTORY OF ACTIONS

Fatal Error Warn Info Debug Trace Logs with Attachment Hide All Passed Logs M 1 of 1

LOG MESSAGE ALL STATUS TIME

▼ StepDef: I add a "<todo>" item PASSED 1s
Given the "Walk the dog" item can be located by xpath "//label[contains(.,'Walk the dog')]/preceding-sibling::input" PASSED 0s
When I enter "Walk the dog" in the todo field PASSED 0.86s
Then the "Walk the dog" item should be unchecked PASSED 0.39s

1 - 1 of 1 50 per page



```
gwen.rp.send.stepDefs = nested
```

All > Gwen #18 > features/todo/AddItems.feature > Feature: Add Todo items > Scenario: Add items in my Todo list > When I add a "Walk the dog" item

PARENT: 1s Passed 100.00% Total: 3 PB AB SI ND TI


REFINE: Suite name

cnt Enter name More

NAME START ^
StepDef: I add a "<todo>" item 11 days ago

1s @Action sourceRef:features/todo/Todo.meta:51:1
@StepDef

1 - 1 of 1 50 per page



```
gwen.rp.send.stepDefs = none
```

All > Gwen #20 > features/todo/AddItems.feature > Feature: Add Todo items > Scenario: Add items in my Todo list

PARENT: 11s Passed

REFINE: Test name

crt ▾ Enter name More

METHOD TYPE NAME

Test Given I launch the Todo app

sourceRef:features/todo/AddItems.feature:20:7

Test When I add a "Walk the dog" item

sourceRef:features/todo/AddItems.feature:21:8

Actions History Refresh

All > Gwen #20 > features/todo/AddItems.feature > Feature: Add Todo items > Scenario: Add items in my Todo list > When I add a "Walk the dog" item

#17 #18 #19 LAUNCH #20

+15% +44%

Copy defect Post issue Link issue

STACK TRACE ATTACHMENTS ITEM DETAILS HISTORY OF ACTIONS

Fatal Error Warn Info Debug Trace Logs with Attachment

LOG MESSAGE

TIME ▲

**StepDef not inlined or nested
- Step goes straight to stats**

```

gwen.rp.send.stepDefs = none
gwen.rp.send.failed.stepDefs = inlined

```

All > Gwen #21 > features/todo/AddItems.feature > Feature: Add Todo items > Scenario: Add items in my Todo list > When I add a "Walk the dog" item

Failed StepDef inlined

To Investigate

Stack Trace | Attachments | Item Details | History of Actions

Successful steps not inlined or nested and go straight to stats

Fatal Error Warn Info Debug Trace Logs with Attachment Hide All Passed Logs

LOG MESSAGE ALL STATUSES TIME

StepDef: I add a "<todo>" item FAILED 3 1s

Given the "Walk the dog" item can be located by xpath "//label[contains(.,'Walk the dog')]/preceding-sibling::input" PASSED 0.01s

When I enter "Walk the dog" in the todo field PASSED 0.84s

Then the "Walk the dog" item should be checked FAILED 3 0.33s

assertion failed: the "Walk the dog" item [locator: xpath="//label[contains(.,'Walk the dog')]/preceding-sibling::input] should be checked
Hierarchy:
I add a "Walk the dog" item
the "Walk the dog" item should be checked

Error details (attachment) 2021-02-25 10:09:44

Environment (attachment) 2021-02-25 10:09:44

```

gwen.rp.send.stepDefs = none
gwen.rp.send.failed.stepDefs = nested

```

All > Gwen #22 > features/todo/AddItems.feature > Feature: Add Todo items >

Scenario: Add items in my Todo list

PARENT: 13s Passed 75.00% Total:

REFINE: Test name

METHOD TYPE NAME STATUS START TIME DEFECT TYPE

Test Given I launch the Todo app Passed 11 days ago

Test When I add a "Walk the dog" item Passed 11 days ago

Test Then the "Walk the dog" item should be checked Failed 11 days ago To Investigate

Test And I add a "Get the milk" item Passed 11 days ago

Test Then the number of active items should be "2" Passed 11 days ago

1 - 4 of 4

Failed StepDef nested

50 per page

```

gwen.rp.send.stepDefs = none
gwen.rp.send.failed.stepDefs = none

```

All > Gwen #23 > features/todo/AddItems.feature > Feature: Add Todo items >

Scenario: Add items in my Todo list

PARENT: 14s Passed 50.00% Total:

REFINE: Test name

METHOD TYPE NAME STATUS START TIME DEFECT TYPE

Test Given I launch the Todo app Passed 11 days ago

Test When I add a "Walk the dog" item Passed 11 days ago

Test And I add a "Get the milk" item Passed 11 days ago

Test Then the number of active items should be "2" Passed 11 days ago

1 - 4 of 4

Failed StepDef not inlined or nested and goes straight to stats

50 per page

gwen.rp.send.failed.errorTrace = attached

All > Gwen #23 > features/todo/AddItems.feature > Feature: Add Todo items > Scenario: Add items in my Todo list > < > Refresh

When I add a "Walk the dog" item

#17 #18 #19 #20 #21 #22 LAUNCH #23

To Investigate

STACK TRACE ATTACHMENTS ITEM DETAILS HISTORY

Fatal Error Warn Info Debug Trace Logs with Attachment

LOG MESSAGE assertion failed: the "Walk the dog" item [locator: xpath=/label[contains(.,'Walk the dog')]/preceding-sibling::input] should be checked

Hierarchy:

I add a "Walk the dog" item

Error details (attachment)

Error trace attached as file and opens in new tab or window

2021-02-25 11:12:11

2021-02-25 11:12:11

assertion failed: the "Walk the dog" item [locator: xpath=/label[contains(.,'Walk the dog')]/preceding-sibling::input] should be checked

at gwen.eval.EvalEngine.doEvaluate(EvalEngine.scala:269)
at gwen.eval.EvalEngine.doEvaluate\$(EvalEngine.scala:257)
at gwen.eval.EvalEngine.\$anonfun\$evaluateStep\$1(WebInterpreter.scala:27)
at gwen.eval.EvalEngine.\$anonfun\$evaluateStep\$8(EvalEngine.scala:201)
at scala.Option.getOrElse(Option.scala:201)
at gwen.eval.EvalEngine.evaluateStep\$1(EvalEngine.scala:191)
at gwen.eval.EvalEngine.evaluateStep\$1(EvalEngine.scala:180)
at gwen.web.WebInterpreter.evaluateStep\$(WebInterpreter.scala:27)
at gwen.eval.EvalEngine.\$anonfun\$evaluateSteps\$1(EvalEngine.scala:371)
at scala.collection.LinearSeqOps.foldLeft\$LinearSeq.scala:168)
at scala.collection.LinearSeqOps.foldLeft\$LinearSeq.scala:164)
at scala.collection.immutable.List.foldLeft(List.scala:79)
at gwen.eval.EvalEngine.evaluateSteps\$(EvalEngine.scala:355)
at gwen.eval.EvalEngine.evaluateSteps\$(EvalEngine.scala:351)
at gwen.web.WebInterpreter.evaluateSteps\$(WebInterpreter.scala:27)

gwen.rp.send.failed.errorTrace = inlined

All > Gwen #26 > features/todo/AddItems.feature > Feature: Add Todo items > Scenario: Add items in my Todo list > < > Refresh

When I add a "Walk the dog" item

#17 #18 #19 #20 #21 #22 #23 #24 #25 LAUNCH #26

To Investigate Copy defect from #25 Post issue Link issue

STACK TRACE ATTACHMENTS ITEM DETAILS HISTORY OF ACTIONS

Fatal Error Warn Info Debug Trace Logs with Attachment

LOG MESSAGE assertion failed: the "Walk the dog" item [locator: xpath=/label[contains(.,'Walk the dog')]/preceding-sibling::input] should be checked

Error details:

Error trace appended to error message inline

2021-02-25 11:49:17

assertion failed: the "Walk the dog" item [locator: xpath=/label[contains(.,'Walk the dog')]/preceding-sibling::input] should be checked

gwen.Errors\$StepFailure: Failed step [at features/todo/Todo.meta:54:6]: Then the "Walk the dog" item should be checked: assertion failed: the "Walk the dog" item [locator: xpath=/label[contains(.,'Walk the dog')]/preceding-sibling::input] should be checked

at gwen.eval.EvalEngine.doEvaluate(EvalEngine.scala:269)
at gwen.eval.EvalEngine.doEvaluate\$(EvalEngine.scala:257)
at gwen.web.WebInterpreter.doEvaluate(WebInterpreter.scala:27)
at gwen.eval.EvalEngine.\$anonfun\$evaluateStep\$8(EvalEngine.scala:201)

gwen.rp.send.failed.errorTrace = **none**

All > Gwen #27 > features/todo/AddItems.feature > Feature: Add Todo items > Scenario: Add items in my Todo list > When I add a "Walk the dog" item < > Refresh

To Investigate Copy defect from #26 Post issue Link issue

STACK TRACE | ATTACHMENTS | ITEM DETAILS | HISTORY OF ACTIONS |

Fatal Error Warn Info Debug Trace Logs with Attachment

LOG MESSAGE TIME

assertion failed: the "Walk the dog" item [locator: xpath=//label[contains(.,'Walk the dog')]/preceding-sibling::input] should be checked 2021-02-25 11:54:15

No inlined error trace or attachment

Environment (attachment) TXT 2021-02-25 11:54:15

1 - 2 of 2 50 per page

`gwen.rp.send.failed.envTrace = attached`

The screenshot shows the Gwen test runner interface. A modal window is open, displaying an environment trace as a text file. The modal has a title bar with 'LAUNCH #28' and a close button. Inside, there's a code block representing the environment trace, followed by a log message: 'assertion failed: the "Walk the dog" item [locator: xpath=/label[contains(.,'Walk the dog')]/preceding-sibling::input] should be checked'. Below the modal, the main interface shows a navigation tree and a log message: 'Environment (attachment) Environment trace attached as file and opens in new tab or window'. A blue arrow points from the text in the modal to the 'TI' icon in the log message.

1 - 2 of 2

50 per page

`gwen.rp.send.failed.envTrace = inlined`

The screenshot shows the Gwen test runner interface. A modal window is open, displaying an environment trace as a text file. The modal has a title bar with 'LAUNCH #29' and a close button. Inside, there's a code block representing the environment trace, followed by a log message: 'assertion failed: the "Walk the dog" item [locator: xpath=/label[contains(.,'Walk the dog')]/preceding-sibling::input] should be checked'. Below the modal, the main interface shows a navigation tree and a log message: 'Environment: Environment trace appended to error message inline'. A blue arrow points from the text in the modal to the 'TI' icon in the log message.

1 - 1 of 1

50 per page

gwen.rp.send.failed.envTrace = **none**

All > Gwen #30 > features/todo/AddItems.feature > Feature: Add Todo items > Scenario: Add items in my Todo list > When I add a "Walk the dog" item

< > Refresh

#21 #22 #23 #24 #25 #26 #27 #28 #29 LAUNCH #30

TI (⌚ +4%) TI (⌚ +24%) TI (⌚ +9%) TI (⌚ +4%) TI (⌚ +73%) TI

To Investigate Copy defect from #29 Post issue Link issue

STACK TRACE ATTACHMENTS ITEM DETAILS HISTORY OF ACTIONS

Fatal Error Warn Info Debug Trace Logs with Attachment

LOG MESSAGE TIME ^

assertion failed: the "Walk the dog" item [locator: xpath=//label[contains(.,'Walk the dog')]/preceding-sibling::input] should be checked 2021-02-25 12:14:53

No inlined environment trace or attachment

1 - 1 of 1 50 per page

gwen.rp.send.failed.hierarchy = **attached**

All > Gwen #33 > features/todo/LoadItemsFromCSVs.feature > Feature: Load Todo items from CSV files > Scenario: Launch the Todo application > When I load items from CSV files > StepDef: I load items from CSV files > Examples: Data file: features-data/TodoItems1.csv > Scenario: I load items from CSV files -- Example 1.1 Data file: features-data/TodoItems1.csv > When I add a pending "Walk the dog" item > StepDef: I add a pending "<todo>" item > When I add a "Walk the dog" item > StepDef: I add a "<todo>" item > Then the "Walk the dog" item should be checked

To Investigate

Stack Trace | Attachments | Item Details | History

Fatal Error Warn Info Debug Trace Logs with Attachment

LOG MESSAGE

assertion failed: the "Walk the dog" item [locator: xpath=//label[contains(.,'Walk the dog')]/preceding-sibling::input] should be checked

Hierarchy (attachment)

Call hierarchy attached as file and opens in new tab or window

2021-02-25 12:26:40

2021-02-25 12:26:40

50 per page

gwen.rp.send.failed.hierarchy = **inlined**

All > Gwen #34 > features/todo/LoadItemsFromCSVs.feature (Feature: Load Todo items from CSV files) >
Scenario: Launch the Todo application > When I load items from CSV files > StepDef: I load items from CSV files >
Examples: Data file: features-data/TodoItems1.csv >
Scenario: I load items from CSV files -- Example 1.1 Data file: features-data/TodoItems1.csv >
When I add a pending "Walk the dog" item > StepDef: I add a pending "<todo>" item > When I add a "Walk the dog" item >
StepDef: I add a "<todo>" item) > Then the "Walk the dog" item should be checked

#19 #19 #21 #21 #22 #22 #33 #33 #33 LAUNCH #34

(+13%) (+1%) (TI) (+1%) (TI) (TI) (+1%) (TI) (TI)

To Investigate Copy defect from #33 Post issue Link issue

STACK TRACE ATTACHMENTS ITEM DETAILS HISTORY OF ACTIONS

Fatal Error Warn Info Debug Trace Logs with Attachment 1 of 1

LOG MESSAGE TIME ^
assertion failed: the "Walk the dog" item [locator: xpath=/label[contains(.,'Walk the dog')]/preceding-sibling::input] should be checked 2021-02-25 12:33:21
Hierarchy:
I load items from CSV files
I add a pending "Walk the dog" item
I add a "Walk the dog" item
the "Walk the dog" item should be checked

Call hierarchy appended to error message inline

1 - 1 of 1 50 per page

gwen.rp.send.failed.hierarchy = **none**

All > Gwen #35 > features/todo/LoadItemsFromCSVs.feature > Feature: Load Todo items from CSV files >
Scenario: Launch the Todo application > When I load items from CSV files > StepDef: I load items from CSV files >
Examples: Data file: features-data/TodoItems1.csv >
Scenario: I load items from CSV files -- Example 1.1 Data file: features-data/TodoItems1.csv > When I add a pending "Walk the dog" item >
StepDef: I add a pending "<todo>" item > When I add a "Walk the dog" item > StepDef: I add a "<todo>" item >
Then the "Walk the dog" item should be checked

#21 #22 #22 #33 #33 #33 #34 #34 #34 LAUNCH #35

(+1%) (TI) (+1%) (TI) (TI) (+1%) (TI) (TI) (TI) (TI)

To Investigate Copy defect from #34 Post issue Link issue

STACK TRACE ATTACHMENTS ITEM DETAILS HISTORY OF ACTIONS

Fatal Error Warn Info Debug Trace Logs with Attachment 1 of 1

LOG MESSAGE TIME ^
assertion failed: the "Walk the dog" item [locator: xpath=/label[contains(.,'Walk the dog')]/preceding-sibling::input] should be checked 2021-02-25 12:37:48
No call hierarchy attached or inlined

1 - 1 of 1 50 per page

```
gwen.rp.send.breadcrumbs = true
```

NAME	START ^	TTL	PS	FL	SKP	PRODUCT BUG	AUTO BUG	SYSTEM ISSUE	TO INVEST	<input type="checkbox"/>
------	---------	-----	----	----	-----	-------------	----------	--------------	-----------	--------------------------

Feature: Add Todo items	11 days ago	16	16
-------------------------	-------------	----	----

feature: name attribute added to feature

⌚ 10s ⚡ feature:Add Todo items 
sourceRef:features/todo/AddItems.feature:17:
1
language:en

NAME	START ^	TTL	PS	FL	SKP	PRODUCT BUG	AUTO BUG	SYSTEM ISSUE	TO INVEST	<input type="checkbox"/>
------	---------	-----	----	----	-----	-------------	----------	--------------	-----------	--------------------------

Scenario: Add items in my Todo list 11 days ago 16 16

feature:name and scenario:name attributes added to Scenario

⌚ 10s ⚡ feature:Add Todo items
scenario:Add items in my Todo list
sourceRef:features/todo/AddItems.feature:19:
3

Test	When I add a "Walk the dog" item	Passed ▾	11 days ago
	<p>⌚ 1s ⚡ step:I add a "Walk the dog" item feature:Add Todo items sourceRef:features/todo/AddItems.feature:21:9 scenario:Add items in my Todo list</p>	<p>feature:name, scenario:name and step:name added to top level Step</p>	<input type="checkbox"/>

```
qwen.rp.send.breadcrumbs = false
```

NAME	START ^	TTL	PS	FL	SKP	PRODUCT BUG	AUTO BUG	SYSTEM ISSUE	TO INVEST	<input type="checkbox"/>
------	---------	-----	----	----	-----	-------------	----------	--------------	-----------	--------------------------

Feature: Add Todo items

11 days ago 4 4

11 days ago

⌚ 11s 🎧
sourceRef:features/todo/AddItems.feature:17:
1
language:en

No feature name attribute added to Feature

NAME	START ^	TTL	PS	FL	SKP	PRODUCT BUG	AUTO BUG	SYSTEM ISSUE	TO INVEST	<input type="checkbox"/>
------	---------	-----	----	----	-----	-------------	----------	--------------	-----------	--------------------------

Scenario: Add items in my Todo list

11 days ago 4 4

⌚ 11s 🖊 sourceRef:features/todo/AddItems.feature:19

No feature:name or scenario:name attributes added to Scenario

Test	When I add a "Walk the dog" item	Passed	11 days ago
 1s	 sourceRef:features/todo/AddItems.feature:21:8	No feature:name, scenario: name or step:name attributes added to step	<input type="checkbox"/>

```
gwen.rp.send.failed.errorBlocks = all
```

All > Gwen #37 > features/todo/LoadItemsFromCSVs.feature > Feature: Load Todo items from CSV files
> Scenario: Launch the Todo application > When I load items from CSV files >
StepDef: I load items from CSV files > Examples: Data file: features-data/TodoItems1.csv >
Scenario: I load items from CSV files -- Example 1.1 Data file: features-data/TodoItems1.csv

Actions History Refresh

PARENT: 2s Passed 66.67% Total: 3 PB 0 AB 0 SI 0 ND 0 TI 1

REFINE: Test name

cnt Enter name More

METHOD TYPE	NAME	STATUS	START TIME	DEFECT TYPE	
Test	When I add a pending "Walk the dog" item	Failed	11 days ago		
	⌚ 2s ⚡ sourceRef:features/todo/Todo.meta:75:6				
	assertion failed: the "Walk the dog" item [locator: xpath=//label[contains(.,'Walk the dog')]/preceding-sibling::input] should be checked				

Error block added to description of all steps in call hierarchy. If there is more than one error, each one is listed.

1 - 1 of 1 50 per page

```
gwen.rp.send.failed.errorBlocks = leaf
```

All > Gwen #37 > features/todo/LoadItemsFromCSVs.feature > Feature: Load Todo items from CSV files
> Scenario: Launch the Todo application > When I load items from CSV files >
StepDef: I load items from CSV files > Examples: Data file: features-data/TodoItems1.csv >
Scenario: I load items from CSV files -- Example 1.1 Data file: features-data/TodoItems1.csv >
When I add a pending "Walk the dog" item > StepDef: I add a pending "<todo>" item >
When I add a "Walk the dog" item > StepDef: I add a "<todo>" item

Actions History Refresh

PARENT: 2s Passed 66.67% Total: 3 PB 0 AB 0 SI 0 ND 0 TI 1

REFINE: Test name

cnt Enter name More

METHOD TYPE	NAME	STATUS	START TIME	DEFECT TYPE	
Test	Given the "Walk the dog" item can be located by xpath "//label[contains(.,'Walk the dog')]/preceding-sibling::input"	Passed	11 days ago		
	⌚ 0s ⚡ sourceRef:features/todo/Todo.meta:52:5				
Test	When I enter "Walk the dog" in the todo field	Passed	11 days ago		
	⌚ 0.76s ⚡ sourceRef:features/todo/Todo.meta:53:6				
Test	Then the "Walk the dog" item should be checked	Failed	11 days ago	To Investigate	
	⌚ 1s ⚡ sourceRef:features/todo/Todo.meta:54:6				
	assertion failed: the "Walk the dog" item [locator: xpath=//label[contains(.,'Walk the dog')]/preceding-sibling::input] should be checked				

Error block added to description of last step in call hierarchy ONLY

```
gwen.rp.send.failed.errorBlocks = none
```

All > Gwen #39 > features/todo/LoadItemsFromCSVs.feature > Feature: Load Todo items from CSV files

Scenario: Launch the Todo application > When I load items from CSV files >
StepDef: I load items from CSV files > Examples: Data file: features-data/Todoltems1.csv >
Scenario: I load items from CSV files -- Example 1.1 Data file: features-data/Todoltems1.csv >
When I add a pending "Walk the dog" item > StepDef: I add a pending "<todo>" item >
When I add a "Walk the dog" item > StepDef: I add a "<todo>" item

PARENT: 2s Passed 66.67% Total: 3 PB 0 AB 0 SI 0 ND 0 TI 1

REFINE: Test name

cnt Enter name More

METHOD TYPE	NAME	STATUS	START TIME ^	DEFECT TYPE	checkbox
Test	Given the "Walk the dog" item can be located by xpath "//label[contains(.,'Walk the dog')]/preceding-sibling::input"	Passed ▾	11 days ago		checkbox
	(⌚ 0.01s) ⚡ sourceRef:features/todo/Todo.meta:52:5				
Test	When I enter "Walk the dog" in the todo field	Passed ▾	11 days ago		checkbox
	(⌚ 0.79s) ⚡ sourceRef:features/todo/Todo.meta:53:6				
Test	Then the "Walk the dog" item should be checked	Failed ▾	11 days ago	To Investigate	checkbox
	(⌚ 1s) ⚡ sourceRef:features/todo/Todo.meta:54:6	No error block added to any steps			

1 - 3 of 3

50 per page

gwen.rp.send.tags = **false**

All > Gwen #218 > features/todo/AddItems.feature

PARENT: 11s Passed 100.00% Total: 4 PB 0 AB 0 SI 0 ND 0 TI 0

REFINE: Suite name

cnt Enter name More

NAME	START ^	TTL	PS	FL	SKP	PRODUCT BUG	AUTO BUG	SYSTEM ISSUE	TO INVEST	<input type="checkbox"/>
Feature: Add Todo items	23 seconds ago	4	4							<input type="checkbox"/>
sourceRef:features/todo/AddItems.feature:1 8:1 language:en										

No feature tag(s) added as attributes

1 - 1 of 1 50 per page