Swinburne University of Technology

School of Science, Computing and Engineering Technologies

ASSIGNMENT COVER SHEET

Subject Code: COS30008

Subject Title: Data Structures and Patterns

Assignment number and title: 2, Iterators

Due date: Wednesday, 9th October 2024, 23:59

Lecturer: Ms. Siti Hawa

Your name: <u>Amani Kamaruddin Bin Mikhail Raj</u> Your student ID: <u>J21035623</u>

Marker's comments:

Problem	Marks	Obtained
1	40	
2	70	
Total	110	

Extension certification:

This assignment has been given an extension and is now due on $\frac{10/11/2024}{}$

Signature of Convener: ``

Problem 1:

FibonacciSequenceGenerator.cpp

```
// #include "FibonacciSequenceGenerator.h"
// #include <iostream>
 // #include <string>
// #include <cstdint>
// using namespace std;
// FibonacciSequenceGenerator::FibonacciSequenceGenerator(const string &aID)
noexcept
// const string &FibonacciSequenceGenerator::id() const noexcept
       // Checking if the current number is greater than 0
       // WHAT IS THE DIFFERENCE BETWEEN THIS AND THE ONE ABOVE
```

```
// if (fCurrent == 7540113804746346429)
value of int64_t
fPrevious)
       //I HATE THIS FUNCTION
#include "FibonacciSequenceGenerator.h"
#include <cassert>
#include <limits>
#include <iostream>
#include <string>
#include <cstdint>
using namespace std;
FibonacciSequenceGenerator::FibonacciSequenceGenerator(const string &aID)
noexcept
    : fID(aID), fPrevious(0), fCurrent(1)
const string &FibonacciSequenceGenerator::id() const noexcept
    return fID;
const long long &FibonacciSequenceGenerator::operator*() const noexcept
```

```
return fCurrent;
   return fCurrent;
FibonacciSequenceGenerator::operator bool() const noexcept
    // WHAT IS THE DIFFERENCE BETWEEN THIS AND THE ONE ABOVE
   return hasNext();
void FibonacciSequenceGenerator::reset() noexcept
    fPrevious = 0;
   fCurrent = 1;
bool FibonacciSequenceGenerator::hasNext() const noexcept
    if (fCurrent > numeric_limits<int64_t>::max() - fPrevious)
       return false;
    return true;
void FibonacciSequenceGenerator::next() noexcept
    // I HATE THIS FUNCTION
   if(!hasNext())
        return;
   assert(hasNext());
    long long tempNext = fCurrent + fPrevious;
    fPrevious = fCurrent;
    fCurrent = tempNext;
```

The Following Output:

```
46: 1836311903
47: 2971215073
48: 4807526976
49: 7778742049
50: 12586269025
51: 20365011074
52: 32951280099
53: 53316291173
54: 86267571272
55: 139583862445
56: 225851433717
57: 365435296162
58: 591286729879
59: 956722026041
60: 1548008755920
61: 2504730781961
62: 4052739537881
63: 6557470319842
64: 10610209857723
65: 17167680177565
66: 27777890035288
67: 44945570212853
68: 72723460248141
69: 117669030460994
70: 190392490709135
71: 308061521170129
72: 498454011879264
73: 806515533049393
74: 1304969544928657
75: 2111485077978050
76: 3416454622906707
77: 5527939700884757
78: 8944394323791464
79: 14472334024676221
80: 23416728348467685
81: 37889062373143906
82: 61305790721611591
83: 99194853094755497
84: 160500643816367088
85: 259695496911122585
86: 420196140727489673
87: 679891637638612258
88: 1100087778366101931
89: 1779979416004714189
90: 2880067194370816120
91: 4660046610375530309
92: 7540113804746346429
Fibonacci sequence generated successfully.
1 test(s) run.
PS C:\Users\MSI\OneDrive - student.newinti.edu.my\Semester 3\COS30008 (DATA STRUCTURES AND PATTERNS)\C
OS30008-Data-structure\Problem-Set-2>
```

```
#include "FibonacciSequenceIterator.h"
#include <cassert>
#include <limits>
#include <iostream>
#include <string>
#include <cstdint>
using namespace std;
FibonacciSequenceIterator::FibonacciSequenceIterator(const
FibonacciSequenceGenerator &aSequenceObject, long long aStart) noexcept
    : fSequenceObject(aSequenceObject), fIndex(aStart)
const long long &FibonacciSequenceIterator::operator*() const noexcept
    // return fIndex.current();
    return fSequenceObject.operator*();
FibonacciSequenceIterator&FibonacciSequenceIterator::operator++() noexcept
92nd Fibonacci so that it somehow stops the ieeration
    fSequenceObject.next();
    ++fIndex;
    return *this;
FibonacciSequenceIterator FibonacciSequenceIterator::operator++(int) noexcept
    FibonacciSequenceIterator tempPrefix = *this;
    (*this)++;
    return tempPrefix;
    // fSequenceObject.next();
```

```
bool FibonacciSequenceIterator::operator==(const FibonacciSequenceIterator
&aOther) const noexcept
    return fIndex == aOther.fIndex;
bool FibonacciSequenceIterator::operator!=(const FibonacciSequenceIterator
&aOther) const noexcept
    return fIndex != aOther.fIndex;
FibonacciSequenceIterator FibonacciSequenceIterator::begin() const noexcept
    return FibonacciSequenceIterator(fSequenceObject, 1);
FibonacciSequenceIterator FibonacciSequenceIterator::end() const noexcept
    return FibonacciSequenceIterator(fSequenceObject,93);
```

Output:

```
Windows PowerShell
67: 44945570212853
68: 72723460248141
69: 117669030460994
70: 190392490709135
71: 308061521170129
72: 498454011879264
73: 806515533049393
74: 1304969544928657
75: 2111485077978050
76: 3416454622906707
77: 5527939700884757
78: 8944394323791464
79: 14472334024676221
80: 23416728348467685
81: 37889062373143906
82: 61305790721611591
83: 99194853094755497
84: 160500643816367088
85: 259695496911122585
86: 420196140727489673
87: 679891637638612258
88: 1100087778366101931
89: 1779979416004714189
90: 2880067194370816120
91: 4660046610375530309
92: 7540113804746346429
Fibonacci sequence generated successfully.
l test(s) run.
PS C:\Users\MSI\OneDrive - student.newinti.edu.my\Semester 3\COS30008 (
```