

2017 One Page Quality Guide

For more detailed information, please refer to the Quality Quick Reference Guide (QRG) found in ePRG

MEASURE NAME	AGE	MEMBERS REQUIRING MEASURE	INTERVENTIONS REQUIRED	FREQUENCY
OUTCOME MEASURES (3 Points)				
Controlling BP in Hypertension	18-85	Members with diagnosis of Hypertension	Documentation in the medical record of BP<150/90 (non-diabetic ages 60-85) or <140/90 (ages 18-59 and diabetic ages 60-85). Identify the lowest systolic and lowest diastolic reading from the same date of service	Annually (must be the last documented BP in the medical record)
Medication Adherence for Diabetes	>18	Members with at least 2 fills of diabetic medications: <ul style="list-style-type: none"> Biguanide drug Sulfonylurea drug Thiazolidinedione drug DPP-IV inhibitor Incretin mimetic drug Meglitinide drug SGLT2 inhibitor 	Patient must fill the medication 80% or more from the time of the first fill	Annually
Medication Adherence for Hypertension	>18	Members with at least 2 fills of ACE/ARB or DRI medication	Patient must fill the medication 80% or more from the time of the first fill	Annually
Medication Adherence for Cholesterol	>18	Members with at least 2 fills of any statin medication	Patient must fill the medication 80% or more from the time of the first fill	Annually
Diabetes Control HbA1c poorly controlled (>9)	18-75	Members with diagnosis of Diabetes	Most recent HbA1c result must be ≤9% to satisfy measure	Annually
High Risk Medication	>65	<ul style="list-style-type: none"> HRM A-based on two fills of drug with same active ingredient HRM B-based on at least 2 fills AND 90 cumulative day supply in a calendar year. <i>** Applies to Nitrofurantoin and non-benzodiazepines hypnotics (zolpidem, zaleplon, Eszopiclone)</i> HRM C-based on at least 2 fills AND average daily dose threshold. Applies to digoxin, doxepin and reserpine 	Evaluate if patient is on a High Risk Medication and consider using a safer drug choice (QRG)	Annually
Statin Therapy in Diabetics	40-75	Members during the measurement year with diabetes who do not have clinical atherosclerotic cardiovascular disease (ASCVD)	Members must be on at least one statin medication of any intensity during the measurement year and fill the medication 80% or more from the time of the first fill	Annually
PROCESS MEASURES (1 Point)				
Breast Cancer Screening	50-75	All Women within age range	Primary Screening Mammogram	Once every 27 months (Oct. 1 '15 thru 12 '17)
Adult BMI Assessment	18-74	All members within age range	BMI (body mass index) and weight assessment	Once every 2 years
Diabetes Care – Eye Exam	18-75	Members with diagnosis of Diabetes	Eye exam report for diabetic retinal disease or dilated eye exam by Ophthalmologist or Optometrist	<ul style="list-style-type: none"> Once every 2 years if negative result Annually if positive result
Rheumatoid Arthritis Management	18+	Members diagnosed with Rheumatoid Arthritis	At least one prescription of a Disease Modifying Anti-Rheumatic Drug (DMARD) dispensed	Annually
Osteoporosis in Women Who Had a Fracture	67-85	Members who suffered a fracture during defined measurement period (see QRG for exceptions)	Bone Mineral Density (BMD) test or prescribe medication for Osteoporosis	Within 180 days after fracture OR 24 months prior to fx
Colorectal Cancer Screening	50-75	All members within age range	Must Complete One of the Following	
			<ul style="list-style-type: none"> FOBT (DRE not accepted 2017) <i>**Captured by lab claim or medical record documentation</i> 	Annually
			Flexible Sigmoidoscopy	Once Every 5 years
			Colonoscopy	Once Every 10 years
			CT Colonography (virtual)	Every 5 years
			FIT: DNA (Cologuard)	Every 3 years

2017 One Page Quality Guide

For more detailed information, please refer to the Quality Quick Reference Guide (QRG) found in ePRG



MEASURE NAME	EXCLUSION (All measures: CMS-identified hospice members)	SPECIAL NOTES	CODES THAT SATISFY MEASURE	
OUTCOME MEASURES (3 Points)				
Controlling BP in Hypertension	<ul style="list-style-type: none">ESRD on dialysisPregnancyNon-acute inpatient admissionKidney Transplant	Combine the lowest systolic value and the lowest diastolic value if the BP is taken multiple times on the same DOS ** Example: 140/90; 138/94; 144/88 * BP value to submit: 138/86 Non-diabetic ages 60-85 BP's 140-150 need to be submitted by (e)SDS to satisfy the measure	3074F - SBP < 130	3075F - SBP 130-139
			3077F - SBP ≥ 140	3078F - DBP < 80
			3079F - DBP 80-89	3080F -DBP ≥ 90
Medication Adherence for DM	<ul style="list-style-type: none">Patients with 1 fill or more of InsulinEnd-stage renal disease (ESRD)	Patient must fill the medication 80% or more from the time of the first fill	Captured via pharmacy claim	
Medication Adherence for HTN	<ul style="list-style-type: none">End-Stage Renal Disease (ESRD)One or more prescription claim for Sacubitril/Valsartan (Entresto®)			
Medication Adherence for Chol	None			
Diabetes Control HbA1c poorly controlled (>9)	<ul style="list-style-type: none">Gestational diabetesSteroid-induced diabetes (use drug induced code)	To pass this measure, the last A1c of the year must be ≤9.0 <ul style="list-style-type: none">A1c greater than 9.0 will not “pass” the measureAll A1c needs to be submitted throughout the year (contracted market)	<ul style="list-style-type: none">3044F - A1c < 7.0%3045F - A1c 7.0% - 9.0%3046F - A1c > 9.0%	
High Risk Medication	Hospice only	See HRM list		
Statin Therapy in Diabetes	<ul style="list-style-type: none">MI and other Revascularizations; CABG; PCI (prior year)Pregnancy; In vitro fertilization; Rx for Clomiphene (prior or current year)Cirrhosis (prior or current year)Myalgia, myositis, myopathy or rhabdomyolysis (current year)ESRD (prior or current year)Gestational or Steroid-Induced Diabetes (anytime in member history)Ischemic Vascular Disease (IVD) (both prior and current year)	Members must be on at least one statin medication of any intensity during the measurement year and must fill the medication 80% or more from the time of the first fill	Captured via pharmacy claim Exclusion Codes for Myalgia billed in current year: <ul style="list-style-type: none">G72.0 - Drug-induced myopathyG72.2 - Myopathy due to other toxic agentsG72.9 - Myopathy, unspecifiedM62.82 - RhabdomyolysisM79.1 - Myalgia	
PROCESS MEASURES (1 Point)				
Breast Cancer Screening	<ul style="list-style-type: none">Bilateral mastectomy (date needed)Unilateral mastectomy of both breasts (can be done at separate times) (date needed) **If patient has a unilateral mastectomy please submit mammography for other breast	Will not satisfy the measure: <ul style="list-style-type: none">Mammogram done before 9/30/15Ultrasound, biopsies, MRI's, 3D Mammogram not performed with screening mammogram **If Mammo report is not available, documentation in the progress note of test "done/date/result" is acceptable to submit via eSDS or SDS	<ul style="list-style-type: none">Z90.13 – absence of bilateral breastsZ90.11 – absence of right breastZ90.12 – absence of left breast	
Adult BMI Assessment	Pregnancy	HT & WT required for eSDS submission	ICD-10 "Z" code	
Diabetes Care-Eye Exam	<ul style="list-style-type: none">Gestational diabetesSteroid-induced diabetes	A general eye exam without documentation of dilation does “not pass” this measure and should not be submitted **If the eye exam report is not available, documentation in the progress note of test "done/date/result/by eye care professional" is acceptable to submit (e)SDS	<ul style="list-style-type: none">2022F - Dilated retinal eye exam interpreted by eye professional documented/reviewed2024F - 7 standard filed stereoscopic photos w/ interpretation by eye professional2026F - Eye imaging validated to match dx from 7 std stereoscopic photos results3072F - Low risk for retinopathy (no evidence of retinopathy in prior year)	
Rheumatoid Arthritis Management	<ul style="list-style-type: none">HIVPregnancy	See RA med list	Captured via pharmacy claim	
Osteoporosis in Women Who Had a Fracture	<ul style="list-style-type: none">Bone Mineral Density (BMD) test 24 months prior to fxOsteoporosis Therapy (IV/injectable) or prescription 12 months prior to	<ul style="list-style-type: none">See OMW med listFracture date is found in pink box report	HCPCS injection code	
Colorectal Cancer Screening	<ul style="list-style-type: none">Total Colectomy (date needed)Colorectal Cancer (active)	<ul style="list-style-type: none">iFOBT (FIT) requires only one samplegFOBT (Guiaac) requires 3 samples (< 3 samples will not pass)CT Colonography(virtual c-scope)FIT:DNA (Cologuard) **If colon screening report isn't available, documentation in the progress note of test "done/date/result" is acceptable to submit eSDS or SDS	<ul style="list-style-type: none">82270 - Hemocult Slide, 1-3 screening (gFOBT)2274 - Hemocult Slide, 1-3 Screening (iFOBT)G0328 - Colorectal Cancer screening FOBT, immuno- assay, 1-3 simultaneouslyG0464 - Colorectal Cancer screening; stool- based DNA and fecal occult81528 - FIT- DNAZ85.038 - hx neoplasm Lg IntestineZ85.048 - hx neoplasm Rectum/Sigmoid Junct/Anus	