

```

global_data = {
    "attribute_1": "total_cost",
    "attribute_2": "material_continuity",
    "attribute_3": "mass",
    "attribute_4": "electrical_conductivity",
    "attribute_5": "connection_reliability",

    "direction_attribute_1": "negative",
    "direction_attribute_2": "positive",
    "direction_attribute_3": "negative",
    "direction_attribute_4": "positive",
    "direction_attribute_5": "positive",

    "attribute_1_min": 15.06,
    "attribute_1_max": 38.95,
    "attribute_2_min": 0,
    "attribute_2_max": 1,
    "attribute_3_min": 0.74,
    "attribute_3_max": 1.15,
    "attribute_4_min": 35,
    "attribute_4_max": 58,
    "attribute_5_min": 5.5,
    "attribute_5_max": 9.5
}

```

```

regional_data = [
    {
        "region": "United States",
        "copper_price_per_kg": 9.50,
        "aluminum_price_per_kg": 2.50,
        "copper_product_market_share": 0.62,
        "aluminum_product_market_share": 0.38,
        "weight_attribute_1": 0.30,
        "weight_attribute_2": 0.20,
        "weight_attribute_3": 0.20,
        "weight_attribute_4": 0.15,
        "weight_attribute_5": 0.15
    },
    {
        "region": "China",
        "copper_price_per_kg": 8.80,
        "aluminum_price_per_kg": 2.20,
        "copper_product_market_share": 0.52,
    }
]

```

```

    "aluminum_product_market_share": 0.48,
    "weight_attribute_1": 0.40,
    "weight_attribute_2": 0.15,
    "weight_attribute_3": 0.20,
    "weight_attribute_4": 0.10,
    "weight_attribute_5": 0.15
  },
  {
    "region": "India",
    "copper_price_per_kg": 10.00,
    "aluminum_price_per_kg": 2.40,
    "copper_product_market_share": 0.53,
    "aluminum_product_market_share": 0.47,
    "weight_attribute_1": 0.50,
    "weight_attribute_2": 0.10,
    "weight_attribute_3": 0.15,
    "weight_attribute_4": 0.10,
    "weight_attribute_5": 0.15
  },
  {
    "region": "Europe",
    "copper_price_per_kg": 9.80,
    "aluminum_price_per_kg": 2.60,
    "copper_product_market_share": 0.60,
    "aluminum_product_market_share": 0.40,
    "weight_attribute_1": 0.25,
    "weight_attribute_2": 0.15,
    "weight_attribute_3": 0.25,
    "weight_attribute_4": 0.15,
    "weight_attribute_5": 0.20
  }
]

```

```

product_data = [
  {
    "region": "United States",
    "dominant material": "cu",
    "product": "EV HV DC Link Laminated Busbar",
    "copper_kg": 0.90,
    "aluminum_kg": 0.05,
    "total_mass_kg": 1.15,
    "non_material_cost_per_unit": 25.00,
    "attribute_2_value": 1,
    "attribute_3_value": 1.15,

```

```
"attribute_4_value": 58,
"attribute_5_value": 9.0
},
{
  "region": "United States",
  "dominant material": "al",
  "product": "EV HV DC Link Laminated Busbar",
  "copper_kg": 0.10,
  "aluminum_kg": 0.44,
  "total_mass_kg": 0.74,
  "non_material_cost_per_unit": 28.00,
  "attribute_2_value": 0,
  "attribute_3_value": 0.74,
  "attribute_4_value": 35,
  "attribute_5_value": 6.5
},
{
  "region": "China",
  "dominant material": "cu",
  "product": "EV HV DC Link Laminated Busbar",
  "copper_kg": 0.90,
  "aluminum_kg": 0.05,
  "total_mass_kg": 1.15,
  "non_material_cost_per_unit": 12.00,
  "attribute_2_value": 1,
  "attribute_3_value": 1.15,
  "attribute_4_value": 58,
  "attribute_5_value": 8.5
},
{
  "region": "China",
  "dominant material": "al",
  "product": "EV HV DC Link Laminated Busbar",
  "copper_kg": 0.10,
  "aluminum_kg": 0.44,
  "total_mass_kg": 0.74,
  "non_material_cost_per_unit": 15.00,
  "attribute_2_value": 0,
  "attribute_3_value": 0.74,
  "attribute_4_value": 35,
  "attribute_5_value": 7.0
},
{
  "region": "India",
```

```
"dominant material": "cu",
"product": "EV HV DC Link Laminated Busbar",
"copper_kg": 0.90,
"aluminum_kg": 0.05,
"total_mass_kg": 1.15,
"non_material_cost_per_unit": 10.00,
"attribute_2_value": 1,
"attribute_3_value": 1.15,
"attribute_4_value": 58,
"attribute_5_value": 8.5
},
{
  "region": "India",
  "dominant material": "al",
  "product": "EV HV DC Link Laminated Busbar",
  "copper_kg": 0.10,
  "aluminum_kg": 0.44,
  "total_mass_kg": 0.74,
  "non_material_cost_per_unit": 13.00,
  "attribute_2_value": 0,
  "attribute_3_value": 0.74,
  "attribute_4_value": 35,
  "attribute_5_value": 5.5
},
{
  "region": "Europe",
  "dominant material": "cu",
  "product": "EV HV DC Link Laminated Busbar",
  "copper_kg": 0.90,
  "aluminum_kg": 0.05,
  "total_mass_kg": 1.15,
  "non_material_cost_per_unit": 30.00,
  "attribute_2_value": 1,
  "attribute_3_value": 1.15,
  "attribute_4_value": 58,
  "attribute_5_value": 9.5
},
{
  "region": "Europe",
  "dominant material": "al",
  "product": "EV HV DC Link Laminated Busbar",
  "copper_kg": 0.10,
  "aluminum_kg": 0.44,
  "total_mass_kg": 0.74,
```

```
"non_material_cost_per_unit": 34.00,  
"attribute_2_value": 0,  
"attribute_3_value": 0.74,  
"attribute_4_value": 35,  
"attribute_5_value": 7.0  
}  
]
```