## NOTE

basis :  $g_1 = px$ ,  $g_2 = py$ ,  $g_3 = pz$ ,  $g_4 = dxy$ ,  $g_5 = dyz$ ,  $g_6 = dzx$ .

$$H(k) = \begin{bmatrix} H_{x,x} & 0 & 0 & H_{x,xy} & 0 & H_{x,zx} \\ H_{y,y} & 0 & H_{y,xy} & H_{y,yz} & 0 \\ & H_{z,z} & 0 & H_{pz,dyz} & H_{z,zx} \\ & & H_{xy,xy} & 0 & 0 \\ & \dagger & & H_{yz,yz} & 0 \\ & & & H_{zx,zx} \end{bmatrix}$$

$$H_{x,x} = E_p + 2cosk_x aV_{pp\sigma} + 2cosk_y aV_{pp\pi} + 2cosk_z aV_{pp\pi}$$

$$H_{x,xy} = 2isink_y aV_{pd\pi}$$

$$H_{x,zx} = 2isink_z aV_{pd\pi}$$

$$H_{y,y} = E_p + 2cosk_x aV_{pp\pi} + 2cosk_y aV_{pp\sigma} + 2cosk_z aV_{pp\pi}$$

$$H_{y,xy} = 2isink_x a V_{pd\pi}$$

$$H_{y,yz} = 2isink_z a V_{pd\pi}$$

$$H_{z,z} = E_p + 2\cos k_x a V_{pp\pi} + 2\cos k_y a V_{pp\pi} + 2\cos k_z a V_{pp\sigma}$$

$$H_{z,yz} = 2isink_y aV_{pd\pi}$$

$$H_{z,zx} = 2isink_x aV_{pd\pi}$$

$$H_{xy,xy} = E_d + 2\cos k_x a V_{dd\pi} + 2\cos k_y a V_{dd\pi} + 2\cos k_z a V_{dd\delta}$$

$$H_{yz,yz} = E_d + 2cosk_x aV_{dd\delta} + 2cosk_y aV_{dd\pi} + 2cosk_z aV_{dd\pi}$$

 $H_{zx,zx} = E_d + 2\cos k_x a V_{dd\pi} + 2\cos k_y a V_{dd\delta} + 2\cos k_z a V_{dd\pi}$ 

1

.




Figure 1: TB band with paras:  $E_d = 0.28281, E_p = -0.10147, V_{pp\sigma} = 0.02005, V_{pp\pi} = -0.017848, V_{pd\pi} = 0.034711, V_{dd\pi} = 0.04694, V_{dd\delta} = -0.062523$