
1
4
2
3
1
2
3
1
2
1

```
\documentclass[border=0.5cm, multi=page]{standalone}
\usepackage{fvextra}
\usepackage{../../latex/pgf-go}



\pgfgouseprofile{pgfgo}


\begin{document}
\begin{page}%
    \setlength{\tabcolsep}{2pt}

    \begin{tabular}{cc}
        \begin{goban}[partial = {from = A9 to E5}]
            \stone[b]{C7}
            \marks[sequence]{C8, D7, C6, B7}
        \end{goban} &
        %
        \begin{goban}[partial = {from = E9 to I5}]
            \stone[b]{G7}
            \stone[w]{F7}
            \marks[sequence]{G8, H7, G6}
        \end{goban} \\
        %
        \begin{goban}[partial = {from = A1 to E5}]
            \stone[b]{C3}
            \stones[w]{B3,C2}
            \marks[sequence]{C4, D3}
        \end{goban} &
        %
        \begin{goban}[partial = {from = E1 to I5}]
            \stone[b]{G3}
            \stones[w]{F3,G2, H3}
            \marks[sequence]{G4}
        \end{goban}\\
    \end{tabular}%
\end{page}

% The last page shows this code.
\standaloneconfig{varwidth = false}
\begin{page}
    \begin{minipage}{16cm}
        \VerbatimInput[fontsize = \small, breaklines, tabsize = 4]{example-7.tex}
    \end{minipage}
\end{page}
\end{document}
```