ESU

Sound Project Overview

General project information			
Project-Name:		Version-No.:	Project-No.:
ROCO Rh2016 Hercules		V3	11458
Item-No.:		Order-No.:	
Customer:	C	Contact person:	
Modelleisenbahn München Gmb Triebstrasse 14	oH [Thomas Weißl	
80993 München	, [TelNo.:	
		Email:	
		t.weissl@roco.cc	
Project start:	Project status:	Date of approval:	
May 21, 2012	Active		
OEM-Manual required			
Sound recording documentat	ion		
Origin of the sound:			Recording date:
			Recording date: May 2012
Origin of the sound:			
Origin of the sound: ESU recordings ÖBB Rh2016, in			
Origin of the sound: ESU recordings ÖBB Rh2016, in			
Origin of the sound: ESU recordings ÖBB Rh2016, in			
Origin of the sound: ESU recordings ÖBB Rh2016, in			
Origin of the sound: ESU recordings ÖBB Rh2016, in			
Origin of the sound: ESU recordings ÖBB Rh2016, in			
Origin of the sound: ESU recordings ÖBB Rh2016, in			
Origin of the sound: ESU recordings ÖBB Rh2016, in			
Origin of the sound: ESU recordings ÖBB Rh2016, in			

ESU

Sound Project Overview

Decoder information Decodertype: Loudspeaker: **Configuration:** 28mm, 4 Ohms 1 speaker directed upwards; enclosure LokSound V4.0 M4 Firmware-Version: 4.6.9129 **Decoder Setup** Address: max. speed: **Protocols: Break sections:** 3 CV5=217 DC Motorola DCC AC 🖾 Märklin 🔯 mfx/M4 DCC ⊠ Selectrix ⊠ Railcom + Prime mover sound description: - Diesel sound, 8 drive steps - electric engine noise **Function keys:** Licht vorn Sound An / Aus F1 F2 hohes Signalhorn F3 tiefes Signalhorn F4 Schaffnerpfiff F5 Kompressor Beschleunigungs-/Bremszeit, Rangiergang F6 F7 Lüfter Diesel Fahrstufe Auf F8 F9 Diesel Fahrstufe Ab F10 | Kupplungsgeräusch F11 | Sanden F12 Doppelhorn F13 Bremse Anlegen / Lösen F14 Ventil F15 Türe Auf / Zu F16 Kurvenquietschen Schienenstöße **Special features:** compressor and safety valve as random sounds

2/4

CV-	Values								
CV	DEC BIN	HEX	CV	DEC BIN	HEX	CV	DEC B	IN	HEX
L			1			1			

ESU

Sound Project Overview

Date issued: Sent by: Custon	ner's feedback date:
June 05, 2012 email	June 05, 2012
Customer's feedback (change requests):	
Sehr geehrter Herr Macziol,	
ja, das geht jetzt flott!	
4 Änderungen noch:	
F14: -3dB. Beschleunigung und Bremsen dauert zu lange (ca. um 1/3 schneller).	
Vmax ist um 15% zu hoch. Der Fahrsound ist im Vergleich zu den Hörnern immer noch zu laut (noch ma	ıl -10%).
Dann sollte es passen!	
Mit freundlichen Grüßen	
Thomas Weißl	
Elektronik/Entwicklung	
Changes in comparison to the former version: - we have changed the sound according to the email	
- we have changed the sound according to the email	
Approval note added □	
Approval note added □ Production file generated by:	Date of generating:
	Date of generating: June 06, 2012
Production file generated by: Daniel Macziol	June 06, 2012
Production file generated by:	