Name - Gyan Bahadur Gurung

My name is Gyan Bahadur Gurung and I am writing this report about my values in an investment idea, SQL database, Java programming language and sonic wave technologies. I have twenty values of things for things I have uniquely. I have $200 billion value for my legacy investment idea. I have a small company called Know Sonic and I have $20 billion value for my company. I have written a report about sonic wave technologies and showed it to about 200-300 companies and received from them the value of my report equivalent to about $1820 billion. Then I have nineteen other unique values. For these twenty unique things I have, I have $2200 trillion dollars worth received from Arizona University and Massachusetts Institute of Technology (MIT). MIT has $1600 trillion worth for developing sonic wave technologies and Arizona University has $1200 trillion worth for developing sonic wave technologies. I have these twenty unique values and no one in this whole world owns these unique values of mine. These values are the following.

1. **A legacy investment idea** - I came up with a legacy investment idea with the help of which people can never run out of their rich dollars. Pick bigger companies such as Apple, Google, Alphabet, Amazon, Facebook, and Microsoft. Type company name and type “stock” in Google search engine. You will find a stock graph of that company. Look up a graph for max period and try to find stock price increment per year and do it over a course of many years. You can find profit percent per year or Return of Income (ROI) percent per year of that company for many years from the calculated stock price increment per year. Also, notice the market capitalization of these companies which are pretty big. These companies can give a minimum 10% profit percent or ROI percent per year. Investing in these companies has a low risk because these companies have no way of vanishing from the earth. Since these companies are going to stay forever and they give a minimum 10% ROI percent per year, an investment of $200,000 can be doubled in about eight years or you can earn a minimum pf $20,000 per year forever by investing in these bigger companies..You can never run out of $200,000 if you diversify your investment in these bigger companies. I came up with this legacy investment idea in 2018. In this investment idea, a minimum of ten percent is assumed; nonetheless, anyone can do better math to find out exact ROI percentage for every year for all of these companies. For your information I have $200 billion value for my legacy investment idea.
2. **Know Sonic company** - I have opened a company called Know Sonic. It is a proprietorship based business. This company basically informs American people and people around the globe about sonic wave technologies. Rather than some foreigners inform us about sonic wave technologies, we the American people should inform us about these technologies. With this kept in mind, my company informs American people about sonic wave technologies via sonic wave IDs,

in-person conversations, social medias, and emails. I have $20 billion dollars for the value of my Know Sonic company.

3. **Money collected from different companies** - I have written a long report about sonic wave technologies. It is a big and unique report. My Know Sonic company employees have shown it to about 200-300 companies and collected about $18200 billion from these companies. This money collected belongs to employees who collected it, to Know Sonic company, and to the long report I have written about sonic wave technologies. This money additionally will also be used for needy people in society. These companies found a big value for my report and contributed money to my Know Sonic company and to my report written about sonic wave technologies.
4. **A long report about sonic wave technologies** - I have written a long report about sonic wave technologies. It is very hard to find information about sonic wave technologies online and in other sources. I have written this report from the user perspective of sonic wave technology. My report covers pretty much everything that is out there in sonic wave technologies from the user perspective. I am the only person who has written a long report about sonic wave technologies. There are no other people who have written this sort of report about sonic wave technologies. My report informs readers about eight types of sonic wave technologies and features of these eight types of sonic wave technologies. My report is helpful to people from different walks of life. It is helpful to people who have never heard about sonic wave technologies. It is helpful to people who know a bit about sonic wave technologies. It is helpful to people who know sonic wave technologies moderately and also to people who know sonic wave technologies a lot. It is even very informative to different people who have developed sonic wave technologies. People who have developed sonic wave technologies know a little about sonic wave technologies. However, after reading my report they knew pretty much everything that is out there in sonic wave technologies. I have shown this report to MIT and Arizona University and from these two universities I have received a very big monetary value for my report. This report became very helpful to these two universities who have developed eight sonic wave technologies. Each developer of sonic wave technologies. was knowing a bit about sonic wave technologies, but after reading my report he or she knew pretty much everything that is out there in sonic wave technologies. My report became helpful to California University (Berkeley) people who look into IT and deployment aspects of sonic wave technologies. My report became helpful to NASA who is redoing the development of sonic wave technologies. My report became helpful to companies who design hardware and who develop hardware for sonic wave technologies. Lastly, my report became helpful to Oracle who

develops Java programming language for sonic wave technologies. My report is helpful to all people around the globe.

5. **Received Sonic Wave Photo Technology firsthand** - Our late father, Chandra Bahadur Gurung, received sonic wave photo technology firsthand in 2020. Arizona University developed this technology in 2020. A photo is edited to make sure how it wants to be displayed on a person's sonic wave ID. Then, people use sonic wave ID software to send that photo to a person's sonic wave ID. After that photo is sent from ID software it is received in a server on the earth from where it is sent to a satellite. From the satellite that photo is sent to the selected ID. A sonic wave ID is selected by using sonic wave ID software. A selected ID then receives this photo. When I write this I mean a human brain receives that photo. After that, a person sees that photo in the space above his or her head, in his or her head, inside of his or her body, or in the space around his or her body. In this way, a photo is sent from ID software and finally that photo is seen by a person whose sonic wave ID is selected by using sonic wave ID software.
6. **Received Sonic Wave Video Technology firsthand** - Our late father, Chandra Bahadur Gurung, received sonic wave video technology firsthand in 2020. Arizona University developed this technology in 2020. In this technology a video is sent from ID software to a person's ID or brain. After that that person sees that video in his or her brain. This display of video in a person's brain can be done when a person is awake and as well as when a person is sleeping. When a person is sleeping and a video is shown to him or her in his or her brain, that person who is sleeping sees a dream. This technology is basically used to show dreams to a person when he or she is sleeping. In this technology a video is first edited to make sure how it wants to be shown to a person. The speed of display of a video can also be set up. Then using sonic wave ID software that video is sent to a server on the earth from an end user computer ID software and from the server that video is sent to a satellite from where it is sent to a selected ID. A sonic wave ID is selected by using sonic wave ID software. A selected ID or a person's brain receives that video in his or her brain and sees it in the brain. If a person is sleeping, that person sees that video in the brain and sees a dream.
7. **Received Sonic Wave Memory Technology firsthand** - I received this sonic wave memory technology firsthand in February of 2021. Arizona University developed this technology in January of 2021. A memory technology is a sonic wave technology which extracts information or data from a human brain memory. There are two ways to extract human brain memory. One way is by using advanced devices and computer probes to extract memory information or data to create a memory data file. Another way is by using a special sonic wave remotely. Sonic waves can remotely extract memory data and can create a memory data file. In both cases, a person whose memory data is to be extracted

must be sleeping and not moving. There are different things that need to be considered in sonic wave memory technology. A small section of a memory data can be sent to a person's brain to figure out what that memory data is about. It is a memory replay in another person's brain. That memory doesn't have any date. You have to ask people when that memory has developed and put that date in a memory data file. The memory replay has to be done for a small section of a human brain memory data file; otherwise, a memory replay is difficult to detect in a memory data file. A section of memory data can be very short depending on how a person thinks. Some people think very short while other people think longer than other people. If a memory data replay reveals a very short thought and it is difficult to figure out what that memory is by memory replay, you have to ask people about that memory data. Then, a longer thought that reveals that very short thought can be created by another person and that longer thought can be inserted in a memory data file. A fake memory data can also be created. A fake thought can be created by a person and that thought can be inserted in another person's memory data file. Later, if another person replays that memory in a person's brain memory, that person might think that that memory is real, but in reality that memory is fake. A person's past brain memory data can only be detected by replaying that memory data in a person's brain. If a given memory data is very fast and replaying that memory in a person's brain is difficult to read because that memory is very fast, memory replay has to be done for a longer time by increasing the time length of that section of memory data. In this way, a person's life history can be known with an extraction of that person's brain memory data, a creation of a human brain memory data file, and replaying that memory data in any person's brain.

8. **Received Sonic Wave Seeing Eye Technology firsthand** - I received this sonic wave seeing eye technology firsthand in March of 2021. Massachusett Institute of Technology (MIT) developed this technology in March of 2021. Seeing eye technology is a technology that is used to see from another person's eyes. By using this technology, you can remotely see what another person is seeing. In order to see from another person's eyes, sonic wave IDs of people have to be connected to that person's sonic wave ID and people use sonic wave ID software to configure for these people to see from that person's eyes. After people use sonic wave ID software to connect different sonic wave IDs to connect with that person's sonic wave ID, that information is sent from sonic wave ID software to a server on the earth from where it is sent to a satellite. The satellite finally connects different sonic wave IDs of these people with that person's sonic wave ID. In this way, sonic wave IDs of different people are connected with each other. When that person sees a view in front of him or her, images are formed in his or her eye retinas and that person's brain processes that view after which that

person is capable of seeing that view in front of him or her. Then that view information is picked up by sonic waves and is sent to a satellite from where it is sent to connected IDs or different people's brains. In this way, sight information is sent from one person's brain to another person's brain. This is how brain to brain information transfer takes place. Once people receive information in their brain they are capable of seeing things from another person's eyes. As long as there is a satellite network outreach these people can remotely see what that person is seeing. .

9. **Received Sonic Wave Sensation Technology firsthand** - I received this sonic wave sensation technology firsthand in March of 2021. Massachusett Institute of Technology (MIT) developed this technology in March of 2021. By using this technology one or more people are capable of sensing another person's sensations such as cut sensation, pain sensation, sneezing sensation, poof sensation, pee sensation, and other sensations. First, sonic wave IDs of different people have to be connected with each other by using sonic wave ID software. People use sonic wave ID software to connect sonic wave IDs of different people with each other. That information from ID software is sent to a server on the earth from where that information is sent to a satellite. It is in the satellite where different IDs are connected with each other. A person feels something and that sensation is received in his or her brain after which the brain knows that sensation after which that person is capable of knowing that sensation. That sensation information from that person's brain is picked by sonic waves and is sent to a satellite from where it is sent to connected IDs or brains of different people. People's brains receive this sensation after which they are capable of knowing sensation taking place in that person's head or body. If one or more people want to know sensations taking place in another person's head or body, a comb shaped sensation object has to be placed in that person's body where that sensation is taking place and sonic wave IDs of these people have to be connected with each other by using sonic wave ID software.
10. **Contribution to Java programming language** - In Java JDBC, connection is an interface and you create an object of connection interface type to work with SQL databases. You can create an interface object in this case although connection is a Java built in interface. Quite interestingly, you can also create objects of Java custom built interfaces, but at that time nobody knew that they can create objects of Java custom built interfaces. I don't think at that time anyone had used objects of Java custom built interfaces. I contributed this feature in December of 2023 to the development of the Java programming language. When you have the capability to create objects of Java custom built interfaces, you can avoid creating unnecessary classes that inherit Java custom built interfaces. Instead, you can directly create classes that inherit Java custom built interfaces and can

create objects of Java custom built interfaces. You can have a three level hierarchy of inheritance in a Java project. Level 1 hierarchy can have one or more root level interfaces and level 2 hierarchy can have various interfaces that inherit level 1 hierarchy interfaces. Level 3 hierarchy can have classes that inherit level 2 hierarchy various interfaces and then you can create various objects of level 2 hierarchy interfaces. The ability to create objects of interface types is pretty big in any project design and development.

11. **Contribution to the development of sonic wave technologies** - In Java programming language, short, int, long, float and double data types take 2 bytes, 4 bytes, 8 bytes, 4 bytes, and 8 bytes in memory space respectively. Instead of using these data types you can use byte data type when feasible. Byte can take only 1 byte in memory space and byte has fewer Java implicit methods than other data types such as short, int, long, float or double data types. Byte data type saves memory which in turn makes a Java project efficient. Also, after looking up Java source code of how byte data type works, developers started learning Java system programming in greater depth. I contributed byte data type in November of 2023 to the development of sonic wave technologies. At that time nobody had known about this data type. Sonic wave technologies project was huge and its development was stagnating because many developers were contributing Java source code and they were using too many aforementioned data types rather than using byte data type. At that time I contributed byte data type and the project became 1.2 times faster. After using byte data type the project became efficient and picked a new direction. This helped solve many unsolved problems in the development of sonic wave technologies.
12. **Super keyword** - Super is a reserved keyword used in Java programming language. Constructor of a base class can be called from any methods of a derived class by using this syntax - *super(list of arguments)* and from the constructor of a base class any methods of that base class can be called. This can add dynamic variability in the development of any Java projects. I have contributed this use of this super keyword in this way.
13. **Access modifier protected keyword** - There are three types of access modifiers in Java programming language namely private, protected, and public. Private access modifier has the scope of a class. Protected access modifier has the scope of a class, the same package in which that class is defined, and sub-packages of that package. Public access modifier has the scope of a class and all packages and sub-packages of a project. A private method can only be accessed in a class in which it is defined. A protected method is accessed in a class in which it is defined, a package in which that class is defined, and sub-packages of that package. A public method can be accessed everywhere in a project. A protected instance variable can be accessed using getter and setter

methods. In fact, all instance variables of access modifier types private, protected, and public, except final variables, can be accessed using getter and setter methods. Quite interestingly, a protected instance variable, like a public instance variable, can be accessed by using this syntax - ***class_name.protected_variable_name***. I have contributed to how protected access modifier should be used in Java programming language and it became really big.

14. **Database foreign key** - What if you don't want a foreign key column of a database table to be never repeated? In that case, you have to make that column as a foreign key first and define all other columns of that database table. After that you have to make that same foreign key column as a primary key. For that define that foreign key column as a primary key at the end of that table definition. For instance, you have an employee table and a department table. What if an employee never works in more than one department? In that case, you have to make a foreign key column in a department table to refer to the primary key column of an employee table. Then, you have to make that foreign key column in a department table as a primary key column of that department table. I have contributed this foreign key definition and primary key definition and it became really big.
15. **Objects in database query** - What if you have to work with three database tables to get a required result? There are two solutions to this problem. The first solution is that you can use a query that works with all three tables and get the required result. The second solution is that you can use a query for the first two tables, create an object for each row you access, and store each object in an arraylist data structure. You can then loop this arraylist data structure and can use a second query for the last table to get the required result. Similarly, if you have more than three tables to work with to find a result, you can create objects for each row accessed, create arraylist data structures, and work with database queries together with the created arraylist data structures. I have contributed this idea and it became really big.
16. **Interface in a project design** - I have contributed the use of interface in any Java projects. Interface is heavily used in Java project design. Multiple inheritance by inheriting multiple interfaces is widely used in Java projects. An interface doesn't have constructors. An interface doesn;t have instance variables but it can have constant variables of access modifier types public, protected, and public. An interface has abstract methods that don't have a body. Abstract methods implement common behaviour in Java projects. Abstract methods can use private, protected, and public access modifiers. An interface has default methods of access modifier types private, protected, and public. Default methods have a body for code reuse in Java projects. You can create objects of interface

types in Java inheritance. The syntax for creating interface type objects is *interface_name object_name = new derived_class_name(list of arguments)*. This interface type object can call getter and setter methods of a derived class that inherits that interface. Any class can inherit one or more interfaces and you can create objects of those classes by using this syntax, *derived_class_name object_name = new derived_class_name(list of arguments).* A private method in an interface can be called from other methods of that interface and you can provide implementation of that private method in a derived class that inherits that interface. You can use that private method in another way as well. You can provide implementation of an interface private method in a derived class that inherits that interface and you can use that private method in other methods of that derived class. An interface can have static methods of access modifier types private, protected, and public. If you have two interfaces interfaceA and interfaceA and these interfaces have a common default method print(). Suppose a class inherits two interfaces. Which print() method will the derived class call? In that case, the derived class has to override print() method. You can provide a different body for print() method or you can call print() methods of both interfaces by using these syntaxes, *interfaceA.super.print()* and *interfaceB.super.print()*.

17. Java hello world program.

Report by Gyan Bahadur Gurung
Email : gy1ngurung@gmail.com
Phone : 314-685-7632
Bank account number : 3550-1522-2405
Bank routing number : 081000032
Address : 3637 Liermann Avenue Apt A
Saint Louis, Missouri 63116