

(a) partition under a 2000 two-qubit budget
25 APs, 50 UEs → 14 zones, |ℬ|=23 boundary UEs (46%)
Z1 2u 2q 240
Z2 7u 7q 1854
Z3 3u 3q 358
Z4 4u 4q 1008
Z5 7u 7q 1486
Z6 6u 6q 1310
Z7 6u 6q 1910
Z8 2u 2q 246
Z9 7u 7q 1662
Z10 6u 6q 1406
Z11 5u 5q 1502
Z12 5u 5q 862
Z13 7u 7q 1022
Z0 6u 6q 1174
outline: zone territory (nearest AP)
basemap: campus; APs on registered masts,
UEs on open ground
AP (colour = zone)
interior UE
boundary UE
UE-to-candidate-AP link
(b1) zone Z13: 1 AP, N_z=7, $|\mathcal{F}_z|$=54
accepted probability
$\propto e^{\lambda J_z}$
sampled, TVD 0.114
infeasible: zero mass
assignment, ranked by J_z
(b2) zone Z2: 3 APs, N_z=7, $|\mathcal{F}_z|$=64
accepted probability
$\propto e^{\lambda J_z}$
sampled, TVD 0.184
infeasible: zero mass
assignment, ranked by J_z
(c1) zone Z13, boundary UEs 12 & 14
joint samples
marginal product
probability
infeasible
RB38 RB52
RB52 RB35
RB38 RB35
RB52 RB52
joint choice
(c2) zone Z0, boundary UEs 30 & 38
joint samples
marginal product
infeasible
RB85 RB81
RB81 RB28
RB85 RB28
RB81 RB81
joint choice
(c3) cost of dropping the joint list
re-conditioned [%]
equal
+0.9 pp on average
11 of 14 above
one-pass [%]
(d) boundary UEs fixed, least ambiguous first
confidence γ_i
5 exception re-samples
decimation order