



**SERVIÇO NACIONAL DE APRENDIZAGEM INDUSTRIAL**

**SENAI “GASPAR RICARDO JUNIOR”**

**Curso**

**TÉCNICO EM DESENVOLVIMENTO  
DE SISTEMAS**

**RMSO (Validação W3C)**

Paola de Oliveira

Vitor Henrique da Silva Fogaça

Sorocaba, São Paulo  
Outubro – 2024

# RMSO (Validação W3C)

Código antes de ser corrigido:

```
<!DOCTYPE html>
<html lang="en">

<head>

  <meta charset="utf-8"

  <titulo>Setembro Amarelo</titulo>

  <meta http-equiv="X-UA-Compatible" content="IE=Edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta name="keywords" content="">
  <meta name="description" content="SIM EU ESTOU">

  <!-- stylesheets css -->
  <link rel="stylesheet" href="css/bootstrap.min.css">
  <link rel="stylesheet" href="css/animate.min.css">

  <link rel="stylesheet" href="css/et-line-font.css">
  <link rel="stylesheet" href="css/font-awesome.min.css">

  <link rel="stylesheet" href="css/vegas.min.css">
  <link rel="stylesheet" href="css/style.css">

  <link href='https://fonts.googleapis.com/css?family=Rajdhani:400,500,700' rel='stylesheet '
type='text/css'>

</body></body>

<!-- preloader section -->
<section class="preloader">
  <div class="sk-circle">
    <div class="sk-circle1 sk-child"></div>
    <div class="sk-circle2 sk-child"></div>
    <div class="sk-circle3 sk-child"></div>
    <div class="sk-circle4 sk-child"></div>
    <div class="sk-circle5 sk-child"></div>
    <div class="sk-circle6 sk-child"></div>
    <div class="sk-circle7 sk-child"></div>
    <div class="sk-circle8 sk-child"></div>
    <div class="sk-circle9 sk-child"></div>
    <div class="sk-circle10 sk-child"></div>
    <div class="sk-circle11 sk-child"></div>
    <div class="sk-circle12 sk-child"></div>
  </div>
</section>
```

```

<!-- home section -->
<section id="home">
  <div class="container">
    <div class="row">

      <div class="col-md-offset-2 col-md-8 col-sm-12">
        <div class="home-thumb">
          <h1 class="wow fadeInUp" data-wow-delay="0.4s">Setembro Amarelo</h1>
          <h3 class="wow fadeInUp" data-wow-delay="0.6s">Você <strong>não</strong> está
<strong>sozinho</strong>!</h3>
          <a href="https://tinder.com/pt" data-toggle="modal" class="btn btn-lg btn-success
smoothScroll wow fadeInUp"
            data-wow-delay="1.0s">CVV!</a>
        </div>
      </div>
    </div>
  </section>

  <!-- about section -->
  <section id="about">
    <div class="container">
      <div class="row">

        <div class="col-md-6 col-sm-12">
          
        </div>

        <div class="col-md-6 col-sm-12">
          <div class="about-thumb">
            <div class="section-title">
              <h1 class="wow fadeIn" data-wow-delay="0.2s">O que é Setembro Amarelo?</h1>
            </div>
            <div class="wow fadeInUp" data-wow-delay="0.6s">
              <p>Setembro Amarelo é um movimento, uma campanha de conscientização sobre a prevenção do
suicídio. A cor "amarela" é usada mundialmente como referência direta ao Dia Mundial de Prevenção do
Suicídio (10 de setembro). Qualquer pessoa (física ou jurídica) pode participar do Movimento. Mais do
que simplesmente iluminar locais públicos ou chamar a atenção com ações de impacto. Quando uma pessoa
decide terminar com a sua vida, os seus pensamentos, sentimentos e ações apresentam-se muito restritivos,
ou seja, ela pensa constantemente sobre o suicídio e é incapaz de perceber outras maneiras de enfrentar ou
de sair do problema. Essas pessoas pensam rigidamente pela distorção que o sofrimento emocional
impõe. Se informar para aprender e ajudar o próximo é a melhor saída para lutar contra esse problema tão
grave.
            </div>
          </div>
        </div>
      </div>
    </section>
  </body>

```

```

<!-- about section -->
<section id="ABOMINAÇÃO">
  <div class="container">
    <div class="row">

      <div class="col-md-6 col-sm-12">
        
      </div>

      <div class="col-md-6 col-sm-12">
        <div class="about-thumb">
          <div class="section-title">
            <h1 class="wow fadeIn" data-wow-delay="0.2s">Sobre a CVV</h1>
          </div>
          <div class="wow fadeInUp" data-wow-delay="0.6s">
            <p>Formados exclusivamente por voluntários, o CVV oferece apoio emocional e prevenção do
suicídio gratuitamente. Quem os procura, normalmente está se sentindo solitário ou precisa
conversar de forma sigilosa, sem julgamentos, críticas ou comparações. Atuam nacionalmente. Onde o
atendimento é realizado pelo telefone 188 (24 horas por dia e sem custo de ligação), chat, e-mail e
pessoalmente em alguns endereços.
          </div>
        </div>
      </div>
    </div>
  </section>

```

```

<!-- feature section -->
<section id="feature">
  <div class="container">
    <div class="row">

      <svg preserveAspectRatio="none" viewBox="0 0 100 102" height="100" width="100%" version="1.1"
        xmlns="http://www.w3.org/2000/svg" class="svgcolor-light">
        <path d="M0 0 L50 100 L100 0 Z"></path>
      </svg>

    </div>
    <div class="section-title">
      <h1 class="wow fadeIn" data-wow-delay="0.2s">Sinais de alerta!</h1>
      <p class="wow fadeInUp" data-wow-delay="0.6s">Preste atenção aos sinais. Pequenas mudanças
podem
      indicar um pedido de ajuda.</p>
      <br>

      <div class="col-md-4 col-sm-6">
        <div class="media wow fadeInUp" data-wow-delay="0.4s">
          <div class="media-object"></div>
          <div class="media-body">
            
            <p>Não gostar mais de <br>
coisas que curtia <br>
antes.</p>
          </div>
        </div>
      </div>

      <div class="col-md-4 col-sm-6">
        <div class="media wow fadeInUp" data-wow-delay="0.8s">
          <div class="media-object"></div>
          <div class="media-body">
            
            <p>Frases como <br>
"preferia estar <br>
morto" ou "quero <br>
desaparecer".</p>
          </div>
        </div>
      </div>

      <div class="col-md-4 col-sm-8">
        <div class="media wow fadeInUp" data-wow-delay="1.2s">
          <div class="media-object"></div>
          <div class="media-body">
            
            <p>Achar que os<br>
outros ficarão <br>
melhor depois <br>da sua morte.</p>
          </div>
        </div>
      </div>

      <div class="col-md-4 col-sm-6">
        <div class="media wow fadeInUp" data-wow-delay="0.4s">
          <div class="media-object"></div>
          <div class="media-body">
            
            <p>Piora do desempenho <br>
na escola ou no <br>
trabalho.</p>
          </div>
        </div>
      </div>

      <div class="col-md-4 col-sm-6">
        <div class="media wow fadeInUp" data-wow-delay="0.8s">
          <div class="media-object"></div>
          <div class="media-body">
            
            <p>Achar que nada <br>
nem ninguém <br>
pode ajudar.</p>
          </div>
        </div>
      </div>

      <div class="col-md-4 col-sm-8">
        <div class="media wow fadeInUp" data-wow-delay="1.2s">
          <div class="media-object"></div>
          <div class="media-body">
            
            <p>Isolar-se e não ter <br>
esperança no futuro.</p>
          </div>
        </div>
      </div>

      <div class="clearfix text-center col-md-12 col-sm-12">

    </div>

  </div>
</div>
</section>

```



```

<!-- footer section -->
<footer>
  <div class="container">
    <div class="row">

      <svg class="svgcolor-light" preserveAspectRatio="none" viewBox="0 0 100 102" height="100"
width="100%"
  version="1.1" xmlns="http://www.w3.org/2000/svg">
    <path d="M0 0 L50 100 L100 0 Z"></path>
  </svg>

      <div class="col-md-4 col-sm-6">
        <h2>Juntos pela Vida</h2>
        <div class="wow fadeInUp" data-wow-delay="0.3s">
          <p>Se você ou alguém que você conhece precisa de apoio, não hesite em buscar ajuda. Juntos,
podemos promover
          a vida e o bem-estar. ♥ Para mais informações, entre em contato com um profissional de
saúde mental.</p>
          <p class="copyright-text">
            Juntos com a <a rel="nofollow" href="https://cvv.org.br" target="_parent">cvv</a></p>
          </div>
        </div>

      <div class="col-md-1 col-sm-1"></div>

      <div class="col-md-4 col-sm-5">
        <h2>Redes Sociais</h2>
        <p class="wow fadeInUp" data-wow-delay="0.6s">
          Siga nossas páginas para dicas, informações e histórias de superação. Junte-se a nós na
luta pela prevenção
          do suicídio e na promoção da saúde mental ♥.
          #SetembroAmarelo.
        </p>
        <ul class="social-icon">
          <li><a href="#" class="fa fa-facebook wow bounceIn" data-wow-delay="0.9s"></a></li>
          <li><a href="#" class="fa fa-twitter wow bounceIn" data-wow-delay="1.2s"></a></li>
        </ul>
      </div>
    </div>
  </div>
</footer>

```

## Validação W3C:

### Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file index.html

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by   Nenhum arquivo escolhido

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Error** Saw < when expecting an attribute name. Probable cause: Missing > immediately before.

At line 8, column 3

```
set="utf-8"><titulo>Setembr
```

- Warning** Attribute <titulo> is not serializable as XML 1.0.

From line 6, column 3; to line 8, column 10

```
<head><meta charset="utf-8"><titulo>Setemb
```

- Error** Attribute <titulo> not allowed on element <meta> at this point.

From line 6, column 3; to line 8, column 10

```
<head><meta charset="utf-8"><titulo>Setemb
```

4.	<p><b>Error</b> Element <code>head</code> is missing a required instance of child element <code>title</code>.</p> <p>From line 8, column 11; to line 8, column 26</p> <pre>&lt;titulo&gt;Setembro Amarelo&lt;/titu</pre> <p>Content model for element <code>head</code>:</p> <p>If the document is an <a href="#">iframe srcdoc document</a> or if title information is available from a higher-level protocol: Zero or more elements of <a href="#">metadata content</a>, of which no more than one is a <a href="#">title</a> element and no more than one is a <a href="#">base</a> element.</p> <p>Otherwise: One or more elements of <a href="#">metadata content</a>, of which exactly one is a <a href="#">title</a> element and no more than one is a <a href="#">base</a> element.</p>
5.	<p><b>Error</b> Stray end tag <code>titulo</code>.</p> <p>From line 8, column 27; to line 8, column 35</p> <pre>ro Amarelo&lt;/titulo&gt;&lt;/&gt;</pre>
6.	<p><b>Error</b> Attribute <code>http-equiv</code> not allowed on element <code>meta</code> at this point.</p> <p>From line 10, column 3; to line 10, column 55</p> <pre>itulo&gt;&lt;meta http-equiv="X-UA-Compatible" content="IE=Edge"&gt;&lt;me</pre> <p>Attributes for element <code>meta</code>:</p> <p><a href="#">Global attributes</a></p> <p><code>name</code> — Metadata name</p> <p><code>http-equiv</code> — Pragma directive</p> <p><code>content</code> — Value of the element</p> <p><code>charset</code> — Character encoding declaration</p> <p><code>media</code> — Applicable media</p>
7.	<p><b>Error</b> Element <code>meta</code> is missing one or more of the following attributes: <code>itemprop</code>, <code>property</code>.</p> <p>From line 10, column 3; to line 10, column 55</p> <pre>itulo&gt;&lt;meta http-equiv="X-UA-Compatible" content="IE=Edge"&gt;&lt;me</pre> <p>Attributes for element <code>meta</code>:</p>
8.	<p><b>Error</b> Attribute <code>name</code> not allowed on element <code>meta</code> at this point.</p> <p>From line 11, column 3; to line 11, column 70</p> <pre>=Edge"&gt;&lt;meta name="viewport" content="width=device-width, initial-scale=1"&gt;&lt;me</pre> <p>Attributes for element <code>meta</code>:</p> <p><a href="#">Global attributes</a></p> <p><code>name</code> — Metadata name</p> <p><code>http-equiv</code> — Pragma directive</p> <p><code>content</code> — Value of the element</p> <p><code>charset</code> — Character encoding declaration</p> <p><code>media</code> — Applicable media</p>
9.	<p><b>Error</b> Element <code>meta</code> is missing one or more of the following attributes: <code>itemprop</code>, <code>property</code>.</p> <p>From line 11, column 3; to line 11, column 70</p> <pre>=Edge"&gt;&lt;meta name="viewport" content="width=device-width, initial-scale=1"&gt;&lt;me</pre> <p>Attributes for element <code>meta</code>:</p> <p><a href="#">Global attributes</a></p> <p><code>name</code> — Metadata name</p> <p><code>http-equiv</code> — Pragma directive</p> <p><code>content</code> — Value of the element</p> <p><code>charset</code> — Character encoding declaration</p> <p><code>media</code> — Applicable media</p>
10.	<p><b>Error</b> Attribute <code>name</code> not allowed on element <code>meta</code> at this point.</p> <p>From line 12, column 3; to line 12, column 35</p> <pre>ale=1"&gt;&lt;meta name="keywords" content=""&gt;&lt;me</pre> <p>Attributes for element <code>meta</code>:</p> <p><a href="#">Global attributes</a></p>
11.	<p><b>Error</b> Element <code>meta</code> is missing one or more of the following attributes: <code>itemprop</code>, <code>property</code>.</p> <p>From line 12, column 3; to line 12, column 35</p> <pre>ale=1"&gt;&lt;meta name="keywords" content=""&gt;&lt;me</pre> <p>Attributes for element <code>meta</code>:</p> <p><a href="#">Global attributes</a></p> <p><code>name</code> — Metadata name</p> <p><code>http-equiv</code> — Pragma directive</p> <p><code>content</code> — Value of the element</p> <p><code>charset</code> — Character encoding declaration</p> <p><code>media</code> — Applicable media</p>
12.	<p><b>Warning</b> Attribute <code>contente?</code> is not serializable as XML 1.0.</p> <p>From line 13, column 3; to line 13, column 52</p> <pre>ent=""&gt;&lt;meta name="description" contente?="SIM EU ESTOU"&gt;&lt;!</pre>
13.	<p><b>Error</b> Attribute <code>name</code> not allowed on element <code>meta</code> at this point.</p> <p>From line 13, column 3; to line 13, column 52</p> <pre>ent=""&gt;&lt;meta name="description" contente?="SIM EU ESTOU"&gt;&lt;!</pre> <p>Attributes for element <code>meta</code>:</p> <p><a href="#">Global attributes</a></p> <p><code>name</code> — Metadata name</p> <p><code>http-equiv</code> — Pragma directive</p> <p><code>content</code> — Value of the element</p> <p><code>charset</code> — Character encoding declaration</p> <p><code>media</code> — Applicable media</p>
14.	<p><b>Error</b> Attribute <code>contente?</code> not allowed on element <code>meta</code> at this point.</p>



15. **Error** Element `<meta>` is missing one or more of the following attributes: `content`, `itemprop`, `property`.  
From line 13, column 3; to line 13, column 52  

```
ent=""><meta name="description" contente?"=5IH EU ESTOU"></ent></pre>  
Attributes for element meta:  
Global attributes  
name — Metadata name  
http-equiv — Pragma directive  
content — Value of the element  
charset — Character encoding declaration  
media — Applicable media
```

16. **Error** Start tag `<body>` seen but an element of the same type was already open.  
From line 29, column 1; to line 29, column 6  

```
/css"><body></body></pre>
```

17. **Error** Stray start tag `<section>`.  
From line 32, column 3; to line 32, column 29  

```
ion --><section class="preloader"></pre>
```

18. **Warning** Section lacks heading. Consider using `<h2>` - `<h6>` elements to [add identifying headings to all sections](#), or else use a `<div>` element instead for any cases where no heading is needed.  
From line 32, column 3; to line 32, column 29  

```
ion --><section class="preloader"></pre>
```

19. **Error** Bad character `-` after `<`. Probable cause: Unescaped `<`. Try escaping it as `&lt;`.  
At line 49, column 4  

```
</section><- home section
```

20. **Error** Stray start tag `<section>`.  
From line 100, column 3; to line 100, column 27  

```
ion --><section id="ABOMINACÃO"></pre>
```

21. **Error** The `frameborder` attribute on the `iframe` element is obsolete. [Use CSS instead](#).  
From line 240, column 13; to line 243, column 79  

```
<iframe width="560" height="315" src="https://www.youtube.com/embed/2B_J2KtCbH8?si=IEkd17dkRpHqpaD" title="YouTube video player" frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture; web-share" referrerpolicy="strict-origin-when-cross-origin" allowfullscreen></ifra
```

22. **Error** The `frameborder` attribute on the `iframe` element is obsolete. [Use CSS instead](#).  
From line 245, column 13; to line 248, column 79  

```
<iframe width="560" height="315" src="https://www.youtube.com/embed/BNJj3Kk_cTCA?si=KcZpG4l_c5NlKrJ" title="YouTube video player" frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture; web-share" referrerpolicy="strict-origin-when-cross-origin" allowfullscreen></ifra
```

23. **Error** Stray end tag `<form>`.  
From line 251, column 9; to line 251, column 15  

```
></form>
```

24. **Error** Stray end tag `<div>`.  
From line 255, column 5; to line 255, column 10  

```
div></div><
```

25. **Error** Stray end tag `<div>`.  
From line 256, column 5; to line 256, column 10  

```
/div></div></s>
```

26. **Error** Start tag `<a>` seen but an element of the same type was already open.  
From line 303, column 5; to line 303, column 39  

```
p --><a href="#back-top" class="go-top"><cl cla
```

27. **Error** Stray start tag `<p>`.  
From line 319, column 1; to line 319, column 3  

```
<</html><p>hello
```

28. **Fatal Error** Cannot recover after last error. Any further errors will be ignored.  
From line 319, column 1; to line 319, column 3  

```
<</html><p>hello
```

Document checking completed.  
Used the HTML parser.  
Total execution time 11 milliseconds.

9