PATIENT WELCOME BOOKLET

Welcome to the Weight Clinic

Geffrey H. Klein, MD

FACOG · DABOM · Board Certified OBGYN & Obesity Medicine

Women's Specialists of Clear Lake
400 W Medical Center Blvd, Suite 300 · Webster, Texas 77598 · (281) 557-0300

📋 Welcome & Enrollment · 💊 GLP-1 Medications · 💉 Zepbound · Wegovy · 🥗 Dietary Plan · 🏃 Exercise Routine

We're Glad You're Here

Your personalized journey toward lasting health begins today

We are absolutely thrilled to have you join us on your journey toward better health. Our team of specialized professionals is dedicated to helping you reach your health goals and enhance your quality of life. We understand that every journey is personal, and we are here to guide and encourage you every step of the way.

STEP 1 — ENROLLMENT

- Complete your medical history paperwork
- Share previous weight loss attempts
- Describe current health conditions
- All information stays strictly confidential
- Used only to personalize your care plan

STEP 2 — INITIAL CONSULTATION

- Discuss your weight loss objectives in detail
- Set realistic, achievable goals together
- Comprehensive physical examination
- Measurements and necessary lab tests
- Review medication, diet, and exercise options

WHAT TO EXPECT FROM OUR PROGRAM

Personalized Plan
Treatment tailored to your unique health needs and goals

Lasting Changes
Lifestyle modifications for long-term well-being, not quick fixes

Expert Partnership
Dr. Klein and his team with you at every step

Questions? We're Here.

Women's Specialists of Clear Lake · **(281) 557-0300** · 400 W Medical Center Blvd, Suite 300, Webster, TX 77598

GLP-1 Medication Safety

Important warnings and side effects — please read carefully

Medication Details
Applies to all GLP-1 agents

⚠️ WARNING: Risk of Thyroid C-Cell Tumors

In rodents, GLP-1 causes thyroid C-cell tumors. It is unknown whether these drugs cause thyroid C-cell tumors, including **medullary thyroid carcinoma (MTC)**, in humans. **These medications are contraindicated** in patients with a personal or family history of MTC, or in patients with Multiple Endocrine Neoplasia syndrome type 2 (MEN 2).

⚠️ CONTACT YOUR PROVIDER IMMEDIATELY IF YOU EXPERIENCE:

🤢 **Severe Stomach Problems**
Persistent or severe stomach pain. May indicate pancreatitis — stop medication and call immediately.

🫘 **Kidney Problems**
Dehydration from nausea/vomiting/diarrhea can cause kidney failure. Stay well hydrated.

🫀 **Gallbladder Problems**
Upper abdominal pain, fever, jaundice, or clay-colored stools. Report immediately.

😷 **Serious Allergic Reaction**
Face/throat swelling, difficulty breathing, severe rash, fainting, or rapid heartbeat. Call 911.

🩸 **Low Blood Sugar**
Dizziness, sweating, confusion, shakiness, or rapid heartbeat — especially if also using insulin.

💗 **Tachycardia**
Significant heart rate increase. Monitor closely if you have cardiovascular risk factors.

👁️ **Vision Changes**
Report any changes in vision during treatment, particularly if you have type 2 diabetes.

🧠 **Mood / Mental Changes**
Depression or thoughts of self-harm — call your provider right away if mood changes occur.

COMMON SIDE EFFECTS

- Nausea, diarrhea, vomiting
- Constipation, abdominal pain
- Indigestion / heartburn / belching
- Injection site reactions
- Fatigue, hair loss

These are not all possible side effects. Report anything that concerns you.

IMPORTANT REMINDER

- **Birth control pills** may be less effective — use backup contraception for 4 weeks after starting and after each dose increase
- Inform **all** healthcare providers you are on this medication
- Do not use if pregnant or planning pregnancy
- Store out of reach of children; never share pens

Zepbound (Tirzepatide)

Dosing schedule, injection instructions & monitoring

GIP/GLP-1 Receptor Agonist

Once-weekly injectable

DOSING SCHEDULE — ZEPBOUND

Weeks	Dose	Notes
Weeks 1–4	**2.5 mg**	Starting dose
Weeks 5–8	**5.0 mg**	If tolerated
Weeks 9–12	**7.5 mg**	If tolerated
Weeks 13–16	**10 mg**	If tolerated
Weeks 17–20	**12.5 mg**	If tolerated
Week 21+	**15 mg**	Maintenance

STORAGE

- Refrigerator: 36°F – 46°F (2°C – 8°C)
- Room temp up to 86°F (30°C) for up to **21 days**
- Keep in original packaging; protect from light

INJECTION INSTRUCTIONS

1. Remove pen from refrigerator **30 minutes** before use
2. Choose site: **abdomen, thigh, or upper arm**
3. **Rotate injection sites** each week
4. Clean site with alcohol swab; let dry
5. Remove pen cap; inject as demonstrated
6. Hold button for **10 seconds** after pressing
7. Dispose in **sharps container**

WEEKLY MONITORING LOG

- Record injection date and site each week
- Log any side effects experienced
- Track weight changes
- Attend all scheduled follow-up appointments
- Complete recommended blood tests

Contact Dr. Klein Immediately If You Have:

- Severe stomach pain with or without vomiting
- Vision changes
- Unusual mood changes or thoughts of self-harm
- Severe allergic reaction (rash, swelling, difficulty breathing)
- Severe nausea/vomiting/diarrhea causing dehydration

(281) 557-0300 · Emergency: 911

Wegovy (Semaglutide) & Your Dietary Plan

Dosing, injection instructions, and nutritional guidance

GLP-1 Receptor Agonist
Once-weekly injectable

DOSING SCHEDULE — WEGOVY

Weeks	Dose	Notes
Weeks 1–4	**0.25 mg**	Starting dose
Weeks 5–8	**0.5 mg**	If tolerated
Weeks 9–12	**1.0 mg**	If tolerated
Weeks 13–16	**1.7 mg**	If tolerated
Week 17+	**2.4 mg**	Maintenance

INJECTION & STORAGE

1. Remove from fridge **30 min** before use
2. Abdomen, thigh, or upper arm; **rotate sites weekly**
3. Clean with alcohol swab; inject as shown
4. Hold **6 seconds**; dispose in sharps container

- Fridge: 36–46°F · Room temp up to 86°F for **28 days**
- Missed dose: if <5 days late, take ASAP · if >5 days, skip to next scheduled dose

Your Dietary Plan

Nourishing your body for lasting change

½
Fruits & Vegetables
Colorful, fiber-rich, fill half your plate

¼
Lean Protein
Chicken, fish, legumes, eggs

¼
Whole Grains
Oats, quinoa, brown rice, whole wheat

CALORIC TARGETS

- **Women:** 1,200–1,500 calories/day
- **Men:** 1,500–1,800 calories/day
- Focus on **nutrient-dense** foods
- Limit sugars, salt, and processed foods
- Avoid hidden sugars — read food labels

SMART EATING HABITS

- Establish regular meal times daily
- Eat slowly — practice mindful eating
- Use smaller plates to control portions
- Drink water before meals and stay hydrated
- When dining out: choose grilled/baked, ask for dressings on the side

Your Exercise Routine

Building activity into your daily life — step by step

Physical Activity Guidelines
ACOG / CDC Recommendations

DAILY GOAL: 10,000 STEPS

- Track steps with a pedometer or smartphone app
- Take stairs instead of elevators; walk during lunch
- Morning or evening strolls in your neighborhood

Option 1: Moderate Intensity 150–300 min/week

Activities you can do while holding a conversation

- Brisk Walking
- Steady Cycling
- Water Aerobics
- Doubles Tennis
- Rowing
- Swimming
- Dancing
- Gardening
- Leisurely Hiking
- Slow Jogging

Option 2: Vigorous Intensity 75–150 min/week

Elevated heart rate — harder to hold full sentences

- Running / Jogging
- Fast Cycling
- HIIT
- Soccer
- Fast Swim Laps
- Aerobic Dance
- Jump Rope
- Stair Climbing
- Basketball
- Singles Tennis

MUSCLE STRENGTHENING — 2+ DAYS PER WEEK

Target all major muscle groups: legs, hips, back, chest, abdomen, shoulders, and arms.

- Weight Lifting
- Resistance Bands
- Bodyweight (push-ups, squats)
- Pilates or Yoga
- Strength Training Class

PRACTICAL TIPS FOR SUCCESS

Start Slow
Begin with shorter duration and lower intensity; progress gradually week by week.

Mix It Up
Vary activities to keep your routine engaging and work different muscle groups.

Stay Consistent
Schedule exercise like an appointment — consistency is the key to lasting results.

Hydration
Drink plenty of water before, during, and after exercise.

EMERGENCY CONTACTS

- **Dr. Klein's Office:** (281) 557-0300
- **Emergency Services:** 911
- **Wegovy Medical Info:** 1-833-934-6891

You've Got This.

Change takes time. Celebrate every small victory. We are proud to be your partner on this journey.

— Dr. Klein & Team