

WinFBE – Visual Designer

The visual designer is still a major work in progress so please do not assume that all functionality is available and/or working correctly. The purpose of this release to show the progress of the visual designer to date and to allow input from users regarding its direction and whether changes in basic design philosophy should occur at this point.

NOTE: Code may fail, GPF's may occur in the editor. Do not rely on this version of the designer for any production quality code. Treat this mainly as a demo.

The following areas of the visual designer are not working:

- Menu Editor
- Toolbar Editor
- Statusbar Editor
- Images/Pictures/Icons. Any control property that relies on these types has not been implemented yet. Need to create an interface between the editor and resource file.
- Guidelines and snap to lines on the design form

There are only a few controls that have been implemented. More to come as the core structure of the designer itself matures.

- Forms
- Label
- Button (Jose Roca's CXPButton class)
- TextBox
- CheckBox
- ListBox
- OptionButton
- Frame
- StatusBar (only through code at this time)

The forms and controls are being implemented via the WinFormsX library that I am writing and maintaining on GitHub.

The rest of this document will give you a bare bones introduction to the use of the visual designer and code to perform various tasks.

GENERAL OVERVIEW

The visual designer will automatically generate code whenever something changes related to a form or control. The generated code is based on the syntax of the WinFormsX library.

When the code is first generated, the visual designer will output an additional line:

```
Application.Run(Form1)
```

That line essentially bootstraps the form so that it will display. Obviously you don't need a line like this for every form that is generated. You can safely move that line to a main source file so that it only runs once at program startup. Any subsequent similar generated lines for other forms can be safely deleted.

WinFBE generates a TYPE structure for every form in the application. That TYPE extends a base class called `wfxForm` which contains the core functionality of a form. You can find the `wfxForm` source code and all other source code for other controls such as `wfxLabel`, `wfxTextBox` in the WinFormsX include folder. A global shared variable is generated for each form TYPE. For example, if your form is named *Form1* then the shared variable is also named `Form1`.

```
Dim Shared Form1 as Form1Type
```

If you have controls on your form then you access them via dot syntax. For example, if you have a button called *Button1* located on the form called *Form1* then you access the button via *Form1.Button1*

Resource file – All WinFBE visual designer created applications need to have a resource file and manifest file. If you are using WinFBE's project management to create your program then the resource file and manifest file will be created automatically. If you are creating your application outside of a project then you need to manually provide a resource file that includes a reference to a manifest file. Failing to do this will result in your application not being theme aware. It will look ugly. If manually specifying a resource file then you can use WinFBE's built-in statement to identify the resource filename.

```
'#RESOURCE "resource.rc"
```

EVENT HANDLERS

```
Declare Function frmMain_Click( byref sender as wxForm, byref e as EventArgs ) as LRESULT
```

This is a declaration for an Event Handler. Event handlers are functions that are called in response to something occurring within the operating system or in response to an action by the user. For example, if the user clicks on a button or moves their mouse cursor over an area of the form or a control then an event is triggered. In Windows API language this is actually a message or notification generated by the operating system that then flows through the application's message pump eventually finding its way to the procedure handler for the application. If you have ever seen Win32 API style programs then you will recognize functions containing large SELECT CASE statements having such things as WM_COMMAND, WM_NOTIFY, WM_PAINT, WM_SIZE, etc. The visual designer hides all of the complexity of message pumps and that SELECT CASE from you by instead redirecting the message to an Event Handler that you define yourself.

Every Event Handler has the exact same format and is comprised of two parameters that must be defined as BYREF.

frmMain_Click: The portion before the underscore is the form name and the portion afterwards is the name of the event being responded to. In this case, the function is in response to someone clicking on an area of the form. The first parameter, *sender*, is a variable representing the form where the click occurred (eg. frmMain and is of the wxForm class). You can interact with that variable and manipulate properties of the form:

```
sender.Text = "My new caption for the form's title bar!"
```

This is actually equivalent to using the form's explicitly defined shared variable and both are acceptable.

```
frmMain.Text = "My new caption for the form's title bar!"
```

When dealing with controls on a form, the syntax is only slightly different and pretty self-explanatory.

```
Declare Function frmMain_cmdOK_Click( byref sender as wxButton, byref e as EventArgs ) as LRESULT
```

Of note is that *sender* is now of type *wxButton* rather than *wxForm*. This is because the function is in response to the user clicking on the OK button rather than the form itself.

The second parameter, *EventArgs*, is short for Event Arguments and is a variable that contains additional information related to the event being handled. For example, when handling mouse movement the EventArgs variable will contain the client coordinates of the mouse cursor and which (if any) mouse buttons are pressed. Likewise, responding to a KeyPress event the EventArgs variable would contain the character that was pressed and whether any Alt, Shift, or Ctrl keys are pressed. Get to know EventArgs because it is extremely convenient.

```
Type wxEventArgs Extends Object
    private:
    public:
        Message As UINT          ' Windows value of message being sent (WM_COMMAND,
WM_NOTIFY, etc)
        wParam As WPARAM        ' the wParam of the raw message
        lParam As LPARAM        ' the lParam of the raw message
```

```

Handled as Boolean      ' indicates whether the event is handled by the user
Cancel as boolean      ' set to True to cancel closing of Form
Ctrl as Boolean         ' the CTRL key is pressed
Alt as Boolean          ' the Alt key is pressed
Shift as Boolean        ' the SHIFT key is pressed
KeyChar as long        ' stores the character corresponding to the key pressed
KeyCode as long         ' stores the keyboard code for the event
LButton as boolean     ' the left mouse button pressed
MButton as boolean     ' the middle mouse button pressed
RButton as boolean     ' the right mouse button pressed
x as long               ' the x-coordinate of the mouse click
y as long               ' the y-coordinate of the mouse click
PanelClickIndex as long ' the zero-based index of clicked statusbar panel
hDrop as HDROP          ' handle used for WM_DROPFILES message
end type

```

Application

There is a global/shared variable called *Application* that contains functionality that is available to the user from anywhere within the project.

Properties

CommonAppDataPath - Gets the special Windows common folder location associated with CSIDL_APPDATA.

CommonAppDataPath - Gets the special Windows local folder location associated with CSIDL_LOCAL_APPDATA.

ExecutablePath – Gets the full path and exe name for this running application.

StartupPath - Gets the path for the executable file that started the application, not including the executable name. (no trailing backspace).

Methods

DoEvents – Processes all Windows messages currently in the message queue.

Run – Begins running the application message loop and makes the specified form visible.

Colors

TYPE wfxColors

SystemActiveBorder	As COLORREF = GetSysColor(COLOR_ACTIVEBORDER)
SystemActiveCaption	As COLORREF = GetSysColor(COLOR_ACTIVECAPTION)
SystemActiveCaptionText	As COLORREF = GetSysColor(COLOR_CAPTIONTEXT)
SystemAppWorkspace	As COLORREF = GetSysColor(COLOR_APPWORKSPACE)
SystemButtonFace	As COLORREF = GetSysColor(COLOR_BTNFACE)
SystemButtonHighlight	As COLORREF = GetSysColor(COLOR_BTNHILIGHT)
SystemButtonShadow	As COLORREF = GetSysColor(COLOR_BTNSHADOW)
SystemControl	As COLORREF = GetSysColor(COLOR_3DFACE)
SystemControlDark	As COLORREF = GetSysColor(COLOR_3DSHADOW)
SystemControlDarkDark	As COLORREF = GetSysColor(COLOR_3DDKSHADOW)
SystemControlLight	As COLORREF = GetSysColor(COLOR_3DLIGHT)
SystemControlLightLight	As COLORREF = GetSysColor(COLOR_3DHILIGHT)
SystemControlText	As COLORREF = GetSysColor(COLOR_BTNTEXT)
SystemDesktop	As COLORREF = GetSysColor(COLOR_DESKTOP)
SystemGradientActiveCaption	As COLORREF =
GetSysColor(COLOR_GRADIENACTIVECAPTION)	
SystemGradientInactiveCaption	as COLORREF =
GetSysColor(COLOR_GRADIENINACTIVECAPTION)	
SystemGrayText	As COLORREF = GetSysColor(COLOR_GRAYTEXT)
SystemHighlight	As COLORREF = GetSysColor(COLOR_HIGHLIGHT)
SystemHighlightText	As COLORREF = GetSysColor(COLOR_HIGHLIGHTTEXT)
SystemHotTrack	As COLORREF = GetSysColor(COLOR_HOTLIGHT)
SystemInactiveBorder	As COLORREF = GetSysColor(COLOR_INACTIVEBORDER)
SystemInactiveCaption	As COLORREF = GetSysColor(COLOR_INACTIVECAPTION)
SystemInactiveCaptionText	As COLORREF = GetSysColor(COLOR_INACTIVECAPTIONTEXT)
SystemInfo	As COLORREF = GetSysColor(COLOR_INFOBK)
SystemInfoText	As COLORREF = GetSysColor(COLOR_INFOTEXT)
SystemMenu	As COLORREF = GetSysColor(COLOR_MENU)
SystemMenuBar	As COLORREF = GetSysColor(COLOR_MENUBAR)
SystemMenuHighlight	As COLORREF = GetSysColor(COLOR_MENUHILIGHT)
SytemMenuText	As COLORREF = GetSysColor(COLOR_MENUTEXT)
SystemScrollBar	As COLORREF = GetSysColor(COLOR_SCROLLBAR)
SystemWindow	As COLORREF = GetSysColor(COLOR_WINDOW)
SystemWindowFrame	As COLORREF = GetSysColor(COLOR_WINDOWFRAME)
SystemWindowText	As COLORREF = GetSysColor(COLOR_WINDOWTEXT)
AliceBlue	As COLORREF = BGR(240,248,255)
AntiqueWhite	as COLORREF = BGR(250,235,215)
Aqua	as COLORREF = BGR(0,255,255)
Aquamarine	as COLORREF = BGR(127,255,212)
Azure	as COLORREF = BGR(240,255,255)
Beige	as COLORREF = BGR(245,245,220)
Bisque	as COLORREF = BGR(255,228,196)
Black	as COLORREF = BGR(0, 0, 0)
BlanchedAlmond	as COLORREF = BGR(255,255,205)
Blue	as COLORREF = BGR(0, 0,255)
BlueViolet	as COLORREF = BGR(138, 43,226)
Brown	as COLORREF = BGR(165, 42, 42)
Burlywood	as COLORREF = BGR(222,184,135)
CadetBlue	as COLORREF = BGR(95,158,160)
Chartreuse	as COLORREF = BGR(127,255, 0)
Chocolate	as COLORREF = BGR(210,105, 30)
Coral	as COLORREF = BGR(255,127, 80)
CornflowerBlue	as COLORREF = BGR(100,149,237)
Cornsilk	as COLORREF = BGR(255,248,220)

Crimson	as COLORREF = BGR(220, 20, 60)
Cyan	as COLORREF = BGR(0,255,255)
DarkBlue	as COLORREF = BGR(0, 0,139)
DarkCyan	as COLORREF = BGR(0,139,139)
DarkGoldenRod	as COLORREF = BGR(184,134, 11)
DarkGray	as COLORREF = BGR(169,169,169)
DarkGreen	as COLORREF = BGR(0,100, 0)
DarkKhaki	as COLORREF = BGR(189,183,107)
DarkMagenta	as COLORREF = BGR(139, 0,139)
DarkOliveGreen	as COLORREF = BGR(85,107, 47)
DarkOrange	as COLORREF = BGR(255,140, 0)
DarkOrchid	as COLORREF = BGR(153, 50,204)
DarkRed	as COLORREF = BGR(139, 0, 0)
DarkSalmon	as COLORREF = BGR(233,150,122)
DarkSeaGreen	as COLORREF = BGR(143,188,143)
DarkSlateBlue	as COLORREF = BGR(72, 61,139)
DarkSlateGray	as COLORREF = BGR(47, 79, 79)
DarkTurquoise	as COLORREF = BGR(0,206,209)
DarkViolet	as COLORREF = BGR(148, 0,211)
DeepPink	as COLORREF = BGR(255, 20,147)
DeepSkyBlue	as COLORREF = BGR(0,191,255)
DimGray	as COLORREF = BGR(105,105,105)
DodgerBlue	as COLORREF = BGR(30,144,255)
FireBrick	as COLORREF = BGR(178, 34, 34)
FloralWhite	as COLORREF = BGR(255,250,240)
ForestGreen	as COLORREF = BGR(34,139, 34)
Fuchsia	as COLORREF = BGR(255, 0,255)
Gainsboro	as COLORREF = BGR(220,220,220)
GhostWhite	as COLORREF = BGR(248,248,255)
Gold	as COLORREF = BGR(255,215, 0)
GoldenRod	as COLORREF = BGR(218,165, 32)
Gray	as COLORREF = BGR(127,127,127)
Green	as COLORREF = BGR(0,128, 0)
GreenYellow	as COLORREF = BGR(173,255, 47)
HoneyDew	as COLORREF = BGR(240,255,240)
HotPink	as COLORREF = BGR(255,105,180)
IndianRed	as COLORREF = BGR(205, 92, 92)
Indigo	as COLORREF = BGR(75, 0,130)
Ivory	as COLORREF = BGR(255,255,240)
Khaki	as COLORREF = BGR(240,230,140)
Lavender	as COLORREF = BGR(230,230,250)
LavenderBlush	as COLORREF = BGR(255,240,245)
LawnGreen	as COLORREF = BGR(124,252, 0)
LemonChiffon	as COLORREF = BGR(255,250,205)
LightBlue	as COLORREF = BGR(173,216,230)
LightCoral	as COLORREF = BGR(240,128,128)
LightCyan	as COLORREF = BGR(224,255,255)
LightGoldenRodYellow	as COLORREF = BGR(250,250,210)
LightGreen	as COLORREF = BGR(144,238,144)
LightGrey	as COLORREF = BGR(211,211,211)
LightPink	as COLORREF = BGR(255,182,193)
LightSalmon	as COLORREF = BGR(255,160,122)
LightSeaGreen	as COLORREF = BGR(32,178,170)
LightSkyBlue	as COLORREF = BGR(135,206,250)
LightSlateGray	as COLORREF = BGR(119,136,153)
LightSteelBlue	as COLORREF = BGR(176,196,222)
LightYellow	as COLORREF = BGR(255,255,224)
Lime	as COLORREF = BGR(0,255, 0)

LimeGreen	as COLORREF = BGR(50,205, 50)
Linen	as COLORREF = BGR(250,240,230)
Magenta	as COLORREF = BGR(255, 0,255)
Maroon	as COLORREF = BGR(128, 0, 0)
MediumAquamarine	as COLORREF = BGR(102,205,170)
MediumBlue	as COLORREF = BGR(0, 0,205)
MediumOrchid	as COLORREF = BGR(186, 85,211)
MediumPurple	as COLORREF = BGR(147,112,219)
MediumSeaGreen	as COLORREF = BGR(60,179,113)
MediumSlateBlue	as COLORREF = BGR(123,104,238)
MediumSpringGreen	as COLORREF = BGR(0,250,154)
MediumTurquoise	as COLORREF = BGR(72,209,204)
MediumVioletRed	as COLORREF = BGR(199, 21,133)
MidnightBlue	as COLORREF = BGR(25, 25,112)
MintCream	as COLORREF = BGR(245,255,250)
MistyRose	as COLORREF = BGR(255,228,225)
Moccasin	as COLORREF = BGR(255,228,181)
NavajoWhite	as COLORREF = BGR(255,222,173)
Navy	as COLORREF = BGR(0, 0,128)
Navyblue	as COLORREF = BGR(159,175,223)
OldLace	as COLORREF = BGR(253,245,230)
Olive	as COLORREF = BGR(128,128, 0)
OliveDrab	as COLORREF = BGR(107,142, 35)
Orange	as COLORREF = BGR(255,165, 0)
OrangeRed	as COLORREF = BGR(255, 69, 0)
Orchid	as COLORREF = BGR(218,112,214)
PaleGoldenRod	as COLORREF = BGR(238,232,170)
PaleGreen	as COLORREF = BGR(152,251,152)
PaleTurquoise	as COLORREF = BGR(175,238,238)
PaleVioletRed	as COLORREF = BGR(219,112,147)
PapayaWhip	as COLORREF = BGR(255,239,213)
PeachPuff	as COLORREF = BGR(255,218,185)
Peru	as COLORREF = BGR(205,133, 63)
Pink	as COLORREF = BGR(255,192,203)
Plum	as COLORREF = BGR(221,160,221)
PowderBlue	as COLORREF = BGR(176,224,230)
Purple	as COLORREF = BGR(128, 0,128)
Red	as COLORREF = BGR(255, 0, 0)
RosyBrown	as COLORREF = BGR(188,143,143)
RoyalBlue	as COLORREF = BGR(65,105,225)
SaddleBrown	as COLORREF = BGR(139, 69, 19)
Salmon	as COLORREF = BGR(250,128,114)
SandyBrown	as COLORREF = BGR(244,164, 96)
SeaGreen	as COLORREF = BGR(46,139, 87)
SeaShell	as COLORREF = BGR(255,245,238)
Sienna	as COLORREF = BGR(160, 82, 45)
Silver	as COLORREF = BGR(192,192,192)
SkyBlue	as COLORREF = BGR(135,206,235)
SlateBlue	as COLORREF = BGR(106, 90,205)
SlateGray	as COLORREF = BGR(112,128,144)
Snow	as COLORREF = BGR(255,250,250)
SpringGreen	as COLORREF = BGR(0,255,127)
SteelBlue	as COLORREF = BGR(70,130,180)
Tan	as COLORREF = BGR(210,180,140)
Teal	as COLORREF = BGR(0,128,128)
Thistle	as COLORREF = BGR(216,191,216)
Tomato	as COLORREF = BGR(255, 99, 71)
Turquoise	as COLORREF = BGR(64,224,208)

```
Violet          as COLORREF = BGR(238,130,238)
Wheat           as COLORREF = BGR(245,222,179)
White           as COLORREF = BGR(255,255,255)
WhiteSmoke      as COLORREF = BGR(245,245,245)
Yellow          as COLORREF = BGR(255,255, 0)
YellowGreen     as COLORREF = BGR(139,205, 50)
end Type

''
'' Create system wide access to this colors class
Dim Shared Colors as wfxColors
```


FONTS

Creating and assigning a new font

```
this.CheckBox1.Font = New wfxFont("Segoe UI",9,FontStyles.Bold,FontCharset.Ansi)
```

Parameters

FontName

FontSize

FontStyle (use Or to combine multiple styles)

```
FontStyles.Normal  
FontStyles.Bold  
FontStyles.Italic  
FontStyles.Strikeout  
FontStyles.Underline
```

CharacterSet

```
FontCharset.Default  
FontCharset.Ansi  
FontCharset.Arabic  
FontCharset.Baltic  
FontCharset.ChineseBig5  
FontCharset.EastEurope  
FontCharset.GB2312  
FontCharset.Greek  
FontCharset.Hangul  
FontCharset.Hebrew  
FontCharset.Johab  
FontCharset.Mac  
FontCharset.OEM  
FontCharset.Russian  
FontCharset.Shiftjis  
FontCharset.Symbol  
FontCharset.Thai  
FontCharset.Turkish  
FontCharset.Vietnamese
```

ENUMS

FormWindowState.Maximized
FormWindowState.Minimized
FormWindowState.Normal

FormStartPosition.CenterParent
FormStartPosition.CenterScreen
FormStartPosition.Manual
FormStartPosition.WindowsDefaultLocation

FormBorderStyle.None
FormBorderStyle.Sizable
FormBorderStyle.Fixed3D
FormBorderStyle.FixedSingle
FormBorderStyle.FixedDialog
FormBorderStyle.FixedToolWindow
FormBorderStyle.SizableToolWindow

ControlBorderStyle.None
ControlBorderStyle.FixedSingle
ControlBorderStyle.Fixed3D

ImageLayout.None
ImageLayout.Tile
ImageLayout.Center
ImageLayout.Stretch
ImageLayout.Zoom

ButtonAlignment.BottomCenter
ButtonAlignment.BottomLeft
ButtonAlignment.BottomRight
ButtonAlignment.MiddleCenter
ButtonAlignment.MiddleLeft
ButtonAlignment.MiddleRight
ButtonAlignment.TopCenter
ButtonAlignment.TopLeft
ButtonAlignment.TopRight

LabelAlignment.MiddleCenter
LabelAlignment.MiddleLeft
LabelAlignment.MiddleRight
LabelAlignment.TopCenter
LabelAlignment.TopLeft
LabelAlignment.TopRight

CharacterCase.Normal
CharacterCase.Upper
CharacterCase.Lower

ScrollBars.None
ScrollBars.Horizontal
ScrollBars.Vertical
ScrollBars.Both

CheckBoxState.Checked
CheckBoxState.Unchecked
CheckBoxState.Indeterminate

TextAlignment.Left
TextAlignment.Right
TextAlignment.Center

ListSelectionMode.None
ListSelectionMode.One
ListSelectionMode.MultiSimple
ListSelectionMode.MultiExtended

FORMS

Properties

AcceptButton - Gets or sets a reference to the button that receives a click message when Enter key is pressed.

AllowDrop - Gets or sets a value (true/false) indicating whether the control will accept data that is dragged onto it.

BackColor - Gets or sets the background color of the form. Refer to the Colors object.

BackgroundImage – Gets or set the image to display in the background.

BackgroundImageLayout – Gets or sets the layout position of the background image. Refer to the ImageLayout enum.

BorderStyle - Gets or sets the border style of the form. Refer to the FormBorderStyle enum.

CancelButton - Gets or sets a reference to the button that receives a click message when Escape key is pressed.

ClientSize - Gets or sets the client area of the form. The client area of the form is the size of the form excluding the borders and the title bar. Get: returns wfxSize object. Set: (width, height)

ControlBox - Gets or sets value (true/false) indicating whether a control box is displayed in the caption bar of the form.

CtrlType - Gets or sets the control type value. Always ControlType.Form and used when adding form to the application's form collection.

Enabled - Gets or sets a value (true/false) indicating whether the form can respond to user interaction.

Height - Gets or sets the height of the form.

hWindow - Gets the Windows handle (hwnd) of the form.

hWindowParent - Gets or sets the Windows handle (hwnd) of the parent control or form.

Icon – Gets or sets the icon to display in the form's system menu box.

IsMainForm - Gets or sets a value (true/false) indicating the form is main and will display when application starts. When the form is closed the application also ends.

IsModal - Gets a value (true/false) indicating whether the form is displayed modally.

KeyPreview - Gets or sets a value (true/false) indicating whether the form will receive key events before the event is passed to the control that has focus.

Left - Gets or sets the distance, in pixels, between the left edge of the form and the left edge of its container's client area (normally the screen).

Location - Gets or sets the top and left position of the form. Get: returns wfxPoint object. Set: (left, top).

Locked - Gets or sets a value (true/false) indicating whether the control can be moved or resized.

MaximizeBox - Gets or sets a value (true/false) indicating whether the maximize button is displayed in the caption bar of the form.

MaximumHeight – Gets or sets the maximum height of the form.

MaximumWidth – Gets or sets the maximum width of the form.

MinimizeBox - Gets or sets a value (true/false) indicating whether the minimize button is displayed in the caption bar of the form.

MinimumHeight - Gets or sets the minimum height of the form.

MinimumWidth- Gets or sets the minimum width of the form.

Parent - Gets or sets the parent container of the form.

ShowInTaskbar – Gets or sets a vaue (true/false) indicating whether the form appears in the Windows

Taskbar.

Size - Gets or sets the size of the form. Get: returns `wfxSize` object. Set: (width, height)

StartPosition - Gets or sets the starting position of the form at run time. Refer to `FormStartPosition` enum.

Tag - Gets or sets user defined text associated with the form.

Text - Gets or sets the text (caption) associated with this form.

Top - Gets or sets the distance, in pixels, between the top edge of the form and the top edge of its container's client area (normally the screen).

Visible - Gets or sets a value (true/false) indicating whether the form is displayed.

Width - Gets or sets the width of the form.

WindowState - Gets or sets a value that indicates whether form is minimized, maximized, or normal. Refer to the `FormWindowState` enum.

Methods

Close - Closes the form.

Hide - Conceals the form from the user.

Refresh - Forces the form to invalidate its client area and immediately redraw itself and any child controls.

SetBounds - Sets the bounds of the form to the specified location and size. (left, top, width, height).

Show - Creates and displays the form to the user.

ShowDialog - Creates and shows the form as a modal dialog box. |

Events

Activated - Occurs when the form is activated in code or by the user.

AllEvents - Special handler where all events are routed through. Use this handler if you prefer to use the Win32 api style messages and `wParam` and `lParam` parameters. Set the `*Handled*` element of `*EventArgs*` to `*true*` if you handle a message and do not want Windows to perform any further processing on the message.

Click - Occurs when the client area of the form is clicked.

Deactivate - Occurs when the form loses focus and is no longer the active form.

FormClosed - Occurs after the form is closed.

FormClosing - Occurs before the form is closed.

Initialize - Occurs before a user loads the form. The form `TYPE` variable is valid but any Window handles are not valid at this point.

KeyDown - Occurs when a key is pressed while the form has focus.

KeyPress - Occurs when a character, space or backspace key is pressed while the form has focus.

KeyUp - Occurs when a key is released while the form has focus.

Load - Occurs when the user loads the form and before it is displayed for the first time. Window handles are valid at this point.

MouseDoubleClick - Occurs when the form is double clicked by the mouse.

MouseDown - Occurs when the mouse pointer is over the form and a mouse button is pressed.

MouseEnter - Occurs when the mouse pointer enters the form.

MouseHover - Occurs when the mouse pointer rests on the form.

MouseLeave - Occurs when the mouse pointer leaves the form.

MouseMove - Occurs when the mouse pointer is moved over the form.

MouseUp - Occurs when the mouse pointer is over the form and a mouse button is released.

Move - Occurs when the form is moved.

Resize - Occurs when the form is resized.

Shown - Occurs whenever the form is first displayed.

DropFiles – Occurs when an object is dragged and dropped onto the control and the AllowDrop property of the control is set to True.

Form events in a specific order every time a form is created and shown.

During form creation:

FormLoad: The form handle and all child controls exist however the form and controls are not yet visible. Respond to this event to reposition controls or to add data to controls. For example, add rows to a Listbox or Combobox.

FormActivated: The form has gained input focus (similar to the GotFocus event of a control).

Shown: This event is only raised the first time a form is displayed; subsequently minimizing, maximizing, restoring, hiding, showing, or invalidating and repainting will not raise this event.

During form destruction:

FormClosing: Event occurs as the form is closing. If you cancel this event, then the form remains open. To cancel, simply set the Cancel element of the EventArgs structure to True.

Deactivate: Occurs when the form loses focus and is no longer the active form (similar to the LostFocus event of a control).

FormClosed: Occurs after the form has closed (similar to the Destroy event of a control).

LABELS

Properties

AllowDrop - Gets or sets a value (true/false) indicating whether the control will accept data that is dragged onto it.

BackColor - Gets or sets the background color of the control. Refer to the Colors object.

BorderStyle - Gets or sets the border style of the label. Refer to the ControlBorderStyle enum.

CtrlID - Gets or sets a value indicating the control ID of the control.

CtrlType - Gets or sets the control type value. Always ControlType.Label and used when adding control to its form's controls collection.

Enabled - Gets or sets a value (true/false) indicating whether the control can respond to user interaction.

Font - Gets or sets the font for the control. Refer to the Font object.

ForeColor - Gets or sets the background color of the control. Refer to the Colors object.

Height - Gets or sets the height of the control.

hWindow - Gets the Windows handle (hwnd) of the control.

hWindowParent - Gets or sets the Windows handle (hwnd) of the parent control or form.

Left - Gets or sets the distance, in pixels, between the left edge of the control and the left edge of its container's client area (normally the form).

Location - Gets or sets the top and left position of the form. Get: returns wfxPoint object. Set: (left, top).

Locked - Gets or sets a value (true/false) indicating whether the control can be moved or resized.

Parent - Gets or sets the parent container of the control.

Size - Gets or sets the size of the control. Get: returns wfxSize object. Set: (width, height).

Tag - Gets or sets user defined text associated with the control.

Text - Gets or sets the text (caption) associated with this control.

TextAlign - Gets or sets a value indicating the alignment of the text on a control. Refer to LabelAlignment enum.

Top - Gets or sets the distance, in pixels, between the top edge of the control and the top edge of its container's client area (normally the form).

UseMnemonic - Gets or sets a value (true/false) indicating whether the first character preceded by an ampersand (&) character will be used as the control's accelerator key.

Visible - Gets or sets a value (true/false) indicating whether the control is displayed.

Width - Gets or sets the width of the control.

Methods

Hide - Conceals the control from the user.

Refresh - Forces the control to invalidate its client area and immediately redraw itself.

SelectNextControl - Moves the input control to the next (True) or previous (False) control in the tab order.

SetBounds - Sets the bounds of the control to the specified location and size. (left, top, width, height).

Show - Creates and makes the control visible to the user.

Events

AllEvents - Special handler where all events are routed through. Use this handler if you prefer to use the Win32 api style messages and wParam and lParam parameters. Set the Handled element of EventArgs to True if you handle a message and do not want Windows to perform any further processing on the message.

Click - Occurs when the client area of the control is clicked.

OnDestroy - Occurs immediately before the control is about to be destroyed and all resources associated with it released.

MouseDoubleClick - Occurs when the control is double clicked by the mouse.

MouseDown - Occurs when the mouse pointer is over the control and a mouse button is pressed.

MouseEnter - Occurs when the mouse pointer enters the control.

MouseHover - Occurs when the mouse pointer rests on the control.

MouseLeave - Occurs when the mouse pointer leaves the control.

MouseMove - Occurs when the mouse pointer is moved over the control.

MouseUp - Occurs when the mouse pointer is over the control and a mouse button is released.

DropFiles - Occurs when an object is dragged and dropped onto the control and the AllowDrop property of the control is set to True.

BUTTON

Properties

AllowDrop - Gets or sets a value (true/false) indicating whether the control will accept data that is dragged onto it.

BackColor - Gets or sets the background color of the control. Refer to the Colors object. ThemeSupport property must be set to False.

BackColorDown - Gets or sets the background color of the control when pressed. Refer to the Colors object. ThemeSupport property must be set to False.

BackColorHot - Gets or sets the background hot color of the control when the mouse is over the button. Refer to the Colors object. ThemeSupport property must be set to False.

CtrlID - Gets or sets a value indicating the control ID of the control.

CtrlType - Gets or sets the control type value. Always ControlType.Button and used when adding control to its form's controls collection.

Enabled - Gets or sets a value (true/false) indicating whether the control can respond to user interaction.

Focused - Gets or sets a value (true/false) indicating whether the control has input focus.

Font - Gets or sets the font for the control. Refer to the Font object.

ForeColor - Gets or sets the background color of the control. Refer to the Colors object. ThemeSupport property must be set to False.

Height - Gets or sets the height of the control.

hWindow - Gets the Windows handle (hwnd) of the control.

hWindowParent - Gets or sets the Windows handle (hwnd) of the parent control or form.

Image - Gets or set the image to display.

ImageLayout - Gets or sets the layout position of the image. Refer to the ImageLayout enum.

Left - Gets or sets the distance, in pixels, between the left edge of the control and the left edge of its container's client area (normally the form).

Location - Gets or sets the top and left position of the form. Get: returns wfxPoint object. Set: (left, top).

Locked - Gets or sets a value (true/false) indicating whether the control can be moved or resized.

Parent - Gets or sets the parent container of the control.

Size - Gets or sets the size of the control. Get: returns wfxSize object. Set: (width, height).

TabIndex - Gets or sets the position that the control occupies in the TAB position.

TabStop - Gets or sets a value (true/false) indicating whether the user can use the TAB key to give focus to the control.

Tag - Gets or sets user defined text associated with the control.

Text - Gets or sets the text (caption) associated with this control.

TextAlign - Gets or sets a value indicating the alignment of the text on a control. Refer to ButtonAlignment enum.

TextBackColor - Gets or sets the background color of the control. ThemeSupport property must be set to False.

TextBackColorDown - Gets or sets the background color of the control when the button is pressed. ThemeSupport property must be set to False.

TextForeColor - Gets or sets the foreground color of the control. ThemeSupport property must be set to False.

TextForeColorDown - Gets or sets the foreground color of the control when the button is pressed.

ThemeSupport property must be set to False.

TextMargin – Gets or sets a value indicating the margin in pixels to the text of a button control.

ThemeSupport - Gets or sets a value (true/false) indicating whether Windows Theme will be applied to the control.

ToggleMode - Gets or sets a value (true/false) indicating whether the button allows dual states to toggle between On and Off.

Top - Gets or sets the distance, in pixels, between the top edge of the control and the top edge of its container's client area (normally the form).

UseMnemonic – Gets or sets a value (true/false) indicating whether the first character preceded by an ampersand (&) character will be used as the control's accelerator key.

Visible - Gets or sets a value (true/false) indicating whether the control is displayed.

Width - Gets or sets the width of the control.

Methods

Hide - Conceals the control from the user.

Refresh - Forces the control to invalidate its client area and immediately redraw itself.

SelectNextControl – Moves the input control to the next (True) or previous (False) control in the tab order.

SetBounds - Sets the bounds of the control to the specified location and size. (left, top, width, height).

Show – Creates and makes the control visible to the user.

Events

AllEvents - Special handler where all events are routed through. Use this handler if you prefer to use the Win32 api style messages and wParam and lParam parameters. Set the Handled element of EventArgs to True if you handle a message and do not want Windows to perform any further processing on the message.

Click - Occurs when the client area of the control is clicked.

Destroy - Occurs immediately before the control is about to be destroyed and all resources associated with it released.

GotFocus - Occurs when the control receives focus.

LostFocus - Occurs when the control loses focus.

KeyDown - Occurs when a key is pressed while the control has focus.

KeyPress - Occurs when a character, space or backspace key is pressed while the control has focus.

KeyUp - Occurs when a key is released while the control has focus.

MouseDoubleClick - Occurs when the control is double clicked by the mouse.

MouseDown - Occurs when the mouse pointer is over the control and a mouse button is pressed.

MouseEnter - Occurs when the mouse pointer enters the control.

MouseHover - Occurs when the mouse pointer rests on the control.

MouseLeave - Occurs when the mouse pointer leaves the control.

MouseMove - Occurs when the mouse pointer is moved over the control.

MouseUp - Occurs when the mouse pointer is over the control and a mouse button is released.

DropFiles – Occurs when an object is dragged and dropped onto the control and the AllowDrop property of the control is set to True.

TEXTBOX

Properties

AcceptsReturn - Gets or sets a value (true/false) indicating whether the multiline textbox will accept the Enter character as input.

AcceptsTab - Gets or sets a value (true/false) indicating whether the multiline textbox will accept the Tab character as input.

AllowDrop - Gets or sets a value (true/false) indicating whether the control will accept data that is dragged onto it.

BackColor - Gets or sets the background color of the control. Refer to the Colors object.

BorderStyle - Gets or sets the border style of the control. Refer to the ControlBorderStyle enum.

CharacterCasing - Gets or sets a value indicating the case of the text. Refer to the CharacterCasing enum.

CtrlID - Gets or sets a value indicating the control ID of the control.

CtrlType - Gets or sets the control type value. Always ControlType.TextBox and used when adding control to its form's controls collection.

Enabled - Gets or sets a value (true/false) indicating whether the control can respond to user interaction.

Focused - Gets or sets a value (true/false) indicating whether the control has input focus.

Font - Gets or sets the font for the control. Refer to the Font object.

ForeColor - Gets or sets the background color of the control. Refer to the Colors object.

Height - Gets or sets the height of the control.

HideSelection - Gets or sets a value (true/false) indicating whether the selection should be hidden when the control loses focus.

hWindow - Gets the Windows handle (hwnd) of the control.

hWindowParent - Gets or sets the Windows handle (hwnd) of the parent control or form.

Left - Gets or sets the distance, in pixels, between the left edge of the control and the left edge of its container's client area (normally the form).

Location - Gets or sets the top and left position of the form. Get: returns wfxPoint object. Set: (left, top).

Locked - Gets or sets a value (true/false) indicating whether the control can be moved or resized.

MaxLength - Gets or sets a value indicating the maximum number of characters that can be entered into the control.

MultiLine - Gets or sets a value (true/false) indicating whether the text in the edit control can span more than one line.

Parent - Gets or sets the parent container of the control.

PasswordChar - Gets or sets a character to display for password input in a single line edit control.

ReadOnly - Gets or sets a value (true/false) indicating whether the text can be edited.

SelectionStart - Gets or sets a value indicating the start of the selected text.

SelectionLength - Gets or sets a value indicating the length of the selected text.

Size - Gets or sets the size of the control. Get: returns wfxSize object. Set: (width, height).

TabIndex - Gets or sets the position that the control occupies in the TAB position.

TabStop - Gets or sets a value (true/false) indicating whether the user can use the TAB key to give focus to the control.

Tag - Gets or sets user defined text associated with the control.

Text - Gets or sets the text (caption) associated with this control.

TextAlign - Gets or sets a value indicating the alignment of the text on a control. Refer to `TextAlignment` enum.

TextScrollBars – Gets or sets the value to indicate what scrollbars to display. Refer to the `ScrollBars` enum.

Top - Gets or sets the distance, in pixels, between the top edge of the control and the top edge of its container's client area (normally the form).

Visible - Gets or sets a value (true/false) indicating whether the control is displayed.

Width - Gets or sets the width of the control.

WordWrap - Gets or sets a value (true/false) indicating whether text is automatically word wrapped for multiline controls.

Methods

Hide - Conceals the control from the user.

Refresh - Forces the control to invalidate its client area and immediately redraw itself.

SelectNextControl – Moves the input control to the next (True) or previous (False) control in the tab order.

SetBounds - Sets the bounds of the control to the specified location and size. (left, top, width, height).

Show – Creates and makes the control visible to the user.

Events

AllEvents - Special handler where all events are routed through. Use this handler if you prefer to use the Win32 api style messages and `wParam` and `LPARAM` parameters. Set the `Handled` element of `EventArgs` to True if you handle a message and do not want Windows to perform any further processing on the message.

Click - Occurs when the client area of the control is clicked.

Destroy - Occurs immediately before the control is about to be destroyed and all resources associated with it released.

GotFocus - Occurs when the control receives focus.

LostFocus - Occurs when the control loses focus.

KeyDown - Occurs when a key is pressed while the control has focus.

KeyPress - Occurs when a character, space or backspace key is pressed while the control has focus.

KeyUp - Occurs when a key is released while the control has focus.

MouseDoubleClick - Occurs when the control is double clicked by the mouse.

MouseDown - Occurs when the mouse pointer is over the control and a mouse button is pressed.

MouseEnter - Occurs when the mouse pointer enters the control.

MouseHover - Occurs when the mouse pointer rests on the control.

MouseLeave - Occurs when the mouse pointer leaves the control.

MouseMove - Occurs when the mouse pointer is moved over the control.

MouseUp - Occurs when the mouse pointer is over the control and a mouse button is released.

TextChanged - Occurs when the `Text` property is changed by either a programmatic modification or user interaction.

DropFiles – Occurs when an object is dragged and dropped onto the control and the AllowDrop property of the control is set to True.

CHECKBOX

Properties

AllowDrop - Gets or sets a value (true/false) indicating whether the control will accept data that is dragged onto it.

BackColor - Gets or sets the background color of the control. Refer to the Colors object.

CheckState - Gets or sets the state of the control. Refer to the CheckBoxState enum.

CtrlID - Gets or sets a value indicating the control ID of the control.

CtrlType - Gets or sets the control type value. Always ControlType.CheckBox and used when adding control to its form's controls collection.

Enabled - Gets or sets a value (true/false) indicating whether the control can respond to user interaction.

Font - Gets or sets the font for the control. Refer to the Font object.

Height - Gets or sets the height of the control.

hWindow - Gets the Windows handle (hwnd) of the control.

hWindowParent - Gets or sets the Windows handle (hwnd) of the parent control or form.

Left - Gets or sets the distance, in pixels, between the left edge of the control and the left edge of its container's client area (normally the form).

Location - Gets or sets the top and left position of the form. Get: returns wfxPoint object. Set: (left, top).

Locked - Gets or sets a value (true/false) indicating whether the control can be moved or resized.

Parent - Gets or sets the parent container of the control.

Size - Gets or sets the size of the control. Get: returns wfxSize object. Set: (width, height).

TabIndex - Gets or sets the position that the control occupies in the TAB position.

TabStop - Gets or sets a value (true/false) indicating whether the user can use the TAB key to give focus to the control.

Tag - Gets or sets user defined text associated with the control.

Text - Gets or sets the text (caption) associated with this control.

TextAlign - Gets or sets a value indicating the alignment of the text on a control. Refer to ButtonAlignment enum.

ThreeState - Gets or sets a value (true/false) indicating whether the control will allow three check states rather than two.

Top - Gets or sets the distance, in pixels, between the top edge of the control and the top edge of its container's client area (normally the form).

UseMnemonic - Gets or sets a value (true/false) indicating whether the first character preceded by an ampersand (&) character will be used as the control's accelerator key.

Visible - Gets or sets a value (true/false) indicating whether the control is displayed.

Width - Gets or sets the width of the control.

Methods

Hide - Conceals the control from the user.

Refresh - Forces the control to invalidate its client area and immediately redraw itself.

SelectNextControl - Moves the input control to the next (True) or previous (False) control in the tab order.

SetBounds - Sets the bounds of the control to the specified location and size. (left, top, width, height).

Show – Creates and makes the control visible to the user.

Events

AllEvents - Special handler where all events are routed through. Use this handler if you prefer to use the Win32 api style messages and wParam and lParam parameters. Set the Handled element of EventArgs to True if you handle a message and do not want Windows to perform any further processing on the message.

Click - Occurs when the client area of the control is clicked.

Destroy - Occurs immediately before the control is about to be destroyed and all resources associated with it released.

GotFocus - Occurs when the control receives focus.

LostFocus - Occurs when the control loses focus.

KeyDown - Occurs when a key is pressed while the control has focus.

KeyPress - Occurs when a character, space or backspace key is pressed while the control has focus.

KeyUp - Occurs when a key is released while the control has focus.

MouseDoubleClick - Occurs when the control is double clicked by the mouse.

MouseDown - Occurs when the mouse pointer is over the control and a mouse button is pressed.

MouseEnter - Occurs when the mouse pointer enters the control.

MouseHover - Occurs when the mouse pointer rests on the control.

MouseLeave - Occurs when the mouse pointer leaves the control.

MouseMove - Occurs when the mouse pointer is moved over the control.

MouseUp - Occurs when the mouse pointer is over the control and a mouse button is released.

DropFiles – Occurs when an object is dragged and dropped onto the control and the AllowDrop property of the control is set to True.

OPTIONBUTTON

Properties

- AllowDrop** - Gets or sets a value (true/false) indicating whether the control will accept data that is dragged onto it.
- BackColor** - Gets or sets the background color of the control. Refer to the Colors object.
- Checked** - Gets or sets the value (true/false) indicating whether the control is checked.
- CtrlID** - Gets or sets a value indicating the control ID of the control.
- CtrlType** - Gets or sets the control type value. Always ControlType.CheckBox and used when adding control to its form's controls collection.
- Enabled** - Gets or sets a value (true/false) indicating whether the control can respond to user interaction.
- Font** - Gets or sets the font for the control. Refer to the Font object.
- GroupName** - Controls with the same GroupName form part of the same OptionButton group.
- Height** - Gets or sets the height of the control.
- hWindow** - Gets the Windows handle (hwnd) of the control.
- hWindowParent** - Gets or sets the Windows handle (hwnd) of the parent control or form.
- Left** - Gets or sets the distance, in pixels, between the left edge of the control and the left edge of its container's client area (normally the form).
- Location** - Gets or sets the top and left position of the form. Get: returns wfxPoint object. Set: (left, top).
- Locked** - Gets or sets a value (true/false) indicating whether the control can be moved or resized.
- Parent** - Gets or sets the parent container of the control.
- Size** - Gets or sets the size of the control. Get: returns wfxSize object. Set: (width, height).
- TabIndex** - Gets or sets the position that the control occupies in the TAB position.
- TabStop** - Gets or sets a value (true/false) indicating whether the user can use the TAB key to give focus to the control.
- Tag** - Gets or sets user defined text associated with the control.
- Text** - Gets or sets the text (caption) associated with this control.
- TextAlign** - Gets or sets a value indicating the alignment of the text on a control. Refer to ButtonAlignment enum.
- Top** - Gets or sets the distance, in pixels, between the top edge of the control and the top edge of its container's client area (normally the form).
- UseMnemonic** - Gets or sets a value (true/false) indicating whether the first character preceded by an ampersand (&) character will be used as the control's accelerator key.
- Visible** - Gets or sets a value (true/false) indicating whether the control is displayed.
- Width** - Gets or sets the width of the control.

Methods

- Hide** - Conceals the control from the user.
- Refresh** - Forces the control to invalidate its client area and immediately redraw itself.
- SelectNextControl** - Moves the input control to the next (True) or previous (False) control in the tab order.

SetBounds - Sets the bounds of the control to the specified location and size. (left, top, width, height).

Show – Creates and makes the control visible to the user.

Events

AllEvents - Special handler where all events are routed through. Use this handler if you prefer to use the Win32 api style messages and wParam and lParam parameters. Set the Handled element of EventArgs to True if you handle a message and do not want Windows to perform any further processing on the message.

Click - Occurs when the client area of the control is clicked.

Destroy - Occurs immediately before the control is about to be destroyed and all resources associated with it released.

GotFocus - Occurs when the control receives focus.

LostFocus - Occurs when the control loses focus.

KeyDown - Occurs when a key is pressed while the control has focus.

KeyPress - Occurs when a character, space or backspace key is pressed while the control has focus.

KeyUp - Occurs when a key is released while the control has focus.

MouseDoubleClick - Occurs when the control is double clicked by the mouse.

MouseDown - Occurs when the mouse pointer is over the control and a mouse button is pressed.

MouseEnter - Occurs when the mouse pointer enters the control.

MouseHover - Occurs when the mouse pointer rests on the control.

MouseLeave - Occurs when the mouse pointer leaves the control.

MouseMove - Occurs when the mouse pointer is moved over the control.

MouseUp - Occurs when the mouse pointer is over the control and a mouse button is released.

DropFiles – Occurs when an object is dragged and dropped onto the control and the AllowDrop property of the control is set to True.

FRAMES

Properties

AllowDrop - Gets or sets a value (true/false) indicating whether the control will accept data that is dragged onto it.

BackColor - Gets or sets the background color of the control. Refer to the Colors object.

CtrlID - Gets or sets a value indicating the control ID of the control.

CtrlType - Gets or sets the control type value. Always ControlType.Frame and used when adding control to its form's controls collection.

Enabled - Gets or sets a value (true/false) indicating whether the control can respond to user interaction.

Font - Gets or sets the font for the control. Refer to the Font object.

Height - Gets or sets the height of the control.

hWindow - Gets the Windows handle (hwnd) of the control.

hWindowParent - Gets or sets the Windows handle (hwnd) of the parent control or form.

Left - Gets or sets the distance, in pixels, between the left edge of the control and the left edge of its container's client area (normally the form).

Location - Gets or sets the top and left position of the form. Get: returns wfxPoint object. Set: (left, top).

Locked - Gets or sets a value (true/false) indicating whether the control can be moved or resized.

Parent - Gets or sets the parent container of the control.

Size - Gets or sets the size of the control. Get: returns wfxSize object. Set: (width, height).

Tag - Gets or sets user defined text associated with the control.

Text - Gets or sets the text (caption) associated with this control.

Top - Gets or sets the distance, in pixels, between the top edge of the control and the top edge of its container's client area (normally the form).

UseMnemonic - Gets or sets a value (true/false) indicating whether the first character preceded by an ampersand (&) character will be used as the control's accelerator key.

Visible - Gets or sets a value (true/false) indicating whether the control is displayed.

Width - Gets or sets the width of the control.

Methods

Hide - Conceals the control from the user.

Refresh - Forces the control to invalidate its client area and immediately redraw itself.

SelectNextControl - Moves the input control to the next (True) or previous (False) control in the tab order.

SetBounds - Sets the bounds of the control to the specified location and size. (left, top, width, height).

Show - Creates and makes the control visible to the user.

Events

AllEvents - Special handler where all events are routed through. Use this handler if you prefer to use the Win32 api style messages and wParam and lParam parameters. Set the Handled element of EventArgs to True if you handle a message and do not want Windows to perform any further processing on the

message.

Click - Occurs when the client area of the control is clicked.

OnDestroy - Occurs immediately before the control is about to be destroyed and all resources associated with it released.

MouseDoubleClick - Occurs when the control is double clicked by the mouse.

MouseDown - Occurs when the mouse pointer is over the control and a mouse button is pressed.

MouseEnter - Occurs when the mouse pointer enters the control.

MouseHover - Occurs when the mouse pointer rests on the control.

MouseLeave - Occurs when the mouse pointer leaves the control.

MouseMove - Occurs when the mouse pointer is moved over the control.

MouseUp - Occurs when the mouse pointer is over the control and a mouse button is released.

DropFiles – Occurs when an object is dragged and dropped onto the control and the AllowDrop property of the control is set to True.

LISTBOX

Properties

AllowDrop - Gets or sets a value (true/false) indicating whether the control will accept data that is dragged onto it.

AllowSelection - Gets a value (true/false) indicating whether the control will allow items to be selected.

BackColor - Gets or sets the background color of the control. Refer to the Colors object.

BorderStyle - Gets or sets the border style of the control. Refer to the ControlBorderStyle enum.

ColumnWidth - Gets or sets a value indicating how wide (in pixels) each column should be in a multicolumn listbox.

CtrlID - Gets or sets a value indicating the control ID of the control.

CtrlType - Gets or sets the control type value. Always ControlType.CheckBox and used when adding control to its form's controls collection.

Enabled - Gets or sets a value (true/false) indicating whether the control can respond to user interaction.

Font - Gets or sets the font for the control. Refer to the Font object.

ForeColor - Gets or sets the background color of the control. Refer to the Colors object.

Height - Gets or sets the height of the control.

HorizontalExtent - Gets or sets the width (in pixels) by which a listbox can be scrolled horizontally. Only valid if the HorizontalScrollBars property is True.

IntegralHeight - Gets or sets a value (true/false) indicating whether the list can contain only complete items.

hWindow - Gets the Windows handle (hwnd) of the control.

hWindowParent - Gets or sets the Windows handle (hwnd) of the parent control or form.

Left - Gets or sets the distance, in pixels, between the left edge of the control and the left edge of its container's client area (normally the form).

Location - Gets or sets the top and left position of the form. Get: returns wfxPoint object. Set: (left, top).

Locked - Gets or sets a value (true/false) indicating whether the control can be moved or resized.

MultiColumn - Gets or sets a value (true/false) indicating if values should be displayed in columns horizontally.

Parent - Gets or sets the parent container of the control.

ScrollAlwaysVisible - Gets or sets a value (true/false) indicating if the listbox should always have a scrollbar present regardless of how many items are in it.

SelectedItem - Gets or sets the selected item in the listbox (using a wfxListBoxItem object).

SelectedIndex - Gets or sets the index value of the selected item in the listbox.

SelectionMode - Gets or sets how the listbox handles selection of items. Refer to the ListSelectionMode enum.

Size - Gets or sets the size of the control. Get: returns wfxSize object. Set: (width, height).

Sorted - Gets or sets a value (true/false) indicating if the listbox should be sorted.

TabIndex - Gets or sets the position that the control occupies in the TAB position.

TabStop - Gets or sets a value (true/false) indicating whether the user can use the TAB key to give focus to the control.

Tag - Gets or sets user defined text associated with the control.

Top - Gets or sets the distance, in pixels, between the top edge of the control and the top edge of its

container's client area (normally the form).

TopIndex - Gets or sets the item index of the first visible item in the displayed list.

UseTabStops – Gets or sets a value (true/false) indicating whether the TAB character should be expanded into full spacing.

Visible - Gets or sets a value (true/false) indicating whether the control is displayed.

Width - Gets or sets the width of the control.

Methods

Hide - Conceals the control from the user.

Refresh - Forces the control to invalidate its client area and immediately redraw itself.

SetBounds - Sets the bounds of the control to the specified location and size. (left, top, width, height).

Show – Creates and makes the control visible to the user.

Events

AllEvents - Special handler where all events are routed through. Use this handler if you prefer to use the Win32 api style messages and wParam and lParam parameters. Set the Handled element of EventArgs to True if you handle a message and do not want Windows to perform any further processing on the message.

Click - Occurs when the client area of the control is clicked.

Destroy - Occurs immediately before the control is about to be destroyed and all resources associated with it released.

GotFocus - Occurs when the control receives focus.

LostFocus - Occurs when the control loses focus.

KeyDown - Occurs when a key is pressed while the control has focus.

KeyPress - Occurs when a character, space or backspace key is pressed while the control has focus.

KeyUp - Occurs when a key is released while the control has focus.

MouseDoubleClick - Occurs when the control is double clicked by the mouse.

MouseDown - Occurs when the mouse pointer is over the control and a mouse button is pressed.

MouseEnter - Occurs when the mouse pointer enters the control.

MouseHover - Occurs when the mouse pointer rests on the control.

MouseLeave - Occurs when the mouse pointer leaves the control.

MouseMove - Occurs when the mouse pointer is moved over the control.

MouseUp - Occurs when the mouse pointer is over the control and a mouse button is released.

DropFiles – Occurs when an object is dragged and dropped onto the control and the AllowDrop property of the control is set to True.

Items Collection (wfxListBoxItemsCollection)

Add – Add a new item (and optional 32bit value) to the listbox.

ByIndex – Return the wfxListBoxItem object related to the specified listbox item index.

Clear – Removes all items from the listbox.

Count – Returns the total number of items in the listbox.

Remove – Remove/delete the item identified by the index value.

SelectedCount – Returns the total number of selected items in the listbox.

Item object (wfxListBoxItem)

Index – The index value related to the listbox item.

Text – The text associated with this listbox item.

Data32 – The optional 32bit value associated with this listbox item.

Refer to the *WinFBE_VisualDesigner-Tips.pdf* for examples on how to use the listbox.