

TeamPulse – Deployment Manual

For: Colleagues setting up the TeamPulse survey app **Time required:** ~20 minutes **What you'll need:** A web browser and the two project files — `index.html` and `vercel.json`

Overview

TeamPulse runs entirely in the browser and uses two free services:

- **GitHub** — stores the code and connects to Vercel
- **Vercel** — hosts the app and gives you a public URL
- **Supabase** — stores survey responses in a free database

You'll set them up in that order.

Step 1 — Create a GitHub repository

1. Go to github.com and sign in (or create a free account).
2. Click the + icon in the top-right corner → **New repository**.
3. Fill in the form:
 - **Repository name:** `teampulse` (or any name you like)
 - **Visibility:** Public (*required for Vercel's free tier*)
 - Leave everything else at its default
4. Click **Create repository**.
5. On the next screen, click **uploading an existing file** (the link in the quick-start box).
6. Drag and drop both files — `index.html` and `vercel.json` — onto the upload area.
7. Click **Commit changes**.

Your repository is ready. Keep this tab open; you'll need the repo name in Step 3.

Step 2 — Set up Supabase

2a. Create a project

1. Go to supabase.com and click **Start your project** (free account).
2. Click **New project**.
3. Give it a name (e.g. `teampulse`), choose a region close to your users, and set a database password (save it somewhere — you won't need it again, but keep it just in case).
4. Click **Create new project** and wait about a minute for it to provision.

2b. Create the database tables

1. In the left sidebar, click **SQL Editor**.
2. Click **New query**.
3. Paste the following SQL and click **Run**:

```
sql

-- Teams table
create table teams (
  id uuid primary key default gen_random_uuid(),
  name text not null unique,
  questions text,
  created_at timestamptz default now()
);

-- Responses table
create table responses (
  id uuid primary key default gen_random_uuid(),
  team_id uuid references teams(id) on delete cascade,
  team_name text,
  answers jsonb,
  submitted_at timestamptz default now()
);

-- Allow public read/write (anonymous survey respondents)
alter table teams enable row level security;
alter table responses enable row level security;

create policy "Public read teams" on teams for select using (true);
create policy "Public insert teams" on teams for insert with check (true);
create policy "Public update teams" on teams for update using (true);
create policy "Public delete teams" on teams for delete using (true);

create policy "Public read responses" on responses for select using (true);
create policy "Public insert responses" on responses for insert with check (true);
```

You should see a green **Success** message.

2c. Copy your credentials

1. In the left sidebar, click **Project Settings** (the gear icon at the bottom).
2. Click **API** in the settings menu.
3. Copy and save two values — you'll need them in Step 4:
 - **Project URL** — looks like `https://abcdefghijkl.supabase.co`

- **anon public** key — a long string starting with `eyJ...` or `sb_publishable_...`
-

Step 3 — Deploy on Vercel

1. Go to vercel.com and click **Sign Up** → continue with GitHub.
2. Authorise Vercel to access your GitHub account when prompted.
3. On the Vercel dashboard, click **Add New → Project**.
4. Find your `teampulse` repository in the list and click **Import**.
5. Leave all settings at their defaults — no build command is needed.
6. Click **Deploy**.
7. Wait about 30 seconds. Vercel will show a **Congratulations** screen with your live URL, something like `https://teampulse-abc123.vercel.app`.

Click **Visit** to open your app. It won't work fully yet — you need to connect Supabase first.

Step 4 — Connect Supabase to the app

The app needs your Supabase credentials embedded directly in `index.html`. Here's how to do that:

1. Open your GitHub repository.
2. Click on `index.html` to open it, then click the **pencil icon** (Edit this file) in the top-right.
3. Use **Ctrl+F** (or **Cmd+F** on Mac) to search for: `const SB`
4. You'll find these two lines near line 290:

```
javascript
```

```
const SB = 'https://ocqvjzsogumonagjltli.supabase.co';  
const KEY = 'sb_publishable_3gruS1_...';
```

5. Replace the value after `SB =` with your **Project URL** from Step 2c.
6. Replace the value after `KEY =` with your **anon public key** from Step 2c.
7. Scroll down and click **Commit changes**.

Vercel detects the change automatically and redeploys — this takes about 30 seconds.

Refresh your app URL. It should now load fully and be ready to use.

Step 5 — First-time setup in the app

1. Open your Vercel URL.
 2. Click **Admin** in the top navigation — you'll be asked for a PIN.
 3. The default PIN is **1234**. Enter it to unlock Admin.
 4. Once inside, go to **Admin PIN** at the bottom of the admin panel and change the PIN to something only you know.
 5. Click **Teams** and create your first team by typing a name and clicking + **Add**.
 6. Select the team, choose which questions to include, and click **Save questions**.
 7. Copy the **survey link** from the link box and send it to team members.
-

Sharing the survey

Each team gets its own shareable link. Recipients just click the link — no login required. The link pre-selects the right team and question set automatically.

To get a team's link: open the **Admin** panel → select the team → copy the URL from the **Survey link** card.

Viewing results

Click **Results** in the top navigation (requires PIN). The dashboard shows:

- Number of responses per team
- Average scores across all five Lencioni dimensions
- A bar chart comparing dimensions
- A table of individual anonymous responses
- Side-by-side team comparison (select a second team to compare)

Results update live — click ↻ **Refresh** to pull the latest responses.

Troubleshooting

The app loads but teams don't appear / responses don't save

- Double-check the `[SB]` and `[KEY]` values in `[index.html]` — a missing character or extra space will break the connection.
- Make sure you ran the full SQL block in Step 2b, including the `[create policy]` lines.

Vercel shows a 404 error

- Make sure `vercel.json` is in the repository root alongside `index.html`.

I forgot the admin PIN

- Open your browser's developer tools → Application → Local Storage → find the key `tp_pin` and delete it. The PIN resets to **1234**.

Supabase says "permission denied"

- The Row Level Security policies in Step 2b may not have run. Go back to the SQL Editor and run just the `create policy` lines again.

Quick reference

What	Where
Live app URL	Your Vercel dashboard
Database tables	Supabase → Table Editor
Update questions or add teams	App → Admin tab
Change admin PIN	App → Admin tab → Admin PIN section
Shareable survey links	App → Admin tab → select a team
View responses	App → Results tab