Please check the examination details bel	ow before ente	ering your candidate information	
Candidate surname		Other names	
Centre Number Candidate No	umber		
Pearson Edexcel Level	3 GCE		
Wednesday 13 October 2021 – Af	ternoon		
Time 2 hours	Paper reference	9MA0/02	
Mathematics		A	
Advanced			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	• 2		
PAPER 2: Pure Mathemat	ICS 2		
You must have:		(T. 114	\leq
Mathematical Formulae and Statistica	al Tables (Gr	reen), calculator	arks

Candidates may use any calculator allowed by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 15 questions in this question paper. The total mark for this paper is 100.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







1	In an arithmetic series	
1.	• the first term is 16	
	• the 21st term is 24	
	(a) Find the common difference of the series.	(2)
	(b) Hence find the sum of the first 500 terms of the series.	(2)
	(b) Treffee find the sum of the first 500 terms of the series.	(2)

- 8888888	
- 8888888	
4 ×	
XX • XX	
× va×	
×ו••××	
× • • • · · · · · · · · · · · · · · · ·	
- XX - XX - I	
	1
	1
	1
	1
	1
	1
	1
	1
- XX - XX	1
- 8XXXXX	1
6	1
	1
	1
DO	
$-\times\times\times\times\times$	
	1
A	
A	
:EA	
REA	
4.REA	
4.REA	
4.REA	
4.REA	
IS AREA	
IIS AREA	
HS AREA	
HS AREA	
THIS AREA	
THIS AREA	
THIS AREA	
THIS AREA	
IN THIS AREA	
INTHIS AREA	
INTHIS AREA	
INTHIS AREA	
IN THIS AREA	
INTHIS AREA	
INTHIS AREA	
INTHIS AREA	
INTHIS AREA	
WRITE IN THIS AREA	
WRITE IN THIS AREA	
WRITE IN THIS AREA	
WRITE IN THIS AREA	
OT WRITE IN THIS AREA	
OT WRITE IN THIS AREA	
OT WRITE IN THIS AREA	
OT WRITE IN THIS AREA	
OT WRITE IN THIS AREA	
NOT WRITE IN THIS AREA	
NOT WRITE IN THIS AREA	
O NOT WRITE IN THIS AREA	
O NOT WRITE IN THIS AREA	
O NOT WRITE IN THIS AREA	
NOT WRITE IN THIS AREA	

	1				
		/	\	1	
		>			
		ς.			
		2			
					1
					ĸ.
	١.	/			
		\			
		١			
			7	4	à
					К
	2	₹	'n		Ľ
	`		S		7
	4	ь		ŀ.	
	X	×		þ	
		a	٤	ũ	4
	А	r	Я	R	7
	У				
		2		2	Z
	a	Ś			г
		9	ь		Ľ.
		١,			7
	a	ø	Q	2	
	Я	١.		۲,	1
7	Š.	7	۲		7
	Δ	6			
	'n		è	ú	ù
		7			≺
		ь		L	ü
	S	z			7
		L	4	2	4
	Я	r	7	₹	7
		7			
		2	2	S	2
	У	7			
		à	е		S
	2	₹	,	٠	7
	V	ė	7		
		۵	9	c	Q
	ü	₽		ν	
	Α				
	B	ſ			
	Α	Ю			
	А	è			
		Σ	Ζ	2	Z
		r			
				Ē	6
	X	Š	Ž		ź
	Ś	Š	Į		ĺ
	3				
	3				
>					
>					
>					
>					
>					
>					
· · · · · · · · · · · · · · · · · · ·					
· · · · · · · · · · · · · · · · · · ·					
>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>					
>>>>>					

Question 1 continued				
(T	otal for Question 1 is 4 marks)			



2. The functions f and g are defined by

$$f(x) = 7 - 2x^2 \qquad x \in \mathbb{R}$$

$$g(x) = \frac{3x}{5x - 1} \qquad x \in \mathbb{R} \qquad x \neq \frac{1}{5}$$

(a) State the range of f

(1)

(b) Find gf(1.8)

(2)

(c) Find $g^{-1}(x)$

(2)

\rangle					
		>		\rangle	
				ς	>
					١,
				>	
ĺ,			7	1	
				ĺ	7
	١.	à	й		e
V	4		6		2
				₹	2
×	J			v	п
	4			h	а
	×	ú	è		2
×	ч		Э	Р	
	4	,	۰	,	ш
		1	2	ú	ò
7	q				
			7	9	ķ
					×
_	ú		¥	ø	ь
	я	Ŀ		ь	а
	Z			S	2
2	g	•	9	۳	۹,
	3	β	٩		ø
ί,				k	2
	ø	ø	и	μ	×,
	ű	Þ		2	
ĸ.	4	Ħ	ø	۹	酣
2	y	۲			
					C
١,	А	۹	변		p
_	S	á	е	r	7
	9	9	=	7	e
ί.	a	i	ń	'n	ni
_			5	/	
	G		4	Þ	ú
ί.	4	L		L	в
_	Ą	•	7	,	۹,
	1	ь		è	<i>C</i>
	4	r	,	٠	9
2	Š		2		2
	à	9	₹	7	₹
ζ.	à			й	ò
	ч	Ľ	3	Е	7
		5	-	7	т.
	ø	ķ			ù
Š	N.	3	ä	₽	ij
ζ	K	į	Ē	3	ì
Š	K	Ì		3	ij
Š	N N				ì
>					
2		k	2	S	}
		k	2	S	}
		k	}		2
			>	2	}
			>	2	}
			>	2	}
			>	2	}
			>	2	}
			>	2	}

Question 2 continued
(Total for Question 2 is 5 marks)



3.	Using the laws of logarithms, solve the equation	
	$\log_3 (12y + 5) - \log_3 (1 - 3y) = 2$	
		(3)

\rangle					
		>		\rangle	
				ς	>
					١,
				>	
ĺ,			7	1	
				ĺ	7
	١.	à	й		e
V	4		6		2
				₹	2
×	J			v	п
	4			h	а
	×	ú	è		2
×	ч		Э	Р	
	4	,	۰	,	ш
		1	2	ú	ò
7	q				
			7	9	ķ
					×
_	ú		¥	ø	ь
	я	Ŀ		ь	а
	Z			S	2
2	g	•	9	۳	۹,
	3	β	٩		ø
ί,				K	2
	ø	ø	и	μ	×,
	ű	Þ		2	
ς.	4	Ħ	ø	۹	酣
2	y	۲			
					C
١,	А	۹	변		p
_	S	á	е	r	7
	9	9	=	7	e
ί.	a	i	ń	'n	ni
_			5	/	
	G		4	Þ	ú
ί.	4	L		L	в
_	Ą	•	7	,	۹,
	1	ь		è	<i>C</i>
	4	r	,	٠	9
2	Š		2		2
	à	9	₹	7	₹
ζ.	à			й	ò
	ч	Ľ	3	Е	7
		5	-	7	т.
	ø	ķ			ù
Š	N.	3	ä	₽	ij
ζ	K	į	Ē	3	ì
Š	K	Ì		3	ij
Š	N N				ì
>					
2		k	2	S	}
		k	2	S	}
		k	}		2
			>	2	}
			>	2	}
			>	2	}
			>	2	}
			>	2	}
			>	2	}

Question 3 continued	
	Total for Question 3 is 3 marks)



4.	Given that θ is small and measured in radians, use the small angle approximations to show that	
	$4\sin\frac{\theta}{2} + 3\cos^2\theta \approx a + b\theta + c\theta^2$	
	where a , b and c are integers to be found. (3)	

				2		
5	/				7	
	5				7	
	2	9	7		2	
	>				7	
>	۲,	à	é		Ď	
	Α	ξ	6		Ľ	
?	Ŋ	P	9	ν		
	4	ķ	ø	h	я	
	λ	ļ	ĸ	Ì	è	
/	М	E	3	Е	Z	
	O	7	e	7	=	
	2	S				
	ÿ		Σ		Δ	
				7	₹	
5	/			7		
	a	ľ	ú	ρ	٩	
	Q					
	á	š	4	è	4	
	2	ē				
	B	7	٦	۲	7	
>	ζ,	ì		Ŀ	۷	
	2	5	7	7	7	
	И					
	J	Р	₹	7	₹	
	2		1	۹,	2	
	à	á	è	ń	è	
		2	и	ρ	≺	
5	1		μ	à	×	
	à	ú	ù	ú		
?		7		7		
	ζ,	>	۷		4	
	K	L	J	E.		
/	ß	7	7	,	ļ	
	a		۷	2	≤	
	4		7	٠	7	
	S	2	\leq	۷		
	C	7	₹	7	₹	
5	4		a		۳	
(X	b	ä	Ŀ	è	
2	ú	2	Σ	7	7	
		3				
	A	۹		S	2	
	b	ú	ь	ø	9	
	C					
	4	b.			2	
	И		ķ	ė	ņ	
>	Q			2	S	
	4	ĕ	۲	۹	S.	
	X	ĸ.				
7		7	۹	Ś	К	
	0	ķ	μ	ę	в	
	2	ú	ĕ	ĸ		
Č	y	۲	۶	۲	٥	
١,		ä	ρ	۹	к	
	И	ľ				
	ď	Ħ	ŧ	ú	ø,	
١,	?	S	ú	ń	ď	
	X	r		₹	3	
	q		'n	ú		
	>					
	5				1	
>						
	2	`	?		>	
	>	1	>		5	
>						
	2				2	
	S				>	
>				2	≺	
		5				
	⟨				Κ	
	5				S	

Question 4 continued
(Total for Question 4 is 3 marks)



5. The curve C has equation

$$y = 5x^4 - 24x^3 + 42x^2 - 32x + 11 \qquad x \in \mathbb{R}$$

- (a) Find
 - (i) $\frac{\mathrm{d}y}{\mathrm{d}x}$
 - (ii) $\frac{d^2y}{dx^2}$ (3)
- (b) (i) Verify that C has a stationary point at x = 1
 - (ii) Show that this stationary point is a point of inflection, giving reasons for your answer.

(4)



Question 5 continued
(Total for Question 5 is 7 marks)



6.




Figure 1

The shape *OABCDEFO* shown in Figure 1 is a design for a logo.

In the design

- OAB is a sector of a circle centre O and radius r
- sector *OFE* is congruent to sector *OAB*
- ODC is a sector of a circle centre O and radius 2r
- *AOF* is a straight line

Given that the size of angle COD is θ radians,

(a) write down, in terms of θ , the size of angle AOB

(1)

(b) Show that the area of the logo is

$$\frac{1}{2}r^2(3\theta+\pi)$$

(c) Find the perimeter of the logo, giving your answer in simplest form in terms of r, θ and π .

(2)

(2)

Question 6 continued	
	-
	-
	_
	_
	_
	-
	-
	-
	_
	_
	_
	-
	-
	-
	_
	_
	_
	_
	-
	-
	-
	_
	_
	_
	-
	-
	-
	_



Question 6 continued			

Question 6 continued	
(Total for Ques	stion 6 is 5 marks)



7. In this question you should show all stages of your working.

Solutions relying entirely on calculator technology are not acceptable.




Figure 2

Figure 2 shows a sketch of part of the curve *C* with equation

$$y = x^3 - 10x^2 + 27x - 23$$

The point P(5, -13) lies on C

The line *l* is the tangent to *C* at *P*

(a) Use differentiation to find the equation of l, giving your answer in the form y = mx + c where m and c are integers to be found.

(4)

(b) Hence verify that l meets C again on the y-axis.

(1)

The finite region R, shown shaded in Figure 2, is bounded by the curve C and the line l.

(c) Use algebraic integration to find the exact area of R.

(4)

Question 7 continued	



Question 7 continued

Question 7 continued	
(Total for Question 7 is 9 ma	rks)
(Total for Question 7 is 7 ind	



8. The curve C has equation

$$px^3 + qxy + 3y^2 = 26$$

where p and q are constants.

(a) Show that

$$\frac{\mathrm{d}y}{\mathrm{d}x} = \frac{apx^2 + bqy}{qx + cy}$$

where a, b and c are integers to be found.

(4)

Given that

- the point P(-1, -4) lies on C
- the normal to C at P has equation 19x + 26y + 123 = 0
- (b) find the value of p and the value of q.

(5)



Question 8 continued			



Question 8 continued

.>			≺		
1	<		1		<
	>			S	Ì
<	Ì		8		75
2	S	7	7	7	ч
	a		q	Ď	4
ĸ,	А	ŀ	d	Ŀ	a
K	λ	á	è	ú	è
<	И		3		_
2	ς,	7	7	Z	S
	G	è	ø		Г
	2	3	3	۹	
×	>				>
1	И			ø	١,
2	Q	ķ	ρ		я
	G	è	ú	ù	6
۲	2	S	2	S	
K	×		٦	Г	7
1	У	μ	ц	Þ	١,
2	q		S	2	S
	4		e	7	₹
ĸ,	2		2		2
×	Þ	é	è		ù
1	S	á		2	5
Þ	C.	7	₹	7	=
	Ų.	,	e	Ę	e
×,	2		2		
K	d		1	ľ.	
1	Ŋ	6	7	₹	7
2	q		≤	ü	÷
	d				₹
N	а	Ė	p	á	ø
	λ	ú	À	ú	è
<	И	Ľ	ì	E	4
2	d	2	Σ	Z	
	<	3	Z		8
	2	3	F	6	ĸ
×	À	Ŕ	g	₹	7
K	X	4			\rangle
2	J		á	ú	ú
2	Q	9	S	2	
	4		₹	7	٩
Κ	7		2	S	ð
<	N	۷	3	z	_
2		7	S	2	8
>	Q		G	ì	6
Κ		á	pÌ	ń)
K	K				
2	8	ø	٩	ø	۴,
	≺	à	2	9	ĸ.
1	d		2		
Κ	2	۴	7	۴	7
K	>				>
2	5		ς		S
	≺			>	

Question 8 continued	
(Total for	Question 8 is 9 marks)



Λ	Charry	414
9.	Show	tnat

$$\sum_{n=2}^{\infty} \left(\frac{3}{4}\right)^n \cos(180n)^\circ = \frac{9}{28}$$

((.	.1)	

	×					
	ς,					
1		٩		2	d	
	и		9			
		7	₹		ь	
١	74		3		A	
	М		ч			
	a	۹	۰	۰	۰	
		á	ni.	S		
2	SI	ľ	П	Р		
	/1					
(\times		7	۷	à	
0	Œ	į	e		Ç	
	Э	ė			10	
	۲,				7	
N				7		
	м	t	а	ø		
	CII					
۲	Ğ	3	2	S		
	И		۰,	,	7	
	4	ì			ú	
			1	К	7	
2	S	ú		ы	ú	
١,	7					
/	М		\sim	4	è	
	a		-	7	_	
	×					
	١.	۵	ś	2	_	
/	⇗	3	z			
	7				\geq	
	⟨#	,	e	9	e	
	А					
	\		/	/		
	7				4	
	I	ľ	j	r		
2	SI					
	4	8				
	И		è	×	è	
	a				7	
			-	4		
	ð	į	È	Ś	Ė	
?	å		Š	9	Š	
?	3	į	Š	É	Š	
3	j		j	É	2	
3	1					
3	1					
3						
?						
3						
?						
?						
?						
?						
?						
?						

Question 9 continued
(Total for Question 9 is 3 marks)



10. The time, T seconds, that a pendulum takes to complete one swing is modelled by the formula

$$T = al^b$$

where l metres is the length of the pendulum and a and b are constants.

(a) Show that this relationship can be written in the form

$$\log_{10} T = b \log_{10} l + \log_{10} a$$
 (2)




Figure 3

A student carried out an experiment to find the values of the constants a and b.

The student recorded the value of *T* for different values of *l*.

Figure 3 shows the linear relationship between $\log_{10} l$ and $\log_{10} T$ for the student's data. The straight line passes through the points (-0.7, 0) and (0.21, 0.45)

Using this information,

(b) find a complete equation for the model in the form

$$T = al^b$$

giving the value of a and the value of b, each to 3 significant figures.

(3)

(c) With reference to the model, interpret the value of the constant a.

(1)



	7	
	<	
⟨		
		5
۱		ζ
	/	
	Ħ	
١		b
	И	E
		7
7		
≺	A	ĥ
1	١,	
	G	è
	2	ę
	/	
		2
۲	А	ĸ.
		8
		μ
		è
	>	
	И	ø
	a	è
	А	
	y	ĸ
	ς,	2
7	ľ	3
⋖	à	
2	1	Ź
5	ď	
	y	r
Š	Â	í
	y	í
2	Þ	ø
	ð	9
	×	ú
	SI	Ε
	d	g
	ø	ņ
	V	ė
		3
	Α	q
	7	4
	Q	
`	А	
		Z
	S	P
	0	٩
≺	a	ú
1		7
	2	
	5	
	4	ø
	Α	ī,
		Ĉ
	ς	à
	4	Ŀ
	2	ę
	۲,	
	ζ	
	>	5
	3	
>	3	>
3	3	
3	?	
2	?	
3	?	3
	>	3
\ \ \		
		\ \ \
		\ \ \
\ \ \		
\ \ \ \		
\ \ \		

Question 10 continued



Question 10 continued

>		۶				
Υ,			7			
C			2			
\times		à	ú		d	۰
Κ.	4		2		Ź	
c				7	9	
×	a		q			
∿	4	ŀ		h		
K.	×	í	è	G	à	
×	Ш	7	3	ρ	₹	
۲,	4	١	μ	Þ	Ħ	
<		1		4	à	
>	d		5			
N	7	5	7	9	Ħ	
Κ.						
Γ	'n		S	d	ь	
	1	L	а	15		
Κ.	×	7	7		5	۰
Λ	û	۰		,	۰	
\times	Ĥ	ì	6		ú	
Κ.	×		1			
/	4	d	и	ы	ь	
	Ĥ					
۲.	4		è	۹	ø	
⇗	v	r	١			
\rightarrow						
Κ.	ж	ŧ	7			
/	Sid			r		
>	æ	,	₹	7	ę	۰
`\	4	۹		۹	μ	
			5			
\rightarrow	G		4		4	
Υ,	1	L	ĺ	L		
>	3	Ŀ	≤	2	≤	
≷	1	ŀ	þ	į	þ	
3	Į			2	2	
3				2		
3				2		
?	1					
3	1		Ì	É	Ì	
?			Ì	É	Ì	
?	1			É		
	1		Ì	É	Ì	
	1		Ì	É		
	1		Ì	É		
	1		Ì	É		
				É		֡
				É		
				É		
				É		֡
				É		
				É		
				É		֡
						֡
						֡

Question 10 continued
(Total for Oreation 10 in (months)
(Total for Question 10 is 6 marks)



11.




Figure 4

Figure 4 shows a sketch of the graph with equation

$$y = |2x - 3k|$$

where k is a positive constant.

(a) Sketch the graph with equation y = f(x) where

$$f(x) = k - |2x - 3k|$$

stating

- the coordinates of the maximum point
- the coordinates of any points where the graph cuts the coordinate axes

(4)

(b) Find, in terms of k, the set of values of x for which

$$k - |2x - 3k| > x - k$$

giving your answer in set notation.

(4)

(c) Find, in terms of k, the coordinates of the minimum point of the graph with equation

$$y = 3 - 5f\left(\frac{1}{2}x\right)$$

(2)



HS AREA DO NOT WRITE IN THIS AREA						
IS AREA DO NOT WRITE IN THIS ARE			(
IS AREA DO NOT WRITE IN THIS ARE	$\times \times$		×		>	
IS AREA DO NOT WRITE IN THIS ARE	$\times \times$					
IS AREA DO NOT WRITE IN THIS ARE	\sim	>				
IS AREA DO NOT WRITE IN THIS ARE	$\times \times$	ς.	×		>	
IS AREA DO NOT WRITE IN THIS ARE						
IS AREA DO NOT WRITE IN THIS ARE						
IS AREA DO NOT WRITE IN THIS ARE	\times		7		1	
IS AREA DO NOT WRITE IN THIS ARE						
IS AREA DO NOT WRITE IN THIS ARE	\times	\times				
IS AREA DO NOT WRITE IN THIS ARE	\times	۲,	7		2	
IS AREA DO NOT WRITE IN THIS ARE	\sim					
IS AREA DO NOT WRITE IN THIS ARE						
IS AREA DO NOT WRITE IN THIS ARE	in P	jα	ä	ς,	7	
IS AREA DO NOT WRITE IN THIS ARE	Marie	w,	9	0		
IS AREA DO NOT WRITE IN THIS ARE			C			
IS AREA DO NOT WRITEIN THIS	NИ	я	P	Ŋ	?	
IS AREA DO NOT WRITEIN THIS	-			4		
IS AREA DO NOT WRITEIN THIS		è	6	N		
IS AREA DO NOT WRITEIN THIS		а	r	q		
IS AREA DO NOT WRITEIN THIS	-	pl	ц	d	Ì	
IS AREA DO NOT WRITEIN THIS		7	C			
IS AREA DO NOT WRITEIN THIS	535	57		Û	>	
IS AREA DO NOT WRITEIN THIS	7	94	₹			
IS AREA DO NOT WRITEIN THIS						
IS AREA DO NOT WRITE IN TH	XX	S	2	ς		
IS AREA DO NOT WRITE IN TH	ЫO	л	Б.	4	١.	1
IS AREA DO NOT WRITE IN TH		7	æ			
IS AREA DO NOT WRITE IN TH		=	×		2	
IS AREA DO NOT WRITE IN TH	\sim	4	۷.			
IS AREA DO NOT WRITEINT		п	₹			
IS AREA DO NOT WRITEINT	282		×	G	2	
IS AREA DO NOT WRITE IN	t X		ě.			
IS AREA DO NOT WRITE IN	-	è	ь	A		
IS AREA DO NOT WRITE	\sim	۲.	r	V	7	
IS AREA DO NOT WRITE						
IS AREA DO NOT WRITE		×	۰	×		
IS AREA DO NOT WRITE	w	и	ä	١	1	Š
IS AREA DO NOT WRITE	-	×	=	а		1
IS AREA DO NOT WRITE		è	6	à		
IS AREA DO NOT WRITE	\sim	7	7		?	
IS AREA DO NOT WRIT	XX	2	\geq	ζ,		
IS AREA DO NOT WRIT	LIK I	л	Ľ	X		
IS AREA	_	4	×		7	
IS AREA	\times		ь			
IS AREA	7.77	7	r	Я		
IS AREA	\sim	╮	٣.		7	
IS AREA	A A	₹	7	e		
IS AREA	District	×				
IS AREA		ч	Ľ	Ч		s
IS AREA	X X	_	7	С		
IS AREA	-	u,	e	2		>
IS AREA	in the last		á	V		
IS AREA		c	7			
IS AREA	90	7	e	Α		
IS AREA					/	S
IS AREA	\times	\leq	Ы			
IS AREA		7	г	A		
IS AREA	~	_	22		/	
IS AREA	K 7					
IS AREA	\sim					
IS AREA		2	ĸ.	K		>
IS AREA		è	ķ	ζ	>	>
IS AREA	ria.	è	2	K	>	>
IS AREA	Ż			5	?	>
IS AREA		2	Z		>	>
IS AREA		2	Z		>	>
IS AREA		2	Z		>	>
IS AREA		2	Z		>	>>>>
IS AREA		2	Z		>	
IS AREA		2	Z		>	
IS AREA		2	Z		>>>>	
IS AREA		2	Z		>	>>>>>>>
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z		>	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z		> > > >	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z		> > > >	
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z		>	· · · · · · · · · · · · · · · · · · ·
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z		> > > >	<pre></pre>
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z		> > > >	
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z		> > > >	
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z		> > > >	·>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			· · · · · · · · · · · · · · · · · · ·
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			· > > > > > > > > > > > > > > > > > > >
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			· > > > > > > > > > > > > > > > > > > >
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			·>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$		2	Z			
$\mathbb{Z}^{\mathbb{Z}_2}$						
$\mathbb{Z}^{\mathbb{Z}_2}$						
$\mathbb{Z}^{\mathbb{Z}_2}$						
$\mathbb{Z}^{\mathbb{Z}_2}$						
$\mathbb{Z}^{\mathbb{Z}_2}$						
$\mathbb{Z}^{\mathbb{Z}_2}$						/ >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>
$\mathbb{Z}^{\mathbb{Z}_2}$						/ >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>
$\mathbb{Z}^{\mathbb{Z}_2}$						
$\mathbb{Z}^{\mathbb{Z}_2}$						
$\mathbb{Z}^{\mathbb{Z}_2}$						
$\mathbb{Z}^{\mathbb{Z}_2}$						
$\mathbb{Z}^{\mathbb{Z}_2}$						
$\mathbb{Z}^{\mathbb{Z}_2}$						
\times						
$\times \times$						
X792						

$\times\!\!\times\!\!\times\!\!\times$	

\longleftrightarrow	
\times	

$\times\!\!\times\!\!\times\!\!\times$	
$\times\!\!\times\!\!\times\!\!\times$	

XXXXX	
$\times\!\!\times\!\!\times\!\!\times$	
XXXX	
XXXXX	
AREA	
0. (1)	
A A	
XXXXXX	
2	
2	
THIS	
2	
○○ ○○ ○○	
(XXXXX)	
$\times\!\!\times^{\!$	
XX = XXX	
6	
\times	
\times	
2	
\times	
8	
∞	
DO	

$\times\!\!\times\!\!\times\!\!\times\!\!\times$	

HIS AREA	
HIS AREA	
THIS AREA	
THIS AREA	
N THIS AREA	
IN THIS AREA	
IN THIS AREA	
IN THIS AREA	
TE IN THIS AREA	
TE IN THIS AREA	
TE IN THIS AREA	
TE IN THIS AREA	
TE IN THIS AREA	
TE IN THIS AREA	
TE IN THIS AREA	
TE IN THIS AREA	
IWRITE IN THIS AREA	
IWRITE IN THIS AREA	
IWRITE IN THIS AREA	
IOT WRITE IN THIS AREA	
IOT WRITE IN THIS AREA	
NOT WRITE IN THIS AREA	
NOT WRITE IN THIS AREA	
O NOT WRITE IN THIS AREA	
O NOT WRITE IN THIS AREA	
DO NOT WRITE IN THIS AREA	
DO NOT WRITE IN THIS AREA	
O NOT WRITE IN THIS AREA	

>					
				è	
4	į			۳	
У				ė	
			7	₹	
Α	U.	А	ß.		
Ч			ы		
0		4	į		
ă				ņ	
a	£	╝		≤	
2	7	7	7		
\	2	S	į		
4		z			
		٦	ņ		
			2		
2	2		s	2	
ч	₽	'n	P		
0				л	١
7	4	_	4	2	
e	7	e		₹	
Ä					
		Я	ν		
4					
Z	7				
a		6	è	4	
Я	ľ	7	₹	7	
Q	S	2	\leq	7	
3	T	7			
G				S.	
2	٠	7	٠	7	
V	Ħ	ь	=	ь	
S				2	
a			D		
Я					
1	7				
4		4	2	4	
И	r	7	₹	7	
G	2	۷	_	≤	
2	7	7	₹	7.	
V			м		
4			Б	4	
y	٠	7	٠	-	
a			ú	۷	
2	L	a		9	
ġ	۰		S	7	
G	à	d		۰	
2	₹				
ς,	ú		2		
1	ı	×	è	-	
И	r	7	7	7	
(á	á		ĸ	
a	۲	7	₹		
IJ	б				
2	۹	ฅ	ø	۲	
'n	ń	è	ú	è	
		ú		٣	
Ä			4	-	
ď	7	7	7	≺	
1	d			b.	
1	e				
3		ú	4		
			٠		

Question 11 continued



Question 11 continued

Question 11 continued	
	4.16044440
	otal for Question 11 is 10 marks)



12. (a) Use the substitution $u = 1 + \sqrt{x}$ to show that

$$\int_0^{16} \frac{x}{1 + \sqrt{x}} \, dx = \int_p^q \frac{2(u - 1)^3}{u} \, du$$

where p and q are constants to be found.

(3)

(b) Hence show that

$$\int_{0}^{16} \frac{x}{1 + \sqrt{x}} \, \mathrm{d}x = A - B \ln 5$$

where *A* and *B* are constants to be found.

(4)

Question 12 continued	



Question 12 continued

Question 12 continued	
(Total fo	r Question 12 is 7 marks)



13. The curve C has parametric equations


$$x = \sin 2\theta$$
 $y = \csc^3 \theta$ $0 < \theta < \frac{\pi}{2}$

(a) Find an expression for $\frac{dy}{dx}$ in terms of θ

(3)

(b) Hence find the exact value of the gradient of the tangent to C at the point where y = 8 (3)





		e
X		
		Į

Question 13 continued
(Total for Question 13 is 6 marks)



14.




Figure 5

Water flows at a constant rate into a large tank.

The tank is a cuboid, with all sides of negligible thickness.

The base of the tank measures 8 m by 3 m and the height of the tank is 5 m.

There is a tap at a point *T* at the bottom of the tank, as shown in Figure 5.

At time t minutes after the tap has been opened

- the depth of water in the tank is h metres
- water is flowing into the tank at a constant rate of 0.48 m³ per minute
- water is modelled as leaving the tank through the tap at a rate of $0.1h\,\mathrm{m}^3$ per minute
- (a) Show that, according to the model,

$$1200 \frac{dh}{dt} = 24 - 5h \tag{4}$$

Given that when the tap was opened, the depth of water in the tank was 2 m,

(b) show that, according to the model,

$$h = A + Be^{-kt}$$

where A, B and k are constants to be found.

(6)

Given that the tap remains open,

(c) determine, according to the model, whether the tank will ever become full, giving a reason for your answer.

(2)



Question 14 continued



Question 14 continued

					=
					è
	K				
		ú			
			è		
			4		
S	4				
>	J	ę	7	₹	y
3	2	5	7	5	Z
2	3	2	3	2	3
3	1	3	3	Š	3
2	3	2	3	2	3
3	3	3	3	3	3
3	3		3	>	3
	3		3	3	3
2	3		3		3
?	1		3		3

Question 14 continued
(Total for Question 14 is 12 marks)
(LOUIS TOT QUEDRON 1: 10 12 MATER)



15. (a) Express $2\cos\theta - \sin\theta$ in the form $R\cos(\theta + \alpha)$, where R > 0 and $0 < \alpha < \frac{\pi}{2}$ Give the exact value of R and the value of α in radians to 3 decimal places.

(3)




Figure 6

Figure 6 shows the cross-section of a water wheel.

The wheel is free to rotate about a fixed axis through the point C.

The point *P* is at the end of one of the paddles of the wheel, as shown in Figure 6.

The water level is assumed to be horizontal and of constant height.

The vertical height, H metres, of P above the water level is modelled by the equation

$$H = 3 + 4\cos(0.5t) - 2\sin(0.5t)$$

where *t* is the time in seconds after the wheel starts rotating.

Using the model, find

- (b) (i) the maximum height of *P* above the water level,
 - (ii) the value of t when this maximum height first occurs, giving your answer to one decimal place.

(3)

In a single revolution of the wheel, *P* is below the water level for a total of *T* seconds.

According to the model,

(c) find the value of *T* giving your answer to 3 significant figures.

(Solutions based entirely on calculator technology are not acceptable.)

(4)

In reality, the water level may not be of constant height.

(d) Explain how the equation of the model should be refined to take this into account.

(1)



	>			>			<	
				>			Κ	
?	>			>			d	
				S	?			
	S		и	ŝ			è	١
			×	ί				
>	⟨		×	ί	\geq			
			×		\rangle			١
>			×					,
5	?		×	?			5	
ς			×					
				>			<	
				>	(
	Ś	ė	×	Ś	2	à	á	ì
?			1				L	
\rangle			Š	ĺ	Σ	ζ	7	
				Ľ		Ľ	3	
Ś			ä	Z	5	7	3	
C	\rangle			P			5	
			3	7	₹	7	5	
	5		ï	ú	ø		P	
			8	5	p	q	b	ì
			×					۶
\geq			ł	ť	ì	P	3	ĺ
Ś	?		Ž	٩	Ŗ		4	
Ś	?		Į	À	۹	ø	ń	ļ
			8	þ		P	q	į
	>		•	۷		Ŀ	۷	
			î	Ē				
?	5			þ	۴	۹	Ŗ	١
			8	Š	?		è	
			8	é	è	ġ	ì	į
>			¥	É		Z	_	١
5			i	Ζ	Ξ	Z	3	
⟨	>		J	7	₹	7	5	
			,	ì	4	ì	4	
	>			Ĺ	á	ú	á	
2				ĺ	Ź			
>				ř	ø	¢	9	
>	⟨		í	í	è	í	è	
				é	š	į	õ	
5	?			ß			S	
Ç			į	í	Š	ž	Ś	
C	>		,	Š		å	à	į
			4	g	ĕ	۶	į	į
	Ś	į	1	ğ	ď	9	Ź	
>			j	í			ì	
>	(ŕ	9	ę	9	
>	?		Š	å	è	ó	Š	
				ľ			3	
ĺ,	>			9	۹	þ	P	
◁	>		d	9	g		j	į
	>		î			S	2	
			5	S				
	ς			á	À	ú	ń	
\rangle				ľ			2	
>			×	3		2	7	
	?		d	ρ	5	7	٩	ı
			J	B	Ĺ	ú	4	
	>			>			Κ	
							<	
	>			>			K	
?			×	ς				
	Ś		×	ζ			į	
>			×					
>			k					
	2		×	?	S		٩	
				?				
	>		×	>	8		8	
5	>		×	?	5		2	
8	>		×	>	5		< < < <	
>	>		××××	>	>			
>	>		× ×	>>>>	5			
	>		× × ×	>>>>	\ \ \			
< >	>		× × × × ×	>>>>	\ \ \			0
	>>>>		X X X X X X	>>>>>	\ \ \			
	>		X X X X X X X	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	\ \ \		<<<<<<	
	>		X X X X X X X X	>>>>>	\ \ \		~~~~~~~~	
	>		X X X X X X X X X X	>>>>>>	\ \ \		~~~~~~~~~	
	>			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	\ \ \			
	>			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>				
	> > > >			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>				
	> > > >			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>			<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<	
	>) >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>				
	> > > >) >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>				
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>				
) >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>				
) >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>			<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<	
) >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>				
))))))))				
							<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<	

Question 15 continued



Question 15 continued

×,	?		Χ	Š	
Ŏ		×		×	
♦	⟨	×	٥	×	
\Diamond	◁	×		×	
×	S			×	
X	5		×	Š	
	>	Ĉ	×	0	
X	>		×	2	
X				K	
Ŏ	<	×	S	×	
\Diamond	◁	×	٥	×	
\Diamond	ς	ž	q	۴	
×	S	7	×	٩	
X	Я	Ľ	Ł	1	
X	Š	6	ĕ	ã	
X	K	Ļ	ä	è	
X	à	S	Ä	ř	
×	?	×	ď	ķ	
\Diamond	9	×	û	ú	
$^{\circ}$	S	N	ŗ	ų	
×	ÿ	ë	뼛	Ħ	
X	S		ľ	7	
X	Z	7	7	2	
Ŏ.	d	k	Ħ	Ż	
\Diamond	<	Ż	2	S	
\Diamond	C	Σ	7	Ŗ	
×	S	Z	Z	3	
X	S	Ö	X	5	
X	K	Ľ	E	ľ	
X	X	Į,	×		
X	d	ľ	5	2	
8	į	Ź	ž	5	
\Diamond	1	E	ÿ	8	
Q	S	ä	í	Š	
×	S	ě	Ž	2	
X.	Š		ř	ď	
X	à	ũ	×	Ò	
X	X	ľ	7	7	
X	à	ø	8	١	
Ŏ	₹	h	ä	d	
Ø	(7	ġ	Į	
×	ý	ø	É	4	
	S	ă	2	S	
X	K	С		3	
×	\geq	d		Z	
	à	C	X	3	
X	8	×	3	Z	
♦				X	
×	ς		2	K	
	۶		X		
X	>		×	Š	
X	S		×	0	
	>	Ç	Χ		
×	?		X	Ŕ	
\Diamond	Ċ		٥	×	
Ŷ	ζ		0	X	
\Diamond	ς	×	0	×	
X	S		X	X	
X	>		×		
X	\geq	Ç	×		
X	?		X	Š	
×	?			×	
♦	⟨		٥	X	
\Diamond	S	×	0	×	
X	S	Č	×	Š	
X	>		×	Ì	
X	>	Ç	X	Ì	
S	>		X	è	
Ŏ.	Š	è	ě	ř	
Ŷ	ζ	×	Ž	Ŋ	
X	d	K	Ĺ	ı	
X	S	ĕ	v	é	
X	ķ	ij	ń	è	
8	d	ú	J	ď	
6	Ś	Ź	ď	ø	
♦	ý	ř	d	ŋ	
8	Š	Ċ	Ø	1	֡
8	K	Ù			
<u> </u>	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				
8	X X X X				
			Y		

Question 15 continued		



Question 15 continued	
	(Total for Question 15 is 11 marks)
	TOTAL FOR PAPER IS 100 MARKS