



Commercial House, Eden Island
Mahe, Seychelles
<https://seychellesmedicalservices.com>
Mobile: +248 4366999



MOLECULAR DIAGNOSIS REPORT TESTING FOR SARS-COV-2 VIRUS RNA BY RT-PCR

PATIENT SURNAME / GIVEN NAME(S)

bamboo work

GENDER

Female

DATE OF BIRTH

2023/05/23

DOCUMENT TYPE / DOCUMENT NUMBER

Passport / 89111189

SAMPLE COLLECTION DATE & TIME

2023-05-23 00:00:00

SAMPLE TYPE

Sample Type

SAMPLE REFERENCE NO

89111189

INTERPRETATION / FINAL FINDINGS



NEGATIVE FINDINGS FOR SARS-COV-2 VIRUS RNA BY RT-PCR

PROCEDURE

Detection of SARS-CoV2 Viral RNA performed on Real Time Polymerase Chain Reaction (RT-PCR). RNA is extracted by using abGenix RNA/DNA extractor system. Amplification of extracted RNA was performed by Macurra SARS-Cov-2 fluorescent PCR Kit by using abGenixQ Real-Time PCR system. Positive and negative controls are included in each run to confirm validity and accuracy of the test.

INTERPRETATION

This assay does qualitative detection for SARS-CoV2 Virus that covers three genes (E-Gene, N-Gene & ORF1ab)

Both positive and negative controls for the tested virus showed expected result.

Not detected results may not always rule out current or future infection. Please correlate with clinical findings and repeat if necessary. Positive result indicates the RNA from SARS-CoV2 was detected and patient is infected

Negative result indicates SARS-Cov2-Virus not present in specimen above the limit of detection

LIMITATIONS

The detection of viral RNA is dependent on the viral load in the specimen representing an acute infection, that is early in the disease. Pre-analytical variables (i.e. specimen quality, handling/transport conditions) may also adversely affect the results & analytical variables perhaps Virus mutation. The performance characteristics of this test has been validated in the molecular virology diagnostic unit of the Seychelles Medical Services, and is continuously monitored as part of quality assurance procedures, including enrolment with local Head

REPORT DATE

May 23, 2023

PERFORMED

**Dr.Murtaza
11234511**

APPROVED

Dr.Imran
approve by