Unauthorized access vulnerability in Ruijie RG-NBS2009G-P switch

1. Impact of vulnerabilities

RG-NBS2009G-P

2. Vulnerability location

/system/passwdManage.htm

3. Vulnerability recurrence

Case 1

Vulnerability Address: http://119.123.222.209:8888/

Vulnerability details:

Without logging in, accessing the /system/passwdManage.htm page will cause unauthorized operation of the page, and then directly modify the Web and Telnet password of the switch.

← → ♂ ⋒ ▲	下安全 119.123.222.209:8888/system/passwdManage.htm	*	0	9	٩	2	8	IP	0	13	Q	9
修改超级用户密码												
提示: 如果您设置了新的Web登	录密码,则在设置之后使用新密码重新登录。 密码只能由字母、数字和下划线组成											
旧密码:	<u>•</u>											
新密码:	<u>•</u>											
确认新密码:	1 • • • • • • • • • • • • • • • • • • •											
确定修改 清空												
teinet登录密码												
新密码:	<u> </u>											
确认新密码:	<u> </u>											
确定修改 清空												



Case 2

Vulnerability Address: http://119.123.222.65:8888/

Vulnerability details:

Without logging in, accessing the /system/passwdManage.htm page will cause unauthorized operation of the page, and then directly modify the Web and Telnet password of the switch.






Case 3

Vulnerability Address: http://119.123.220.18:8888/

Vulnerability details:

Without logging in, accessing the /system/passwdManage.htm page will cause unauthorized operation of the page, and then directly modify the Web and Telnet password of the switch.





Other vulnerable urls

http://119.123.223.194:8888/



http://119.123.220.18:8886



http://119.123.223.195:9000/



http://119.123.223.195:8888/index.htm



http://qddeagry.v3n.pkoplink.com:8886



http://dqdeagps.v3n.pkoplink.com:8886/

