

APK Auditor - Security Report

com.bursamalaysia.eCDS

2026-05-17

Application

Package	com.bursamalaysia.eCDS
Size	17.93 MB
Min SDK	API 27 (Android 8.1)
Target SDK	API 36 (Android 36)
Permissions	12 (2 dangerous)
Issues Found	39

Note: All findings are from automated static analysis and require manual verification. False positives may occur. Each issue should be validated in context before reporting.

Issues (39)

Exported Activity Without Permission

Activity "com.bursamalaysia.eCDS.ui.activity.SplashScreenActivity" is exported and can be launched by any application without restrictions.
<activity> SplashScreenActivity [exported, no permission] [AndroidManifest.xml]
CWE-926

Content Provider grantUriPermissions [2x]

Provider "androidx.core.content.FileProvider" grants arbitrary URI permissions.
<provider> FileProvider [grantUriPermissions=true] [AndroidManifest.xml]
<provider> CustomFileProvider [grantUriPermissions=true] [AndroidManifest.xml]
CWE-732

Vulnerable launchMode (2) [3x]

Activity "com.bursamalaysia.eCDS.ui.activity.SplashScreenActivity" uses launchMode="2". If combined with taskAffinity or exported=true, it is vulnerable to Task Hijacking (StrandHogg).
<activity> SplashScreenActivity [launchMode="2"] [AndroidManifest.xml]
<activity> MainActivity [launchMode="2"] [AndroidManifest.xml]
<activity> LoginActivity [launchMode="2"] [AndroidManifest.xml]
CWE-926

2 Dangerous Permission(s)

Dangerous permissions: READ_EXTERNAL_STORAGE, CAMERA.
READ_EXTERNAL_STORAGE, CAMERA [AndroidManifest.xml]
CWE-250

Google API Key Exposed

Google API key embedded in the APK. Restrict key scope in Google Cloud Console.
AlzaSyBFyZMNnzm7sxARjpp7DdeE2PEk2Q549iA [resources.arsc:1160]
CWE-798

Firebase Database URL

Firebase database URL found. Verify that security rules block unauthorized access.
bursa-anywhere.firebaseio.com [resources.arsc:2401]
CWE-200

Google OAuth Client ID

Google OAuth client ID found. Combined with a secret, this enables impersonating the app for OAuth flows.
259854176612-g3012uiof23e08v9ck6qu7460drknmd3.apps.googleusercontent.com [resources.arsc:1148]
CWE-200

Firebase

Detected sensitive pattern: Firebase. Ensure no secrets are hardcoded.
bursa-anywhere.firebaseio.com [resources.arsc:2401]
CWE-798

Firebase Database Detect - 1

Detected sensitive pattern: Firebase Database Detect - 1. Ensure no secrets are hardcoded.
bursa-anywhere.firebaseio.com [resources.arsc:2401]
CWE-798

Google API Key

Detected sensitive pattern: Google API Key. Ensure no secrets are hardcoded.

AlzaSyBFyZMNnzm7sxARjpp7DdeE2PEk2Q549iA [resources.arsc:1160]

CWE-798

Google Cloud Platform OAuth

Detected sensitive pattern: Google Cloud Platform OAuth. Ensure no secrets are hardcoded.

259854176612-g3012uiof23e08v9ck6qu7460drknmd3.apps.googleusercontent.com [resources.arsc:1148]

CWE-798

google_url

Detected sensitive pattern: google_url. Ensure no secrets are hardcoded.

259854176612-g3012uiof23e08v9ck6qu7460drknmd3.apps.googleusercontent.com [resources.arsc:1148]

CWE-798

Mailgun API key - 2

Detected sensitive pattern: Mailgun API key - 2. Ensure no secrets are hardcoded.

mg4ZFGDWsPpbCdmJpKhOg6s059zZV7Gm5k [resources.arsc:2419]

CWE-798

SQLite Unencrypted Database [75x]

SQLite databases are stored unencrypted. Use encrypted storage for sensitive data.

SQLiteDatabase [B.g.java:33]

SQLiteDatabase [B.g.java:37]

SQLiteDatabase [B.f.java:886]

SQLiteDatabase [B.f.java:900]

SQLiteDatabase [B.f.java:1044]

SQLiteDatabase [B.f.java:1075]

SQLiteDatabase [B.i.java:20]

SQLiteDatabase [C2.C.java:21]

SQLiteDatabase [C2.C.java:22]

SQLiteDatabase [C2.E.java:21]

SQLiteDatabase [C2.F.java:17]

SQLiteDatabase [C2.G.java:17]

SQLiteDatabase [C2.G.java:18]

SQLiteDatabase [C2.I.java:23]

SQLiteDatabase [C2.I.java:24]

SQLiteDatabase [C2.K.java:25]

SQLiteDatabase [C2.K.java:26]

SQLiteDatabase [C2.L.java:23]

SQLiteDatabase [C2.L.java:24]

SQLiteDatabase [C2.M.java:35]

SQLiteDatabase [C2.M.java:62]

SQLiteDatabase [C2.M.java:81]

SQLiteDatabase [C2.M.java:143]

SQLiteDatabase [C2.M.java:150]

SQLiteDatabase [C2.M.java:188]

SQLiteDatabase [C2.M.java:219]

SQLiteDatabase [C2.M.java:232]

SQLiteDatabase [C2.M.java:239]

SQLiteDatabase [C2.M.java:252]

SQLiteDatabase [C2.M.java:323]

SQLiteDatabase [C2.M.java:337]

SQLiteDatabase [C2.M.java:390]

SQLiteDatabase [C2.M.java:415]

SQLiteDatabase [C2.M.java:420]

SQLiteDatabase [C2.M.java:436]

SQLiteDatabase [C2.M.java:507]

SQLiteDatabase [C2.M.java:556]

SQLiteDatabase [C2.M.java:639]

SQLiteDatabase [C2.M.java:659]

SQLiteDatabase [C2.U\$a.java:9]

SQLiteOpenHelper [C2.U.java:5]

SQLiteDatabase [C2.U.java:59]

SQLiteDatabase [C2.U.java:66]

SQLiteDatabase [C2.U.java:72]

SQLiteDatabase [C2.U.java:98]

SQLiteDatabase [C2.U.java:107]

SQLiteDatabase [C2.U.java:112]

SQLiteDatabase [C2.U.java:121]

SQLiteDatabase [C2.U.java:128]

SQLiteDatabase [C2.I.java:8]

SQLiteDatabase [C2.I.java:12]

SQLiteDatabase [C2.m.java:23]
SQLiteDatabase [C2.m.java:24]
SQLiteDatabase [C2.n.java:23]
SQLiteDatabase [C2.n.java:24]
SQLiteDatabase [C2.o.java:21]
SQLiteDatabase [C2.o.java:22]
SQLiteDatabase [C2.p.java:25]
SQLiteDatabase [C2.p.java:26]
SQLiteDatabase [C2.r.java:27]
SQLiteDatabase [C2.r.java:28]
SQLiteDatabase [C2.z.java:25]
SQLiteDatabase [C2.z.java:26]
SQLiteDatabase [N2.c.java:328]
SQLiteDatabase [N2.c.java:347]
SQLiteDatabase [androidx.core.provider.g\$b.java:34]
SQLiteDatabase [androidx.core.provider.g\$b.java:38]
SQLiteDatabase [com.google.android.gms.measurement.internal.S1.java:181]
SQLiteOpenHelper [com.google.android.gms.measurement.internal.k.java:5]
SQLiteDatabase [com.google.android.gms.measurement.internal.l.java:87]
SQLiteDatabase [com.google.android.gms.measurement.internal.l.java:112]
SQLiteDatabase [com.google.android.gms.measurement.internal.m.java:9]
SQLiteDatabase [com.google.android.gms.measurement.internal.m.java:97]
SQLiteOpenHelper [com.google.android.gms.measurement.internal.n1.java:5]
SQLiteDatabase [com.google.android.gms.measurement.internal.o1.java:33]

CWE-312

SQLite Raw Query [75x]

Raw SQL queries without parameterization are vulnerable to injection attacks.

rawQuery([C2.M.java:64]
rawQuery([C2.M.java:66]
rawQuery([C2.M.java:67]
rawQuery([C2.M.java:82]
rawQuery([C2.M.java:84]
rawQuery([C2.M.java:85]
rawQuery([C2.M.java:223]
rawQuery([C2.M.java:225]
rawQuery([C2.M.java:422]
rawQuery([C2.M.java:424]
rawQuery([C2.M.java:425]
rawQuery([C2.M.java:508]
rawQuery([C2.M.java:510]
rawQuery([C2.M.java:511]
rawQuery([C2.M.java:662]
rawQuery([C2.M.java:664]
rawQuery([C2.M.java:665]
rawQuery([C2.M.java:666]
rawQuery([C2.M.java:722]
rawQuery([C2.M.java:724]
execSQL([C2.M.java:683]
rawQuery([C2.U.java:139]
rawQuery([C2.U.java:140]
execSQL([C2.U.java:99]
execSQL([C2.U.java:100]
execSQL([C2.U.java:101]
execSQL([C2.U.java:102]
execSQL([C2.U.java:103]
execSQL([C2.U.java:108]
execSQL([C2.U.java:113]
execSQL([C2.U.java:114]
execSQL([C2.U.java:115]
execSQL([C2.U.java:116]
execSQL([C2.U.java:117]
execSQL([C2.U.java:122]
execSQL([C2.U.java:123]
execSQL([C2.U.java:124]
execSQL([C2.U.java:129]
execSQL([C2.U.java:130]
execSQL([C2.U.java:131]
execSQL([C2.U.java:151]
execSQL([C2.U.java:152]
execSQL([C2.U.java:153]
rawQuery([com.google.android.gms.measurement.internal.l.java:88]
rawQuery([com.google.android.gms.measurement.internal.l.java:89]
rawQuery([com.google.android.gms.measurement.internal.l.java:90]

```

rawQuery( [com.google.android.gms.measurement.internal.l.java:91]
rawQuery( [com.google.android.gms.measurement.internal.l.java:92]
rawQuery( [com.google.android.gms.measurement.internal.l.java:93]
rawQuery( [com.google.android.gms.measurement.internal.l.java:104]
rawQuery( [com.google.android.gms.measurement.internal.l.java:105]
rawQuery( [com.google.android.gms.measurement.internal.l.java:113]
rawQuery( [com.google.android.gms.measurement.internal.l.java:114]
rawQuery( [com.google.android.gms.measurement.internal.l.java:115]
rawQuery( [com.google.android.gms.measurement.internal.l.java:116]
rawQuery( [com.google.android.gms.measurement.internal.l.java:117]
rawQuery( [com.google.android.gms.measurement.internal.l.java:118]
rawQuery( [com.google.android.gms.measurement.internal.l.java:124]
rawQuery( [com.google.android.gms.measurement.internal.l.java:130]
rawQuery( [com.google.android.gms.measurement.internal.l.java:131]
rawQuery( [com.google.android.gms.measurement.internal.m.java:40]
rawQuery( [com.google.android.gms.measurement.internal.m.java:41]
rawQuery( [com.google.android.gms.measurement.internal.m.java:42]
rawQuery( [com.google.android.gms.measurement.internal.m.java:43]
execSQL( [com.google.android.gms.measurement.internal.m.java:32]
execSQL( [com.google.android.gms.measurement.internal.m.java:68]
rawQuery( [com.google.android.gms.measurement.internal.o1.java:46]
rawQuery( [com.google.android.gms.measurement.internal.o1.java:47]
rawQuery( [com.google.android.gms.measurement.internal.o1.java:48]
rawQuery( [com.google.android.gms.measurement.internal.o1.java:49]
rawQuery( [com.google.android.gms.measurement.internal.o1.java:50]
rawQuery( [com.google.android.gms.measurement.internal.o1.java:62]
rawQuery( [com.google.android.gms.measurement.internal.o1.java:66]
rawQuery( [com.google.android.gms.measurement.internal.o1.java:90]
rawQuery( [com.google.android.gms.measurement.internal.o1.java:91]

```

CWE-89

Reflective Method Invocation [12x]

Method invoked via reflection. If the class/method name comes from untrusted input, this can execute arbitrary code.

```

getDeclaredMethod("getConstructorId", new Class[] {Class.class}).invoke [C4.m.java:49]
getDeclaredMethod("getConstructorId", new Class[] {Class.class}).invoke [C4.m.java:50]
getDeclaredMethod("getConstructorId", new Class[] {Class.class}).invoke [C4.m.java:53]
getDeclaredMethod("getConstructorId", new Class[] {Class.class}).invoke [C4.m.java:54]
getDeclaredMethod("addSuppressed", new Class[] {Throwable.class}).invoke [N4.E.java:32]
getDeclaredMethod("addSuppressed", new Class[] {Throwable.class}).invoke [Q4.b.java:96]
getDeclaredMethod("removeItemAt", new Class[] {Integer.TYPE}).invoke [androidx.core.widget.i$$.java:127]
getDeclaredMethod("addSuppressed", new Class[] {Throwable.class}).invoke [com.google.android.gms.internal.measurement.K2.java:127]
getDeclaredMethod("getInstance", new Class[0]).invoke [com.google.android.gms.internal.measurement.Y4.java:22]
getDeclaredMethod("getScionFrontendApiImplementation", new Class[] {Context.class, Bu [com.google.android.gms.measurement.AppMeasurement.java:31]
getDeclaredMethod("addSuppressed", new Class[] {Throwable.class}).invoke [d3.l.java:82]
getDeclaredMethod("addSuppressed", new Class[] {Throwable.class}).invoke [e3.G0.java:82]

```

CWE-470

Insecure Random Generator [8x]

java.util.Random is predictable. Use java.security.SecureRandom for cryptographic operations.

```

Math.random( [G2.a.java:200]
Math.random( [G2.a.java:201]
new Random( [androidx.activity.result.ActivityResultRegistry.java:21]
new Random( [androidx.activity.result.ActivityResultRegistry.java:22]
new Random( [androidx.profileinstaller.ProfileInstallerInitializer.java:68]
new Random( [androidx.profileinstaller.ProfileInstallerInitializer.java:70]
new Random( [androidx.profileinstaller.ProfileInstallerInitializer.java:72]
new Random( [androidx.profileinstaller.ProfileInstallerInitializer.java:73]

```

CWE-330

Sensitive Data in Logs [22x]

Sensitive data (passwords, tokens, PINs) written to Android logs. Logs are readable by any app with READ_LOGS or via ADB.

```

Log.w("HttpUrlPin [G2.d.java:26]
Log.w("HttpUrlPin [G2.d.java:53]
Log.w("HttpUrlPin [G2.d.java:69]
Log.e("BIOMETRIC_TAG", "Error getting fcm token [J1.x.java:75]
Log.w("Rpc", "Droppin [J2.c.java:179]
Log.w("RecyclerView", "No adapter attached; skippin [androidx.recyclerview.widget.RecyclerView.java:1477]
Log.e("RecyclerView", "No layout manager attached; skippin [androidx.recyclerview.widget.RecyclerView.java:1481]
Log.e("AppCompatSpin [androidx.appcompat.widget.AppCompatSpinner$.java:36]
Log.e("AppCompatSpin [androidx.appcompat.widget.AppCompatSpinner$.java:49]
Log.e("AppCompatSpin [androidx.appcompat.widget.AppCompatSpinner$.java:67]
Log.e("AppCompatSpin [androidx.appcompat.widget.AppCompatSpinner$.java:72]
Log.i("AppCompatSpinner", "Could not read android:spin [androidx.appcompat.widget.AppCompatSpinner.java:79]
Log.e("BiometricFragment", "Failed to check device credential [androidx.biometric.d.java:158]

```

```
Log.v("BiometricFragment", "Error not sent to client. User is confirming their device [androidx.biometric.d.java:197]
Log.e("CryptoObjectUtils", "Identity credential [androidx.biometric.h.java:145]
Log.e("FragmentManager", "Failed dumpin [androidx.fragment.app.w.java:835]
Log.e("FragmentManager", "Failed dumpin [androidx.fragment.app.w.java:841]
Log.w("FirebaseInstanceId", "FIS auth token [com.google.firebase.iid.k.java:139]
Log.e("FirebaseInstanceId", "Failed to get FIS auth token", "FIS auth token [com.google.firebase.iid.k.java:141]
Log.e("FirebaseMessaging", "Failed to resolve target intent service, skippin [com.google.firebase.messaging.Q.java:121]
Log.w("FirebaseMessaging", "FIS auth token [com.google.firebase.messaging.y.java:142]
Log.e("FirebaseMessaging", "Failed to get FIS auth token", "FIS auth token [com.google.firebase.messaging.y.java:144]
```

CWE-532

ECB Mode Encryption

ECB mode reveals patterns in encrypted data. Use AES/GCM/NoPadding instead.

```
/ECB/ [l0.a.java:23]
```

CWE-327

SharedPreferences for Sensitive Data [2x]

SharedPreferences used to store potentially sensitive data. Use EncryptedSharedPreferences instead.

```
getSharedPreferences(".realm_key [l0.a.java:201]
getSharedPreferences(".realm_key [l0.a.java:202]
```

CWE-312

Credentials Stored in SharedPreferences

Sensitive credentials written to SharedPreferences (plain XML on disk). Use EncryptedSharedPreferences or Android Keystore.

```
.edit().putString("token [J1.P.java:48]
```

CWE-312

Implicit Intent [97x]

Implicit intents can be intercepted or redirected by other installed applications.

```
new Intent("android. [J1.l0$.java:23]
new Intent("android. [J1.l0$.java:25]
new Intent("android. [J1.l0$.java:26]
new Intent("android. [J1.l0$.java:27]
new Intent("android. [J1.l0$.java:28]
new Intent("android. [J1.l0$.java:29]
new Intent("android. [J1.l0.java:844]
new Intent("android. [J1.l0.java:846]
new Intent("android. [J1.l0.java:1536]
new Intent("android. [J1.l0.java:1537]
new Intent("android. [J1.l0.java:1544]
new Intent("android. [J1.l0.java:1545]
new Intent("android. [J1.x.java:139]
new Intent("android. [J1.x.java:140]
sendBroadcast(new Intent [J2.c.java:244]
new Intent("android. [N2.o0.java:31]
new Intent("android. [N2.o0.java:40]
new Intent("android. [N2.o0.java:41]
new Intent("android. [N2.o0.java:42]
new Intent("android. [N2.o0.java:43]
new Intent("android. [N2.o0.java:48]
new Intent("android. [N2.o0.java:49]
new Intent("android. [N2.o0.java:50]
sendBroadcast(new Intent [N4.m.java:127]
new Intent("android. [U4.a.java:155]
new Intent("android. [U4.a.java:163]
new Intent("android. [U4.a.java:165]
new Intent("android. [U4.a.java:360]
new Intent("android. [U4.a.java:363]
new Intent("android. [U4.a.java:364]
new Intent("android. [androidx.appcompat.widget.SearchView.java:187]
new Intent("android. [androidx.appcompat.widget.SearchView.java:188]
new Intent("android. [androidx.appcompat.widget.SearchView.java:189]
new Intent("android. [androidx.appcompat.widget.SearchView.java:190]
new Intent("android. [androidx.appcompat.widget.SearchView.java:191]
new Intent("android. [androidx.appcompat.widget.SearchView.java:192]
new Intent("android. [androidx.appcompat.widget.SearchView.java:193]
new Intent("android. [androidx.appcompat.widget.SearchView.java:277]
new Intent("android. [androidx.appcompat.widget.SearchView.java:278]
new Intent("android. [androidx.appcompat.widget.SearchView.java:280]
new Intent("android. [androidx.appcompat.widget.SearchView.java:318]
new Intent("android. [com.bursamalaysia.eCDS.ui.accountopening.cds.AccountOpeningStep6Fragment.java:647]
new Intent("android. [com.bursamalaysia.eCDS.ui.accountopening.cds.AccountOpeningStep6Fragment.java:651]
new Intent("android. [com.bursamalaysia.eCDS.ui.accountopening.cds.AccountOpeningStep6Fragment.java:652]
new Intent("android. [com.bursamalaysia.eCDS.ui.activity.ChooseSuppDocActivity.java:195]
```

```

new Intent("android. [com.bursamalaysia.eCDS.ui.activity.ChooseSuppDocActivity.java:196]
new Intent("android. [com.bursamalaysia.eCDS.ui.activity.ChooseSuppDocActivity.java:197]
new Intent("android. [com.bursamalaysia.eCDS.ui.activity.ChooseSuppDocActivity.java:407]
new Intent("android. [com.bursamalaysia.eCDS.ui.activity.ChooseSuppDocActivity.java:408]
new Intent("android. [com.bursamalaysia.eCDS.ui.activity.ChooseSuppDocActivity.java:409]
new Intent("android. [com.bursamalaysia.eCDS.ui.activity.ChooseSuppDocActivity.java:422]
new Intent("android. [com.bursamalaysia.eCDS.ui.activity.ChooseSuppDocActivity.java:425]
new Intent("android. [com.bursamalaysia.eCDS.ui.activity.ChooseSuppDocActivity.java:426]
new Intent("android. [com.bursamalaysia.eCDS.ui.createaccount.UploadDocActivity.java:128]
new Intent("android. [com.bursamalaysia.eCDS.ui.createaccount.UploadDocActivity.java:131]
new Intent("android. [com.bursamalaysia.eCDS.ui.createaccount.UploadDocActivity.java:132]
new Intent("android. [com.bursamalaysia.eCDS.ui.statement.PdfViewerActivity.java:80]
new Intent("android. [com.bursamalaysia.eCDS.ui.statement.PdfViewerActivity.java:81]
new Intent("android. [com.bursamalaysia.eCDS.ui.statement.PdfViewerActivity.java:90]
new Intent("android. [com.bursamalaysia.eCDS.ui.statement.PdfViewerActivity.java:91]
new Intent("android. [com.bursamalaysia.eCDS.ui.statement.PdfViewerActivity.java:93]
new Intent("android. [com.bursamalaysia.eCDS.ui.statement.PdfViewerActivity.java:94]
new Intent("android. [com.bursamalaysia.eCDS.ui.statement.PdfViewerActivity.java:97]
new Intent("android. [com.bursamalaysia.eCDS.ui.statement.PdfViewerActivity.java:98]
new Intent("android. [com.bursamalaysia.eCDS.ui.updatecds.UpdateAccInfoStep1Fragment.java:262]
new Intent("android. [com.bursamalaysia.eCDS.ui.updatecds.UpdateAccInfoStep1Fragment.java:266]
new Intent("android. [com.bursamalaysia.eCDS.ui.updatecds.UpdateAccInfoStep1Fragment.java:267]
new Intent("android. [com.bursamalaysia.eCDS.ui.updatecds.UpdateAccInfoStep2Fragment.java:346]
new Intent("android. [com.bursamalaysia.eCDS.ui.updatecds.UpdateAccInfoStep2Fragment.java:350]
new Intent("android. [com.bursamalaysia.eCDS.ui.updatecds.UpdateAccInfoStep2Fragment.java:351]
new Intent("android. [com.google.firebase.messaging.c.java:164]
new Intent("android. [com.google.firebase.messaging.c.java:165]
new Intent("android. [com.google.firebase.messaging.c.java:166]
new Intent("android. [com.google.firebase.messaging.c.java:167]
new Intent("android. [com.google.firebase.messaging.c.java:169]
new Intent("android. [com.google.firebase.messaging.c.java:170]
new Intent("android. [com.google.firebase.messaging.c.java:173]
new Intent("android. [com.theartofdev.edmodo.cropper.d.java:25]
new Intent("android. [com.theartofdev.edmodo.cropper.d.java:26]
new Intent("android. [com.theartofdev.edmodo.cropper.d.java:27]
new Intent("android. [com.theartofdev.edmodo.cropper.d.java:29]
new Intent("android. [com.theartofdev.edmodo.cropper.d.java:30]
new Intent("android. [com.theartofdev.edmodo.cropper.d.java:31]
new Intent("android. [com.theartofdev.edmodo.cropper.d.java:32]
new Intent("android. [com.theartofdev.edmodo.cropper.d.java:33]
new Intent("android. [com.theartofdev.edmodo.cropper.d.java:33]
new Intent("android. [com.theartofdev.edmodo.cropper.d.java:34]
new Intent("android. [com.theartofdev.edmodo.cropper.d.java:34]
new Intent("android. [com.theartofdev.edmodo.cropper.d.java:34]
new Intent("android. [com.theartofdev.edmodo.cropper.d.java:35]
new Intent("android. [com.theartofdev.edmodo.cropper.d.java:35]
new Intent("android. [com.theartofdev.edmodo.cropper.d.java:37]
new Intent("android. [com.theartofdev.edmodo.cropper.d.java:39]
new Intent("android. [d2.a.java:29]
new Intent("android. [d2.a.java:32]
new Intent("android. [d2.a.java:33]
new Intent("android. [d2.a.java:34]

```

CWE-925

Content Provider Query Without Permission Check [44x]

Content resolver query executed. If the target provider is exported without permissions, any app can read its data (contacts, messages, app data).

```

getContentResolver().query [J1.I0.java:358]
getContentResolver().query [J1.I0.java:359]
getContentResolver().query [J1.I0.java:360]
getContentResolver().query [J1.I0.java:361]
getContentResolver().query [J1.I0.java:362]
getContentResolver().query [J1.I0.java:363]
getContentResolver().query [J1.I0.java:363]
getContentResolver().query [J1.I0.java:366]
getContentResolver().query [J1.I0.java:369]
getContentResolver().query [J1.I0.java:372]
getContentResolver().query [J1.I0.java:372]
getContentResolver().query [J1.I0.java:373]
getContentResolver().query [J1.I0.java:374]
getContentResolver().query [J1.I0.java:375]
getContentResolver().query [J1.I0.java:376]
getContentResolver().query [J1.I0.java:377]
getContentResolver().query [J1.I0.java:378]

```

```
getContentResolver().query [J1.l0.java:378]
getContentResolver().query [J1.l0.java:380]
getContentResolver().query [J1.l0.java:380]
getContentResolver().query [androidx.appcompat.widget.X.java:600]
getContentResolver().query [androidx.appcompat.widget.X.java:601]
getContentResolver().query [com.bursamalaysia.eCDS.ui.activity.ChooseSuppDocActivity.java:230]
getContentResolver().query [com.bursamalaysia.eCDS.ui.createaccount.UploadDocActivity.java:62]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:312]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:313]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:314]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:315]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:316]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:317]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:319]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:320]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:321]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:322]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:323]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:323]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:324]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:324]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:329]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:330]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:331]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:331]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:332]
getContentResolver().query [com.google.android.gms.dynamite.DynamiteModule.java:332]
```

CWE-200

Unvalidated Intent Extras [269x]

Intent extras are read without validation. Exported components receiving these may be exploitable.

```
getStringExtra( [J2.b.java:29]
getStringExtra( [J2.b.java:30]
getStringExtra( [J2.b.java:31]
getStringExtra( [J2.b.java:35]
getParcelableExtra( [J2.b.java:61]
getParcelableExtra( [J2.b.java:62]
getParcelableExtra( [J2.b.java:63]
getParcelableExtra( [J2.b.java:98]
getParcelableExtra( [J2.b.java:99]
getStringExtra( [J2.c.java:87]
getStringExtra( [J2.c.java:88]
getStringExtra( [J2.c.java:89]
getStringExtra( [J2.c.java:91]
getStringExtra( [J2.c.java:92]
getStringExtra( [J2.c.java:93]
getParcelableExtra( [J2.c.java:66]
getParcelableExtra( [J2.c.java:67]
getParcelableExtra( [J2.c.java:68]
getParcelableExtra( [J2.c.java:70]
getParcelableExtra( [J2.c.java:71]
getIntExtra( [X3.d.java:36]
getIntExtra( [X3.d.java:37]
getIntExtra( [X3.d.java:38]
getIntExtra( [X3.d.java:39]
getIntExtra( [X3.d.java:42]
getIntExtra( [X3.d.java:42]
getIntExtra( [X3.d.java:50]
getIntExtra( [X3.d.java:51]
getIntExtra( [X3.d.java:54]
getIntExtra( [X3.d.java:55]
getParcelableExtra( [androidx.activity.ComponentActivity$b.java:58]
getParcelableExtra( [androidx.activity.ComponentActivity$b.java:59]
getParcelableExtra( [androidx.activity.ComponentActivity$b.java:60]
getParcelableExtra( [androidx.activity.ComponentActivity$b.java:61]
getParcelableExtra( [androidx.activity.ComponentActivity$b.java:62]
getParcelableExtra( [androidx.activity.ComponentActivity$b.java:63]
getParcelableExtra( [androidx.activity.ComponentActivity$b.java:63]
getParcelableExtra( [androidx.activity.ComponentActivity$b.java:63]
getParcelableExtra( [androidx.activity.ComponentActivity$b.java:63]
getStringExtra( [com.google.firebase.messaging.FirebaseMessagingService.java:80]
getStringExtra( [com.google.firebase.messaging.FirebaseMessagingService.java:81]
getStringExtra( [com.google.firebase.messaging.FirebaseMessagingService.java:82]
getStringExtra( [com.google.firebase.messaging.FirebaseMessagingService.java:83]
```


[illegible]

[illegible]

[illegible]

```
getIntentExtra( [n0.a.java:33]
getIntentExtra( [n0.a.java:34]
getParcelableExtra( [com.theartofdev.edmodo.cropper.d.java:16]
getParcelableExtra( [com.theartofdev.edmodo.cropper.d.java:17]
```

CWE-20

Biometric Authentication [234x]

Biometric authentication (fingerprint/face) is implemented.

```
BiometricPrompt [N4.a.java:35]
BiometricPrompt [N4.e.java:21]
BiometricPrompt [N4.e.java:21]
BiometricPrompt [N4.e.java:25]
BiometricPrompt [Z3.A.java:36]
BiometricPrompt [Z3.A.java:40]
BiometricPrompt [Z3.A.java:44]
BiometricPrompt [Z3.B$a.java:21]
BiometricPrompt [Z3.B$a.java:25]
BiometricPrompt [Z3.B$a.java:29]
BiometricPrompt [Z3.B$a.java:33]
BiometricPrompt [Z3.B$a.java:37]
BiometricPrompt [Z3.B$a.java:41]
BiometricPrompt [Z3.B$a.java:45]
BiometricManager [Z3.B$c.java:21]
BiometricManager [Z3.B$c.java:25]
BiometricPrompt [Z3.B$e$a$b.java:16]
BiometricPrompt [Z3.B$e$a.java:37]
BiometricPrompt [Z3.B$e$b.java:16]
BiometricPrompt [Z3.B$e$c$a.java:16]
BiometricPrompt [Z3.B$e$c$a.java:20]
BiometricPrompt [Z3.B$e$c$a.java:24]
BiometricPrompt [Z3.B$e$c$a.java:28]
BiometricPrompt [Z3.B$e$c$a.java:32]
BiometricPrompt [Z3.B$e$c$a.java:36]
BiometricPrompt [Z3.B$e$c$a.java:40]
BiometricPrompt [Z3.B$e$c$a.java:44]
BiometricPrompt [Z3.B$e$c$a.java:48]
BiometricPrompt [Z3.B$e$c$a.java:52]
BiometricPrompt [Z3.B$e$c$a.java:52]
FingerprintManager [a5.e$c.java:21]
FingerprintManager [a5.e$d.java:21]
BiometricPrompt [android.hardware.biometrics.BiometricPrompt$AuthenticationCallback.java:5]
BiometricPrompt [android.hardware.biometrics.BiometricPrompt$AuthenticationCallback.java:9]
BiometricPrompt [androidx.biometric.BiometricPrompt$ResetCallbackObserver.java:5]
BiometricPrompt [androidx.biometric.BiometricPrompt$a.java:5]
BiometricPrompt [androidx.biometric.BiometricPrompt$a.java:9]
BiometricPrompt [androidx.biometric.BiometricPrompt$b.java:5]
BiometricPrompt [androidx.biometric.BiometricPrompt$b.java:8]
BiometricPrompt [androidx.biometric.BiometricPrompt$b.java:13]
BiometricPrompt [androidx.biometric.BiometricPrompt$b.java:13]
BiometricPrompt [androidx.biometric.BiometricPrompt$c.java:5]
BiometricPrompt [androidx.biometric.BiometricPrompt$c.java:15]
BiometricPrompt [androidx.biometric.BiometricPrompt$c.java:24]
BiometricPrompt [androidx.biometric.BiometricPrompt$c.java:33]
BiometricPrompt [androidx.biometric.BiometricPrompt$c.java:42]
BiometricPrompt [androidx.biometric.BiometricPrompt$d$a.java:5]
BiometricPrompt [androidx.biometric.BiometricPrompt$d$a.java:18]
BiometricPrompt [androidx.biometric.BiometricPrompt$d$a.java:32]
BiometricPrompt [androidx.biometric.BiometricPrompt$d$a.java:56]
BiometricPrompt [androidx.biometric.BiometricPrompt$d$a.java:56]
BiometricPrompt [androidx.biometric.BiometricPrompt$d$a.java:57]
BiometricPrompt [androidx.biometric.BiometricPrompt$d$a.java:74]
BiometricPrompt [androidx.biometric.BiometricPrompt$d.java:5]
BiometricPrompt [androidx.biometric.BiometricPrompt$d.java:18]
BiometricPrompt [androidx.biometric.BiometricPrompt$d.java:32]
BiometricPrompt [androidx.biometric.BiometricPrompt$d.java:36]
BiometricPrompt [androidx.biometric.BiometricPrompt.java:5]
BiometricPrompt [androidx.biometric.BiometricPrompt.java:12]
BiometricPrompt [androidx.biometric.BiometricPrompt.java:12]
BiometricPrompt [androidx.biometric.BiometricPrompt.java:18]
BiometricPrompt [androidx.biometric.BiometricPrompt.java:19]
BiometricPrompt [androidx.biometric.BiometricPrompt.java:32]
BiometricPrompt [androidx.biometric.BiometricPrompt.java:32]
BiometricPrompt [androidx.biometric.BiometricPrompt.java:34]
BiometricPrompt [androidx.biometric.BiometricPrompt.java:39]
```

[illegible]

[illegible]


```

FingerprintManager [androidx.core.hardware.fingerprint.a$b.java:31]
FingerprintManager [androidx.core.hardware.fingerprint.a$b.java:35]
FingerprintManager [androidx.core.hardware.fingerprint.a$b.java:36]
FingerprintManager [androidx.core.hardware.fingerprint.a$b.java:40]
FingerprintManager [androidx.core.hardware.fingerprint.a$b.java:43]
FingerprintManager [androidx.core.hardware.fingerprint.a$b.java:44]
FingerprintManager [androidx.core.hardware.fingerprint.a$b.java:45]
FingerprintManager [androidx.core.hardware.fingerprint.a$b.java:46]
FingerprintManager [androidx.core.hardware.fingerprint.a.java:23]
FingerprintManager [androidx.core.hardware.fingerprint.a.java:24]
FingerprintManager [androidx.core.hardware.fingerprint.a.java:28]
FingerprintManager [androidx.core.hardware.fingerprint.a.java:33]
FingerprintManager [androidx.core.hardware.fingerprint.a.java:38]
FingerprintManager [androidx.core.hardware.fingerprint.a.java:39]
FingerprintManager [androidx.core.hardware.fingerprint.a.java:46]
FingerprintManager [androidx.core.hardware.fingerprint.a.java:54]
FingerprintManager [androidx.core.hardware.fingerprint.a.java:55]
FingerprintManager [androidx.core.hardware.fingerprint.a.java:62]
FingerprintManager [androidx.core.hardware.fingerprint.a.java:73]
BiometricPrompt [com.bursamalaysia.eCDS.ui.login.LoginActivity$a.java:5]

```

API Key in XML Resource [3x]

API key found in XML resources (strings.xml / config). These are trivially extractable.

```

google_api_key [O3.k.java:39]
google_api_key [O3.k.java:45]
google_api_key [O3.k.java:46]

```

CWE-798

Runtime Command Execution [20x]

Dynamic process execution with user-controlled input enables OS command injection.

```

Runtime.getRuntime().exec( [V4.b.java:40]
Runtime.getRuntime().exec( [V4.b.java:41]
Runtime.getRuntime().exec( [V4.b.java:42]
Runtime.getRuntime().exec( [V4.b.java:44]
Runtime.getRuntime().exec( [V4.b.java:45]
Runtime.getRuntime().exec( [V4.b.java:46]
Runtime.getRuntime().exec( [V4.b.java:47]
Runtime.getRuntime().exec( [V4.b.java:48]
Runtime.getRuntime().exec( [V4.b.java:53]
Runtime.getRuntime().exec( [V4.b.java:59]
Runtime.getRuntime().exec( [V4.b.java:60]
Runtime.getRuntime().exec( [V4.b.java:61]
Runtime.getRuntime().exec( [V4.b.java:63]
Runtime.getRuntime().exec( [V4.b.java:64]
Runtime.getRuntime().exec( [V4.b.java:65]
Runtime.getRuntime().exec( [V4.b.java:66]
Runtime.getRuntime().exec( [V4.b.java:67]
Runtime.getRuntime().exec( [V4.b.java:72]
Runtime.getRuntime().exec( [V4.b.java:229]
Runtime.getRuntime().exec( [V4.b.java:230]

```

CWE-78

Dynamic Broadcast Receiver (Potentially Exported) [8x]

Dynamically registered BroadcastReceiver. On Android 14+, receivers must specify RECEIVER_NOT_EXPORTED or RECEIVER_EXPORTED flag. Missing flag defaults to exported.

```

registerReceiver(0, new IntentFilter [X3.d.java:22]
registerReceiver(0, new IntentFilter [X3.d.java:23]
registerReceiver(0, new IntentFilter [X3.d.java:24]
registerReceiver(0, new IntentFilter [X3.d.java:25]
registerReceiver(0, new IntentFilter [X3.d.java:30]
registerReceiver(0, new IntentFilter [X3.d.java:30]
registerReceiver(0, new IntentFilter [X3.d.java:31]
registerReceiver(0, new IntentFilter [X3.d.java:31]

```

CWE-926

Native JNI Code [5x]

Native code is loaded. JNI bridges may introduce memory-safety vulnerabilities.

```

System.loadLibrary( [a2.e.java:29]
System.load( [a2.e.java:52]
System.loadLibrary( [androidx.camera.core.ImageProcessingUtil.java:13]
System.loadLibrary( [com.scottyab.rootbeer.RootBeerNative.java:13]
System.loadLibrary( [com.shockwave.pdfium.PdfiumCore.java:18]

```

CWE-120

CBC with PKCS Padding (Padding Oracle) [4x]

CBC mode with PKCS5/PKCS7 padding is vulnerable to padding oracle attacks. Use AES/GCM/NoPadding for authenticated encryption.

```
Cipher.getInstance("AES/CBC/PKCS7Padding [androidx.biometric.h.java:20]
Cipher.getInstance("AES/CBC/PKCS7Padding [androidx.biometric.h.java:21]
Cipher.getInstance("AES/CBC/PKCS7Padding [androidx.biometric.h.java:22]
Cipher.getInstance("AES/CBC/PKCS7Padding [androidx.biometric.h.java:23]
```

CWE-649

External Storage Write [12x]

External storage is world-readable. Never write sensitive data to external storage.

```
getExternalStorageDirectory [androidx.core.content.FileProvider.java:169]
getExternalStorageDirectory [androidx.core.content.FileProvider.java:174]
getExternalStorageDirectory [androidx.core.content.FileProvider.java:175]
getExternalStorageDirectory [androidx.core.content.FileProvider.java:178]
getExternalStorageDirectory [androidx.core.content.FileProvider.java:179]
Environment.getExternalStorage [androidx.core.content.FileProvider.java:169]
Environment.getExternalStorage [androidx.core.content.FileProvider.java:174]
Environment.getExternalStorage [androidx.core.content.FileProvider.java:175]
Environment.getExternalStorage [androidx.core.content.FileProvider.java:178]
Environment.getExternalStorage [androidx.core.content.FileProvider.java:179]
getExternalFilesDir [androidx.core.content.a$b.java:15]
getExternalFilesDir [androidx.core.content.a$b.java:16]
```

CWE-312

Insecure HTTP URL [37x]

Cleartext HTTP traffic can be intercepted. All endpoints should use HTTPS.

```
http://schemas.android.com [androidx.core.content.res.k.java:102]
http://schemas.android.com [androidx.core.content.res.k.java:103]
http://schemas.android.com [com.alimuzaffar.lib.pin.PinEntryEditText.java:229]
http://schemas.android.com [com.alimuzaffar.lib.pin.PinEntryEditText.java:230]
http://schemas.android.com [com.alimuzaffar.lib.pin.PinEntryEditText.java:231]
http://schemas.android.com [com.google.android.material.chip.Chip.java:126]
http://schemas.android.com [com.google.android.material.chip.Chip.java:127]
http://schemas.android.com [com.google.android.material.chip.Chip.java:130]
http://schemas.android.com [com.google.android.material.chip.Chip.java:131]
http://schemas.android.com [com.google.android.material.chip.Chip.java:132]
http://schemas.android.com [com.google.android.material.chip.Chip.java:133]
http://schemas.android.com [com.google.android.material.chip.Chip.java:134]
http://schemas.android.com [com.google.android.material.chip.Chip.java:135]
http://schemas.android.com [com.google.android.material.chip.Chip.java:136]
http://schemas.android.com [com.google.android.material.chip.Chip.java:137]
http://schemas.android.com [com.google.android.material.chip.Chip.java:138]
http://schemas.android.com [com.google.android.material.chip.Chip.java:139]
http://schemas.android.com [com.google.android.material.chip.Chip.java:140]
http://schemas.android.com [com.google.android.material.chip.Chip.java:141]
http://schemas.android.com [com.google.android.material.chip.Chip.java:142]
http://schemas.android.com [com.google.android.material.chip.Chip.java:143]
http://schemas.android.com [com.google.android.material.chip.Chip.java:144]
http://schemas.android.com [com.google.android.material.chip.Chip.java:145]
http://schemas.android.com [com.google.android.material.chip.Chip.java:146]
http://schemas.android.com [com.google.android.material.chip.Chip.java:147]
http://schemas.android.com [com.google.android.material.chip.a.java:553]
http://schemas.android.com [com.google.android.material.chip.a.java:554]
http://schemas.android.com [com.google.android.material.chip.a.java:555]
http://schemas.android.com [com.google.android.material.chip.a.java:556]
http://schemas.android.com [com.google.android.material.chip.a.java:572]
http://schemas.android.com [com.google.android.material.chip.a.java:573]
http://schemas.android.com [com.google.android.material.chip.a.java:574]
http://schemas.android.com [com.google.android.material.chip.a.java:575]
http://schemas.android.com [com.google.android.material.chip.a.java:590]
http://schemas.android.com [com.google.android.material.chip.a.java:591]
http://schemas.android.com [com.google.android.material.chip.a.java:592]
http://schemas.android.com [com.google.android.material.chip.a.java:593]
```

CWE-319

Unsafe Native Functions [17x]

Unsafe C standard library functions found. These can cause buffer overflows.

```
gets( [androidx.fragment.app.l.java:56]
gets( [androidx.fragment.app.l.java:57]
gets( [androidx.fragment.app.l.java:58]
gets( [androidx.fragment.app.l.java:168]
gets( [androidx.fragment.app.l.java:169]
gets( [androidx.fragment.app.l.java:174]
```

```
gets( [androidx.fragment.app.l.java:178]
gets( [androidx.fragment.app.l.java:186]
gets( [androidx.fragment.app.l.java:187]
gets( [androidx.fragment.app.l.java:188]
gets( [androidx.fragment.app.l.java:189]
gets( [androidx.fragment.app.l.java:216]
gets( [androidx.fragment.app.l.java:217]
gets( [androidx.fragment.app.l.java:218]
gets( [androidx.fragment.app.l.java:220]
gets( [androidx.fragment.app.l.java:221]
gets( [androidx.fragment.app.l.java:222]
```

CWE-120

Insecure Deserialization [3x]

Java deserialization of untrusted data can lead to remote code execution via gadget chains.

```
ObjectInputStream( [b5.f.java:65]
ObjectInputStream( [b5.f.java:67]
ObjectInputStream( [b5.f.java:68]
```

CWE-502

WebView addJavascriptInterface

Exposes Java methods to JavaScript -enables remote code execution on Android < 4.2.

```
addJavascriptInterface( [com.bursamalaysia.eCDS.ui.activity.InAppBrowserActivity.java:151]
```

CWE-749

Mutable PendingIntent with Empty Intent [2x]

PendingIntent created with mutable flag or empty base intent. Attacker app can fill in the intent to hijack the operation and steal data.

```
PendingIntent.getBroadcast(arg0, 0, new Intent() [com.firebase.jobdispatcher.f.java:21]
PendingIntent.getBroadcast(arg0, 0, new Intent() [com.firebase.jobdispatcher.f.java:22]
```

CWE-927

Weak Hash Algorithm (MD5) [6x]

MD5 is cryptographically broken. Collisions can be generated trivially. Use SHA-256.

```
MessageDigest.getInstance("MD5" [com.google.android.gms.measurement.internal.y4.java:246]
MessageDigest.getInstance("MD5" [com.google.android.gms.measurement.internal.y4.java:247]
MessageDigest.getInstance("MD5" [com.google.android.gms.measurement.internal.y4.java:250]
"MD5" [com.google.android.gms.measurement.internal.y4.java:246]
"MD5" [com.google.android.gms.measurement.internal.y4.java:247]
"MD5" [com.google.android.gms.measurement.internal.y4.java:250]
```

CWE-327

Weak Hash Algorithm (SHA-1) [17x]

SHA-1 is deprecated due to practical collision attacks. Migrate to SHA-256.

```
MessageDigest.getInstance("SHA-1" [com.google.firebase.iid.k.java:49]
MessageDigest.getInstance("SHA-1" [com.google.firebase.iid.k.java:51]
MessageDigest.getInstance("SHA-1" [com.google.firebase.iid.k.java:52]
MessageDigest.getInstance("SHA-1" [com.google.firebase.iid.k.java:53]
MessageDigest.getInstance("SHA-1" [com.google.firebase.messaging.y.java:56]
MessageDigest.getInstance("SHA-1" [com.google.firebase.messaging.y.java:58]
MessageDigest.getInstance("SHA-1" [com.google.firebase.messaging.y.java:59]
MessageDigest.getInstance("SHA-1" [com.google.firebase.messaging.y.java:60]
MessageDigest.getInstance("SHA1" [s4.b.java:65]
MessageDigest.getInstance("SHA1" [s4.b.java:66]
MessageDigest.getInstance("SHA1" [s4.b.java:67]
MessageDigest.getInstance("SHA1" [s4.b.java:68]
MessageDigest.getInstance("SHA1" [s4.b.java:69]
MessageDigest.getInstance("SHA1" [s4.b.java:70]
MessageDigest.getInstance("SHA1" [s4.b.java:70]
MessageDigest.getInstance("SHA1" [s4.b.java:71]
MessageDigest.getInstance("SHA1" [s4.b.java:72]
```

CWE-327

Insecure Temp File Creation [20x]

Temp files may persist on disk with predictable names. Ensure cleanup and proper permissions.

```
File.createTempFile( [com.theartofdev.edmodo.cropper.c.java:74]
File.createTempFile( [com.theartofdev.edmodo.cropper.c.java:75]
File.createTempFile( [com.theartofdev.edmodo.cropper.c.java:77]
File.createTempFile( [com.theartofdev.edmodo.cropper.c.java:78]
File.createTempFile( [com.theartofdev.edmodo.cropper.c.java:79]
File.createTempFile( [com.theartofdev.edmodo.cropper.c.java:80]
File.createTempFile( [com.theartofdev.edmodo.cropper.c.java:83]
File.createTempFile( [com.theartofdev.edmodo.cropper.c.java:85]
.createTempFile( [com.theartofdev.edmodo.cropper.c.java:74]
.createTempFile( [com.theartofdev.edmodo.cropper.c.java:75]
```

```
.createTempFile( [com.theartofdev.edmodo.cropper.c.java:77]
.createTempFile( [com.theartofdev.edmodo.cropper.c.java:78]
.createTempFile( [com.theartofdev.edmodo.cropper.c.java:79]
.createTempFile( [com.theartofdev.edmodo.cropper.c.java:80]
.createTempFile( [com.theartofdev.edmodo.cropper.c.java:83]
.createTempFile( [com.theartofdev.edmodo.cropper.c.java:85]
File.createTempFile( [w.A.java:135]
File.createTempFile( [w.A.java:136]
.createTempFile( [w.A.java:135]
.createTempFile( [w.A.java:136]
```

CWE-377

Exported Components (4)

```
com.bursamalaysia.eCDS.ui.activity.SplashScreenActivity [no perm]
com.firebase.jobdispatcher.GooglePlayReceiver
com.google.firebase.iid.FirebaseInstanceIdReceiver
androidx.profileinstaller.ProfileInstallReceiver
```

SDKs & Trackers

Firebase, Crashlytics, OkHttp, Retrofit, Picasso, RxJava

Dangerous Permissions

READ_EXTERNAL_STORAGE, CAMERA

Disclaimer: This report is generated by automated static analysis. All findings are potential issues identified through pattern matching on decompiled code and manifest data. Results may include false positives and do not confirm exploitability. Manual verification and dynamic testing are required before including any finding in a security assessment.