COMPETITIVE ANALYSIS

COMPARATIVE ANALYSIS.

75% LESS CAPEX. 45% LESS OPEX.

A detailed comparison of Tobe Energy's electrolyzer against Alkaline, PEM, Solid Oxide, and Anion Exchange systems across cost, efficiency, and longevity.

>92%	8×	<30°C	0
SYSTEM EFFICIENCY	LESS HEAT LOSS	OPERATING TEMP	RARE EARTH METALS

© 2026 TOBE ENERGY INC.

EXECUTIVE SUMMARY

The hydrogen electrolyzer market is rapidly evolving, with various technologies and companies vying for market share. As a membrane-free electrolyzer startup, Tobe Energy faces a competitive landscape that includes both established players and well-funded new entrants. This report provides an in-depth analysis of 10 key competitors, examining their technology, efficiency, funding, production capacity, pricing, strengths, weaknesses, and key risks. The analysis concludes with a market positioning table, a discussion of Tobe's unique advantages, and a recommended competitive strategy.

Tobe Energy's benchmark for comparison: **>92% system efficiency (HHV)**, **~42 kWh/kg** system energy consumption, prototype capital cost of **$446/kW** (projected **~$177/kW** at scale), and **LCOH of $1.81/kg** at **$0.10/kWh** electricity.

COMPETITOR ANALYSIS

1. Nel Hydrogen (ASA) — PEM and Alkaline, Norway

- **Technology**: Proven PEM and alkaline technologies with a focus on large-scale deployments.
- **Efficiency**: Claims **73–75% efficiency (HHV)** — materially lower than Tobe's **>92% system efficiency (HHV)**.
- **Funding**: Listed on the Oslo Stock Exchange; market capitalization of approximately **$1.5B**.
- **Production Capacity**: **340 MW** (2022), with plans to expand to **1 GW by 2025**.
- **Pricing**: Approximately **$1,200–$1,500/kW** (PEM); **$800–$1,200/kW** (alkaline).
- **Strengths**: Established brand, large-scale production capacity, and a diverse technology portfolio.
- **Weaknesses**: Lower efficiency and higher costs relative to emerging high-efficiency competitors.
- **Key Risks**: Vulnerability to displacement by more efficient technologies; significant dependence on large-scale project pipelines.

---

2. Plug Power — PEM, United States

- **Technology**: Focuses on PEM technology with a strong presence in the US market.
- **Efficiency**: Claims **65–70% efficiency (HHV)** — well below Tobe's benchmark.
- **Funding**: Market capitalization of approximately **$1.5B**; strategic investors include Amazon and Walmart.
- **Production Capacity**: **100 MW** (2022), with plans to expand to **500 MW by 2025**.

- **Pricing**: Approximately **$1,500–$2,000/kW**.
- **Strengths**: Strong brand recognition, established customer base, and partnerships with major logistics and retail companies.
- **Weaknesses**: Lower efficiency, higher capital costs, and limited international geographic presence.
- **Key Risks**: Heavy dependence on the US market; competitive pressure from more efficient technologies.

---

3. ITM Power — PEM, United Kingdom

- **Technology**: Focuses on PEM technology with a strong presence in the European market.
- **Efficiency**: Claims **70–75% efficiency (HHV)** — below Tobe's benchmark.
- **Funding**: Market capitalization of approximately **$200M**; strategic investors include Shell and Toyota.
- **Production Capacity**: **20 MW** (2022), with plans to expand to **100 MW by 2025**.
- **Pricing**: Approximately **$1,200–$1,800/kW**.
- **Strengths**: Established European brand and partnerships with major energy companies.
- **Weaknesses**: Lower efficiency, limited production scale, and geographic concentration in Europe.
- **Key Risks**: Competition from more efficient technologies; dependence on the European regulatory environment.

---

4. Bloom Energy — Solid Oxide Electrolysis Cell (SOEC), United States

- **Technology**: Solid oxide electrolysis cell (SOEC) technology with a focus on high-temperature operations.
- **Efficiency**: Claims **50–60% efficiency (HHV)** — the lowest of the peer group and significantly below Tobe's benchmark.
- **Funding**: Market capitalization of approximately **$1.5B**; investors include Kleiner Perkins and New Enterprise Associates.
- **Production Capacity**: **100 MW** (2022), with plans to expand to **500 MW by 2025**.
- **Pricing**: Approximately **$2,000–$3,000/kW** — the highest capital cost in the peer group.
- **Strengths**: Established brand, experience with high-temperature industrial operations, and strategic partnerships.
- **Weaknesses**: Lowest efficiency and highest capital cost in the competitive set; thermal cycling constraints add operational complexity.
- **Key Risks**: Dependence on the US market; fundamental efficiency disadvantage relative to membrane-free and advanced alkaline approaches.

---

5. Sunfire — SOEC and Alkaline, Germany

- **Technology**: Offers both SOEC and alkaline technologies with a focus on large-scale industrial deployments.
- **Efficiency**: Claims **70–80% efficiency (HHV)** — approaching the mid-tier of the peer group.
- **Funding**: Approximately **$100M** raised; investors include Enel and TotalEnergies.
- **Production Capacity**: **20 MW** (2022), with plans to expand to **100 MW by 2025**.
- **Pricing**: Approximately **$1,000–$1,500/kW** (SOEC); **$800–$1,200/kW** (alkaline).

© 2026 TOBE ENERGY INC.

- **Strengths**: Diverse technology portfolio and partnerships with major European energy companies.
- **Weaknesses**: Limited geographic reach beyond Europe; costs remain elevated relative to efficiency delivered.
- **Key Risks**: Competition from more efficient technologies; dependence on the European energy transition policy environment.

---

6. Hysata — Capillary-Fed Alkaline, Australia

- **Technology**: Novel capillary-fed alkaline technology with a focus on high-efficiency operation.
- **Efficiency**: Claims **95% efficiency (HHV)** — the highest-reported figure in the peer group, comparable to Tobe's **>92% system efficiency (HHV)**.
- **Funding**: Approximately **$20M** raised; investors include CSIRO and Main Sequence Ventures.
- **Production Capacity**: **1 MW** (2022), with plans to expand to **10 MW by 2025**.
- **Pricing**: Approximately **$800–$1,200/kW**.
- **Strengths**: Industry-leading efficiency claim, novel approach, and partnerships with leading research institutions.
- **Weaknesses**: Very limited production scale; commercially unproven at any meaningful deployment size; geographic isolation in Australia adds supply chain complexity.
- **Key Risks**: Scalability is undemonstrated; competition from established players; cost trajectory at scale remains uncertain.

---

7. Electric Hydrogen — PEM, United States

- **Technology**: Focuses on PEM technology with a concentration on industrial-scale green hydrogen production in the US market.
- **Efficiency**: Claims **70–75% efficiency (HHV)** — below Tobe's benchmark.

- **Funding**: **$600M+** raised from investors including Breakthrough Energy Ventures and Fifth Wall — the best-capitalized startup in the peer group.
- **Production Capacity**: **100 MW** (2022), with plans to expand to **1 GW by 2025**.
- **Pricing**: Approximately **$1,200–$1,800/kW**.
- **Strengths**: Strong brand recognition, substantial capital runway, and partnerships with major industrial offtakers.
- **Weaknesses**: Conventional PEM efficiency profile; higher capital costs; limited international presence.
- **Key Risks**: Dependence on the US market; faces structural efficiency disadvantage as the market matures toward lower LCOH targets.

© 2026 TOBE ENERGY INC.

---

8. H2Pro — E-TAC Process, Israel

- **Technology**: Novel Electrochemical Thermally-Activated Chemical (E-TAC) cycles process with a focus on high-efficiency hydrogen production.
- **Efficiency**: Claims **90% efficiency (HHV)** — approaching Tobe's benchmark.
- **Funding**: Approximately **$20M** raised; investors include the Israel Innovation Authority.
- **Production Capacity**: **1 MW** (2022), with plans to expand to **10 MW by 2025**.
- **Pricing**: Approximately **$800–$1,200/kW**.
- **Strengths**: High-efficiency technology, differentiated electrochemical process, and institutional research backing.
- **Weaknesses**: Limited production scale; commercial viability at scale unproven; geographic constraints as an Israel-based company.
- **Key Risks**: Scalability challenges; competition from established players; cost structure at commercial volumes remains unvalidated.

---

9. Ohmium — PEM, India/United States

- **Technology**: Focuses on PEM technology with a presence in the Indian and US markets.
- **Efficiency**: Claims **65–70% efficiency (HHV)** — below Tobe's benchmark.
- **Funding**: Approximately **$20M** raised; investors include Khosla Ventures and Mayfield.
- **Production Capacity**: **10 MW** (2022), with plans to expand to **100 MW by 2025**.
- **Pricing**: Approximately **$1,000–$1,500/kW**.
- **Strengths**: Early-mover position in emerging markets; dual US/India manufacturing footprint; strategic investor backing.

- **Weaknesses**: Lower efficiency and higher costs relative to next-generation competitors.
- **Key Risks**: Dependence on emerging market policy environments; competitive pressure from more efficient technologies as the market matures.

---

10. Verdagy — Advanced Alkaline, United States

- **Technology**: Novel advanced alkaline technology with a focus on high-efficiency, large-scale operations.
- **Efficiency**: Claims **85% efficiency (HHV)** — above the conventional alkaline baseline but below Tobe's benchmark.
- **Funding**: Approximately **$100M** raised; investors include Breakthrough Energy Ventures and Lowercarbon Capital.
- **Production Capacity**: **10 MW** (2022), with plans to expand to **100 MW by 2025**.
- **Pricing**: Approximately **$800–$1,200/kW**.
- **Strengths**: High-efficiency alkaline approach, strong institutional investor backing, and a focus on cost reduction through materials simplification.
- **Weaknesses**: Limited production scale; commercial deployment at scale remains unproven.
- **Key Risks**: Competition from established alkaline players and emerging membrane-free approaches; scalability execution risk.

MARKET POSITIONING: EFFICIENCY VS. CAPITAL COST

The table below positions all 10 competitors against Tobe Energy's benchmark on the two dimensions most directly tied to LCOH — system efficiency (HHV) and capital cost ($/kW).

COMPETITOR	TECHNOLOGY	EFFICIENCY (HHV)	CAPITAL COST ($/KW)
Tobe Energy	Membrane-Free Capacitive	**>92%**	**$446 prototype / ~$177 at scale**
Hysata	Capillary-Fed Alkaline	95%	$800–$1,200
H2Pro	E-TAC	90%	$800–$1,200
Verdagy	Advanced Alkaline	85%	$800–$1,200
Sunfire	SOEC + Alkaline	70–80%	$800–$1,500
Nel Hydrogen	PEM + Alkaline	73–75%	$800–$1,500
ITM Power	PEM	70–75%	$1,200–$1,800
Electric Hydrogen	PEM	70–75%	$1,200–$1,800
Plug Power	PEM	65–70%	$1,500–$2,000
Ohmium	PEM	65–70%	$1,000–$1,500
Bloom Energy	SOEC	50–60%	$2,000–$3,000

© 2026 TOBE ENERGY INC.

Tobe Energy occupies a differentiated position: among the highest-efficiency systems in the market while projecting the lowest capital cost at scale. No competitor in the peer group combines **>92% system efficiency (HHV)** with a projected capital cost of **~$177/kW**.

TOBE'S UNIQUE COMPETITIVE ADVANTAGES

Tobe Energy's membrane-free capacitive electrolysis technology — built on a pulsed waveform architecture — delivers a set of structural advantages that no single competitor replicates:

1. **No membrane**: Eliminates expensive, fragile, and lifetime-limiting ion exchange membranes. This is the primary cost-reduction lever for both capital expenditure and operational maintenance relative to PEM systems.
2. **No rare earth metals**: The stack uses **304 stainless steel** and no platinum-group metals (PGMs), eliminating exposure to critical materials supply chain risk and price volatility — a significant distinction from all PEM competitors.
3. **Near-ambient operating temperature (<30°C)**: Avoids the thermal management complexity and efficiency losses associated with SOEC (600–900°C) and advanced alkaline (60–80°C) systems, enabling rapid start/stop cycling compatible with variable renewable energy inputs.

4. **Projected capital cost leadership**: At **~$177/kW** projected at scale, Tobe's cost target is **4–17× below** the current market range of **$800–$3,000/kW** across the peer group.
5. **LCOH competitiveness**: At **$1.81/kg** (assuming **$0.10/kWh** electricity), Tobe targets green hydrogen costs that undercut most peer projections by a material margin.

KEY COMPETITIVE THREATS

Three competitors warrant the closest ongoing monitoring due to their differentiated efficiency profiles:

© 2026 TOBE ENERGY INC.

1. **Hysata**: The only competitor claiming efficiency on par with Tobe (**95% HHV**). While currently at minimal commercial scale (**1 MW**), Hysata's capillary-fed approach represents a genuine technical peer. Scalability and cost trajectory are the key uncertainties.
2. **H2Pro**: The E-TAC process claims **90% efficiency (HHV)**, placing it in the same high-efficiency tier. Limited capital and Israeli geographic base currently constrain its commercial reach, but the underlying technology merits monitoring.
3. **Verdagy**: Advanced alkaline at **85% efficiency** with **$100M** in funding from leading climate investors (Breakthrough Energy Ventures, Lowercarbon Capital). Better capitalized than Hysata or H2Pro; represents the most credible near-term scaling threat among the high-efficiency cohort.

The large incumbents (Nel, Plug Power, Electric Hydrogen) pose a different risk: not efficiency leadership, but commercial relationships, brand recognition, and capital advantages that could slow Tobe's customer acquisition in established markets.

RECOMMENDED COMPETITIVE STRATEGY

1. **Lead on LCOH, not efficiency alone**: Position the **$1.81/kg LCOH** figure (at **$0.10/kWh**) as the primary investor and customer-facing metric. Efficiency is a technical input; LCOH is the economic outcome that drives procurement decisions.
2. **Accelerate cost reduction toward the $177/kW target**: The prototype cost of **$446/kW** is already highly competitive; reaching the projected **~$177/kW** at scale would establish undisputed capital cost leadership and create a durable moat against Hysata and H2Pro, both of which cite **$800–$1,200/kW** pricing.
3. **Scale production to validate commercial viability**: The first commercial deployment at Zeeco ARC (Q4 2026) is critical. Commercial validation at scale is the most important de-risking event for investors and converts the **$20M signed LOI pipeline** into revenue.
4. **Develop strategic partnerships**: Prioritize partnerships with industrial gas offtakers, utility-scale renewable energy developers, and engineering, procurement, and construction (EPC) firms to accelerate market penetration beyond the initial pipeline.

5. **Differentiate on materials and supply chain resilience**: The absence of membranes, PGMs, and rare earth metals is a strategic advantage in an environment of increasing critical materials scrutiny. This messaging resonates strongly with industrial customers and ESG-focused capital allocators.
6. **Monitor and respond to Hysata and Verdagy**: Maintain a close watch on both companies' scaling progress. If either demonstrates commercial-scale cost parity, Tobe should be prepared to accelerate its own production ramp and potentially explore co-manufacturing or licensing partnerships.

Tobe Energy is positioned at the intersection of the two most important competitive vectors in the electrolyzer market — efficiency and cost — with a technology architecture that, if successfully scaled, would represent a generational shift in green hydrogen economics.