







	A	B	C	D	E	F	G	H	I	J							
1	PLAN HISTORY						ENGINE TYPE	(ex. 6H21/32 x 3sets)			1						
							SHIPYARD	(ex. Hyundai Heavy Industries)									
							CLASSIFICATION	(ex. ABS)									
							SHIP NO.	(ex. 8024/25)									
2											2						
3											This drawing is the property of HHI-EMD and is to be treated as confidential by the party to whom it has been submitted by HHI-EMD, and is not to be disclosed to third party without the specific prior written permission of HHI-EMD						
4																	
5																	
6																	
7																	
Do not correct by hand	Title Page						Change / Replacement				Rev.						
Similar Drawing No.:		Replacement for:				Scale:	Size:	Projection:	First issue		Product Type:		Project ID:		DWG Page		
Supplement Drawing No.:		Licensor's Ident. No.:				N / A		A3		 1		(ex. 6H21/32 x 3sets)		(ex.KFA005482)		1 / 34	
						Info. No.:		CC:	Dist.:	Work Order No. :		Item Name:		Item Id.:		Ch. 3	
						065000		B	*	-		MOCS CONTROL UNIT		F33-000002-1		Prev ==F33-000002-0/1	
																Next 2	
ENGINE & MACHINERY DIVISION																	
A3(297mm x 420mm)																	

	A	B	C	D	E	F	G	H	I	J						
1											1					
2											2					
3											This drawing is the property of HHI-EMD and is to be treated as confidential by the party to whom it has been submitted by HHI-EMD, and is not to be disclosed to third party without the specific prior written permission of HHI-EMD					
4																
5																
6																
7	CABINET										Do not correct by hand					
Title Page				Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement		Rev.				
Similar Drawing No.:		Replacement for:		2026.03.27	JML	JML	HDK	CMJ	*	First issue		0				
				Scale:	Size:		Projection:		Product Type:			Project ID:	DWG Page			
Supplement Drawing No.:				Licensor's Ident. No.:		N / A	A3		 1			(ex. 6H21/32 x 3sets)		(ex.KFA005482)	2 / 34	
						Info. No.:	CC:	Dist.:	Work Order No. :			Item Name:		Item Id.:	Ch. 3	
				065000	B	*	-		MOCS CONTROL UNIT			F33-000002-1		Prev 1	Next 3	
ENGINE & MACHINERY DIVISION													A3(297mm x 420mm)			











Module arrangement			Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement			Rev.	
			2026.03.27	JML	JML	HDK	CMJ	*	First issue			0	
Similar Drawing No.:	Replacement for:		Scale: N / A	Size: A3		Projection:  1		Product Type: (ex. 6H21/32 x 3sets)		Project ID: (ex.KFA005482)		DWG Page 6 / 34	
Supplement Drawing No.:	Licensor's Ident. No.:		Info. No.: 065000	CC: B	Dist.: *	Work Order No. : -		Item Name: MOCS CONTROL UNIT		Item Id.: F33-000002-1		Ch. 3	
											Prev 5	Next 7	

Do not correct by hand


- Note
- All network cables are supplied by manufacturer
 - Network cable specification: Fiber optic cable(B&R part no. X20CA0E61.00200)




Do not correct by hand


Maintenance space (500x800x1800)			Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement				Rev.
			2026.03.27	JML	JML	HDK	CMJ	*	First issue				0
Similar Drawing No.:	Replacement for:		Scale:	Size:		Projection:		Product Type:		Project ID:		DWG Page	
			N / A	A3		 1		(ex. 6H21/32 x 3sets)		(ex.KFA005482)		7 / 34	
Supplement Drawing No.:	Licensor's Ident. No.:		Info. No.:	CC:	Dist.:	Work Order No. :		Item Name:		Item Id.:		Ch.	
		065000	B	*	-		MOCS CONTROL UNIT		F33-000002-1		3		
										Prev		Next	
										6		8	




This drawing is the property of HHI-EMD, and is to be treated as confidential by the party to whom it has been submitted by HHI-EMD, and is not to be disclosed to third party without the specific prior written permission of HHI-EMD

	A	B	C	D	E	F	G	H	I	J		
1											1	
2											2	
3											This drawing is the property of HHI-EMD and is to be treated as confidential by the party to whom it has been submitted by HHI-EMD, and is not to be disclosed to third party without the specific prior written permission of HHI-EMD	
4												
5												
6												
7	COMPONENT											
Do not correct by hand	Title Page			Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement		Rev.
				2026.03.27	JML	JML	HDK	CMJ	*	First issue		0
	Similar Drawing No.:	Replacement for:		Scale:	Size:	Projection:	Product Type:		Project ID:	DWG Page		
		N / A		A3	 1	(ex. 6H21/32 x 3sets)	(ex.KFA005482)	8 / 34				
	Supplement Drawing No.:	Licensor's Ident. No.:		Info. No.:	CC:	Dist.:	Work Order No. :	Item Name:	Item Id.:	Ch.		
			065000	B	*	-	MOCS CONTROL UNIT	F33-000002-1	3			
									Prev	Next	9	
	ENGINE & MACHINERY DIVISION										A3(297mm x 420mm)	



Maker: Weidmuller
Model: IE-SW-BLB-08-8TX (290804000)
Weight: 0.353 kg
Power supply: 24 VDC
Power consumption: 2.0 W
Operating temperature: -40 ~ +75 degC
Humidity: 5 ~ 95 % (Non-condensed)
IP grade: IP30


Ethernet hub(IE-SW-BLB-08-8TX)			Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement				Rev.	
			2026.03.27	JML	JML	HDK	CMJ	*	First issue				0	
Similar Drawing No.:	Replacement for:		Scale: N / A	Size: A3		Projection:  1		Product Type: (ex. 6H21/32 x 3sets)			Project ID: (ex.KFA005482)		DWG Page 10 / 34	
Supplement Drawing No.:	Licensor's Ident. No.:		Info. No.: 065000	CC: B	Dist.: *	Work Order No. : -		Item Name: MOCS CONTROL UNIT			Item Id.: F33-000002-1		Ch. 3	
												Prev 9	Next 11	



CONNECTION


Maker: B&R
Model: X20 CPU (X20CP1686X)
Weight: 0.48 kg
Power supply: 24 VDC (-15% / +20%)
Power consumption: 7.5W
Operating temperature: -25 ~ +60 degC
Humidity: 5 ~ 95 % (Non-condensed)
IP grade: IP20

X20 CPU(X20CP3586)				Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement				Rev.
				2026.03.27	JML	JML	HDK	CMJ	*	First issue				0
Similar Drawing No.:	Replacement for:		Scale:	Size:		Projection:		Product Type:			Project ID:		DWG Page	
			N / A	A3		 1		(ex. 6H21/32 x 3sets)			(ex.KFA005482)		11 / 34	
Supplement Drawing No.:	Licensor's Ident. No.:		Info. No.:	CC:	Dist.:	Work Order No. :		Item Name:			Item Id.:		Ch.	
		065000	B	*	-		MOCS CONTROL UNIT			F33-000002-1		3		
												Prev	Next	
												10	12	



Interface module(X20IF1082-2)				Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement				Rev.
				2026.03.27	JML	JML	HDK	CMJ	*	First issue				0
Similar Drawing No.:	Replacement for:		Scale:	Size:	Projection:	Product Type:				Project ID:	DWG Page			
			N / A	A3	 1	(ex. 6H21/32 x 3sets)				(ex.KFA005482)	12 / 34			
Supplement Drawing No.:	Licensor's Ident. No.:		Info. No.:	CC:	Dist.:	Work Order No. :	Item Name:				Item Id.:	Ch.		
			065000	B	*	-	MOCS CONTROL UNIT				F33-000002-1	3		
											Prev	Next		
											11	13		

This drawing is the property of HHI-EWD and is to be treated as confidential by the party to whom it has been submitted by HHI-EWD, and is not to be disclosed to third party without the specific prior written permission of HHI-EWD.



Do not correct by hand


Interface module(X20BC0083)			Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement				Rev.
			2026.03.27	JML	JML	HDK	CMJ	*	First issue				0
Similar Drawing No.:	Replacement for:		Scale:	Size:		Projection:		Product Type:		Project ID:		DWG Page	
			N / A	A3				(ex. 6H21/32 x 3sets)		(ex.KFA005482)		13 / 34	
Supplement Drawing No.:	Licensor's Ident. No.:		Info. No.:	CC:	Dist.:	Work Order No. :		Item Name:		Item Id.:		Ch.	
		065000	B	*	-		MOCS CONTROL UNIT		F33-000002-1		3		
											Prev	Next	
											12	14	

This drawing is the property of HHI-EMD and is to be treated as confidential by the party to whom it has been submitted by HHI-EMD, and is not to be disclosed to third party without the specific prior written permission of HHI-EMD



CONNECTION


Maker: B&R
Model: RS485 interface module (X20CS1030)
Weight: 0.10 kg
Power supply: 24 VDC (-15% / +20%)
Power consumption: 1.45 W
Operating temperature: -25 ~ +60 degC
Humidity: 5 ~ 95 % (Non-condensed)
IP grade: IP20
Max. Allowed cable length: 1,200 m

RS485 Interface module(X20CS1030)			Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement			Rev.	
			2026.03.27	JML	JML	HDK	CMJ	*	First issue			0	
Similar Drawing No.:	Replacement for:		Scale: N / A	Size: A3		Projection:  1		Product Type: (ex. 6H21/32 x 3sets)		Project ID: (ex.KFA005482)		DWG Page 14 / 34	
Supplement Drawing No.:	Licensor's Ident. No.:		Info. No.: 065000	CC: B	Dist.: *	Work Order No. : -		Item Name: MOCS CONTROL UNIT		Item Id.: F33-000002-1		Ch. 3 Prev 13 Next 15	





- 24 VDC (-15% / +20%), Max. 10A


Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement						Rev.
2026.03.27	JML	JML	HDK	CMJ	*	First issue						0
Scale: N / A	Size: A3		Projection:  1		Product Type: (ex. 6H21/32 x 3sets)			Project ID: (ex.KFA005482)		DWG Page 15 / 34		
Info. No.: 065000	CC: B	Dist.: *	Work Order No. : -		Item Name: MOCs CONTROL UNIT			Item Id.: F33-000002-1		Ch. 3		Next 16
										Prev 14		



Do not correct by hand



Maker: B&R
Model: Analog input module (X20AI8321)
Weight: 0.10 kg
Power supply: 24 VDC (-15% / +20%)
Power consumption: 1.38 W
Operating temperature: -25 ~ +60 degC
Humidity: 5 ~ 95 % (Non-condensed)
IP grade: IP20
Input type: 0/4 ~ 20 mA
Load per channel: Max. 300 ohm

Analog input module(X20AI8321)			Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement				Rev.
			2026.03.27	JML	JML	HDK	CMJ	*	First issue				0
Similar Drawing No.:	Replacement for:		Scale:	Size:		Projection:		Product Type:		Project ID:		DWG Page	
			N / A	A3		 1		(ex. 6H21/32 x 3sets)		(ex.KFA005482)		18 / 34	
Supplement Drawing No.:	Licensor's Ident. No.:		Info. No.:	CC:	Dist.:	Work Order No. :		Item Name:		Item Id.:		Ch.	
			065000	B	*	-		MOCS CONTROL UNIT		F33-000002-1		3	
											Prev 17		Next 19




Maker: B&R
 Model: Analog output module (X20AO4622)
 Weight: 0.10 kg
 Power supply: 24 VDC (-15% / +20%)
 Power consumption: 1.81 W
 Operating temperature: -25 ~ +60 degC
 Humidity: 5 ~ 95 % (Non-condensed)
 IP grade: IP20
 Output tupe: -10 ~ +10 V or 0/4 ~ 20 mA
 Load per channel
 - Voltage: Max. 10mA
 - Current: Max. 500 ohm



Analog output module(X20AO4622)			Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement			Rev.	
			2026.03.27	JML	JML	HDK	CMJ	*	First issue			0	
Similar Drawing No.:	Replacement for:		Scale: N / A	Size: A3		Projection:  1		Product Type: (ex. 6H21/32 x 3sets)		Project ID: (ex.KFA005482)		DWG Page 19 / 34	
Supplement Drawing No.:	Licensor's Ident. No.:		Info. No.: 065000	CC: B	Dist.: *	Work Order No. : -		Item Name: MOCS CONTROL UNIT		Item Id.: F33-000002-1		Ch. 3 Prev 18 Next 20	

	A	B	C	D	E	F	G	H	I	J			
1											1		
2											2		
3											This drawing is the property of HHI-EMD and is to be treated as confidential by the party to whom it has been submitted by HHI-EMD, and is not to be disclosed to third party without the specific prior written permission of HHI-EMD		
4													
5													
6													
7													
Do not correct by hand	INTERNAL CIRCUIT												
	Title Page			Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement		Rev.	
				2026.03.27	JML	JML	HDK	CMJ	*	First issue		0	
	Similar Drawing No.:	Replacement for:		Scale:	Size:		Projection:		Product Type:		Project ID:	DWG Page	
	Supplement Drawing No.:	Licensor's Ident. No.:		N / A	A3		1		(ex. 6H21/32 x 3sets)		(ex.KFA005482)	20 / 34	
			Info. No.:	CC:	Dist.:	Work Order No. :		Item Name:		Item Id.:	Ch.		
			065000	B	*	-		MOCS CONTROL UNIT		F33-000002-1	Prev 19	Next 21	
ENGINE & MACHINERY DIVISION													A3(297mm x 420mm)

This drawing is the property of HHI-EMD and is to be treated as confidential by the party to whom it has been submitted by HHI-EMD, and is not to be disclosed to third party without the specific prior written permission of HHI-EMD





Do not correct by hand

Internal circuit(Power)				Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement				Rev.
				2026.03.27	JML	JML	HDK	CMJ	*	First issue				0
Similar Drawing No.:	Replacement for:		Scale: N / A	Size: A3	Projection:  1		Product Type: (ex. 6H21/32 x 3sets)			Project ID: (ex.KFA005482)		DWG Page 21 / 34		
Supplement Drawing No.:	Licensor's Ident. No.:		Info. No.: 065000	CC: B	Dist.: *	Work Order No. : -		Item Name: MOCS CONTROL UNIT			Item Id.: F33-000002-1		Ch. 3	Next
												Prev 20	22	



This drawing is the property of HHI-EMD and is to be treated as confidential by the party to whom it has been submitted by HHI-EMD, and is not to be disclosed to third party without the specific prior written permission of HHI-EMD







Do not correct by hand

No.# MOCS ESD CIRCUIT				Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement				Rev.
				2026.03.27	JML	JML	HDK	CMJ	*	First issue				0
Similar Drawing No.:	Replacement for:		Scale:	Size:		Projection:		Product Type:			Project ID:		DWG Page	
			N / A	A3		 1		(ex. 6H21/32 x 3sets)			(ex.KFA005482)		23 / 34	
Supplement Drawing No.:	Licensor's Ident. No.:		Info. No.:	CC:	Dist.:	Work Order No. :		Item Name:			Item Id.:		Ch.	
		065000	B	*	-		MOCS CONTROL UNIT			F33-000002-1		3		
												Prev	Next	
												22	24	




This drawing is the property of HHI-EMD and is to be treated as confidential by the party to whom it has been submitted by HHI-EMD, and is not to be disclosed to third party without the specific prior written permission of HHI-EMD





Terminal arrangement(Internal)_Common				Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement				Rev.
				2026.03.27	JML	JML	HDK	CMJ	*	First issue				0
Similar Drawing No.:	Replacement for:		Scale:	Size:		Projection:		Product Type:			Project ID:	DWG Page		
			N / A	A3				(ex. 6H21/32 x 3sets)			(ex.KFA005482)	25 / 34		
Supplement Drawing No.:	Licensor's Ident. No.:		Info. No.:	CC:	Dist.:	Work Order No. :		Item Name:			Item Id.:	Ch.		
		065000	B	*	-		MOCS CONTROL UNIT			F33-000002-1	3			
										Prev		Next		
										24		26		






Terminal arrangement(Internal)_No.# MOCS		Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement			Rev.
			2026.03.27	JML	JML	HDK	CMJ	*	First issue		0
Similar Drawing No.:	Replacement for:	Scale:	Size:		Projection:		Product Type:			Project ID:	DWG Page
Supplement Drawing No.:	Licensor's Ident. No.:		A3		1		(ex. 6H21/32 x 3sets)			(ex.KFA005482)	26 / 34
		Info. No.:		CC:	Dist.:	Work Order No. :		Item Name:		Item Id.:	Ch.
		065000		B	*	-		MOCS CONTROL UNIT		F33-000002-1	3
										Prev	Next
										25	27

Do not correct by hand

This drawing is the property of HHI-EMD and is to be treated as confidential by the party to whom it has been submitted by HHI-EMD, and is not to be disclosed to third party without the specific prior written permission of HHI-EMD




not correct by hand

Terminal arrangement(Internal)_No.# MOCS			Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement				Rev.
			2026.03.27	JML	JML	HDK	CMJ	*	First issue				0
Similar Drawing No.:	Replacement for:		Scale: N / A	Size: A3		Projection:  1		Product Type: (ex. 6H21/32 x 3sets)		Project ID: (ex.KFA005482)		DWG Page 27 / 34	
Supplement Drawing No.:	Licensor's Ident. No.:		Info. No.: 065000	CC: B	Dist.: *	Work Order No. : -		Item Name: MOCS CONTROL UNIT		Item Id.: F33-000002-1		Ch. 3	
										Prev 26		Next 28	



Issued by: HHT-EMD


Do not correct by hand




Do not correct by hand

This drawing is the property of HHI-EMD and is to be treated as confidential by the party to whom it has been submitted by HHI-EMD, and is not to be disclosed to third party without the specific prior written permission of HHI-EMD


Terminal arrangement(External)_Common			Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement				Rev.
			2026.03.27	JML	JML	HDK	CMJ	*	First issue				0
Similar Drawing No.:	Replacement for:		Scale: N / A	Size: A3		Projection:  1		Product Type: (ex. 6H21/32 x 3sets)		Project ID: (ex.KFA005482)		DWG Page 29 / 34	
Supplement Drawing No.:	Licensor's Ident. No.:		Info. No.: 065000	CC: B	Dist.: *	Work Order No. : -		Item Name: MOCS CONTROL UNIT		Item Id.: F33-000002-1		Ch. 3	
										Prev 28		Next 30	



Do not correct by hand

Terminal arrangement(External)_No.# MOCS				Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement				Rev.
				2026.03.27	JML	JML	HDK	CMJ	*	First issue				0
Similar Drawing No.:	Replacement for:		Scale:	Size:		Projection:		Product Type:			Project ID:		DWG Page	
			N / A	A3		 1		(ex. 6H21/32 x 3sets)			(ex.KFA005482)		31 / 34	
Supplement Drawing No.:	Licensor's Ident. No.:		Info. No.:	CC:	Dist.:	Work Order No. :		Item Name:			Item Id.:		Ch.	
		065000	B	*	-		MOCS CONTROL UNIT			F33-000002-1		3		
											Prev		Next	
											30		32	

This drawing is the property of HHI-EMD and is to be treated as confidential by the party to whom it has been submitted by HHI-EMD, and is not to be disclosed to third party without the specific prior written permission of HHI-EMD




Do not correct by hand

Terminal arrangement(External)_No.# MOCS			Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement			Rev.	
			2026.03.27	JML	JML	HDK	CMJ	*	First issue			0	
Similar Drawing No.:	Replacement for:		Scale: N / A	Size: A3		Projection:  1		Product Type: (ex. 6H21/32 x 3sets)		Project ID: (ex.KFA005482)		DWG Page 32 / 34	
Supplement Drawing No.:	Licensor's Ident. No.:		Info. No.:	CC:	Dist.:	Work Order No. :		Item Name:		Item Id.:		Ch. 3	
			065000	B	*	-		MOCS CONTROL UNIT		F33-000002-1		Prev 31	Next 33

ENGINE & MACHINERY DIVISION

A3(297mm x 420mm)





This drawing is the property of HHI-EMD and is to be treated as confidential by the party to whom it has been submitted by HHI-EMD, and is not to be disclosed to third party without the specific prior written permission of HHI-EMD



Do not correct by hand

Terminal arrangement(External)_No.# MOCS			Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement				Rev.	
			2026.03.27	JML	JML	HDK	CMJ	*	First issue				0	
Similar Drawing No.:	Replacement for:		Scale:	Size:		Projection:		Product Type:			Project ID:		DWG Page	
			N / A	A3		 1		(ex. 6H21/32 x 3sets)			(ex.KFA005482)		33 / 34	
Supplement Drawing No.:	Licensor's Ident. No.:		Info. No.:	CC:	Dist.:	Work Order No. :		Item Name:			Item Id.:		Ch.	
		065000	B	*	-		MOCS CONTROL UNIT			F33-000002-1		3		
												Prev	Next	
												32	34	

This drawing is the property of HHI-EMD and is to be treated as confidential by the party to whom it has been submitted by HHI-EMD, and is not to be disclosed to third party without the specific prior written permission of HHI-EMD



Terminal arrangement(External)_No.# MOCS			Date	Des.	Dwg.	Chk.	Appd.	A.C.	Change / Replacement				Rev.
			2026.03.27	JML	JML	HDK	CMJ	*	First issue				0
Similar Drawing No.:	Replacement for:		Scale: N / A	Size: A3		Projection: 		Product Type: (ex. 6H21/32 x 3sets)		Project ID: (ex.KFA005482)		DWG Page 34 / 34	
Supplement Drawing No.:	Licensor's Ident. No.:		Info. No.: 065000	CC: B	Dist.: *	Work Order No. : -		Item Name: MOCS CONTROL UNIT		Item Id.: F33-000002-1		Ch. 3 Prev 33 Next ==F33-000002-2/1	

this drawing is the property of HHL-EMD and is to be treated as confidential by the party to whom it has been submitted by HHL-EMD, and is not to be disclosed to third party without the specific prior written permission of HHL-EMD.