H2O.ai University

H2O.ai

H2O.ai University · Support deck


Enterprise h2oGPTe Starter Course

12 modules · 5 hands-on assignments



Andreea Turcu
H2O.ai University

AGENDA



01 Introduction
02 Connecting
03 Interface tour: layout and sidebar
04 Interface tour: chat and input controls
05 Interface tour: right panel, themes and agents
06 Collections and documents
07 RAG fundamentals
08 Using prompts
09 Introduction to agents
10 Agents in practice
11 Governance, permissions and security
12 Recap and next steps

By the end of this course, you will be able to

MODULE 01 · INTRODUCTION

Connect
Reach Enterprise h2oGPTe and ask a first question

Navigate
Find your way around the interface with confidence

Build a collection
Turn your own documents into a searchable workspace

Get grounded answers
Ask questions answered from those documents, with sources

Use prompt templates
Make good instructions repeatable across a team

Put agents to work
Hand AI agents real, multi-step tasks

Understand governance
Permissions and security for anyone rolling it out

Hands-on from Module 6 — in a free environment, with the same document as the instructor. No installation, no licence, no setup.

How the course works

H2O.ai University

COURSE OVERVIEW

01 Introduction

02 Connecting

03 Layout & sidebar

04 Chat & input controls

05 Right panel & agents

06 Collections & documents

ASSIGNMENT 1

07 RAG fundamentals

ASSIGNMENT 2

08 Using prompts

ASSIGNMENT 3

09 Intro to agents

ASSIGNMENT 4

10 Agents in practice

ASSIGNMENT 5

11 Governance & security

12 Recap & next steps

Tour Modules 1–5 explain the platform and the interface. **Build** Modules 6–10 are hands-on, each followed by an assignment.

MODULE 01

Introduction



Three pillars: accuracy, privacy, control

H2O.ai University

MODULE 01 · INTRODUCTION



Accuracy

Retrieves from your documents, answers from what it finds — and shows you the source so you can check it.



Privacy

Runs in your environment. For a bank or a hospital, sending internal documents to a public AI service is a non-starter.



Control

You decide which models are available, which agents can run, and who can access what.

LLMs + retrieval + governance, in one platform

Generic chatbot vs grounded answer

GENERAL-PURPOSE CHATBOT

Answers from what it learned in training

- Doesn't know your contracts, policies or numbers
- No source to point to
- You have to trust it

vs

ENTERPRISE H2OGPTE

Answers from your documents

- Pulls the relevant passages first
- Builds the answer from what it finds
- Cites the page so you can check it

Answer + source

Deploy where your data lives

H2O.ai University

MODULE 01 · INTRODUCTION



On-premise

In your own data center.



Private cloud

Your private cloud on AWS, Azure or Google Cloud.



Air-gapped

No internet connectivity at all.



Hybrid

Hybrid or multi-cloud combinations for different workloads.

For industries where data sovereignty is a regulatory requirement rather than a preference, this is often the deciding factor.

Your environment, your rules

Three capabilities you will use throughout

Agent framework


An AI that doesn't just answer — it acts. Plans steps, writes and runs code, browses the web, and works until the task is finished. Several agent flavors, two full modules.

Multimodal

Text, PDFs, spreadsheets, presentations, images, audio, video and web content — wherever your knowledge is scattered.

Model-agnostic

Open source, commercial or your own fine-tuned models — Anthropic, OpenAI, Google, Meta, Mistral and H2O's own. Not locked to one vendor's release cycle.



Independent proof: #1 on FutureX

H2O.ai University

MODULE 01 · INTRODUCTION

#1

H2O AI Super Agent™ on FutureX

3 of top 4

positions held by H2O.ai — ahead of agents from OpenAI, Google, DeepSeek and xAI

WHAT FUTUREX TESTS

Predicting real-world future events
Agents forecast outcomes that haven't happened yet

Contamination-free
Answers can't already be in a model's training data

Built by independent researchers
ByteDance Seed, Fudan University, Stanford, Princeton

An external benchmark, not our own marketing

H2O.ai

MODULE 02

Connecting



Get connected in three steps

H2O.ai University

MODULE 02 · CONNECTING



Open the environment

genai.h2o.ai — free, public, no installation or licence key. Keep it open in a second tab. (Or h2o.ai › Platform › Enterprise AI Agent › Chat now.)



Guest, or sign in

Guest is the fastest way to look around. Signing in gives higher usage limits — recommended in a shared environment.



Ask your first question

“What can Enterprise h2oGPTe help me with?” You get an answer — and, depending on the question, links to sources.

Sign in: more room for the exercises

Your US$10 usage allowance

H2O.ai University

MODULE 02 · CONNECTING

TOTAL LLM USAGE ALLOWANCE, PER USER



▮ Chats & documents: thin slices ▮ Agents: thick slices

Limit reached? Nothing broke — you've outgrown the shared evaluation environment.

Evaluating for your org

Contact sales@h2o.ai for a proof of concept with your documents and security requirements.

Existing customer

Your own deployment has no such limit — speak to your administrator.

Learning for yourself

Concepts apply identically in any deployment — keep watching and apply them later.

Your organization's instance: three differences

H2O.ai University

MODULE 02 · CONNECTING

01

The address

Your administrator gives you the URL.

02

Sign-in

Typically corporate credentials through single sign-on (SSO), not a personal account.


03

What's switched on


Your administrator decides which models, agents and features your role can reach. No shared-environment usage limit.

Same layout, same chat area, same controls.

Fewer options? That's governance working as intended


H2O.ai
MODULE 03
Layout & Sidebar

Three zones — plus a fourth when you need it



Sidebar (left)
Your navigation. On mobile: the three-line button.

Chat workspace (center)
Where conversations and responses appear.

Chat input (bottom)
Type, add documents, select agents.

Right panel (on demand)
Opened with Customize — covered in Module 5.

The sidebar, item by item

H2O.ai University

MODULE 03 · INTERFACE TOUR: LAYOUT AND SIDEBAR

ALWAYS THERE

Collections

Groups of related documents. + New collection; All to see every one.

Chats

Conversation history — reopen and continue earlier work.

Documents

Every document you've uploaded, across all collections.

DEPENDING ON YOUR PERMISSIONS



Agents

Tools, API keys, directories



Memory

Context recalled across chats



Scheduled Tasks

Prompts on a schedule



Models

Test, compare, review usage



Prompts

Reusable templates



Extractors

Invoices, contracts, forms



Eval

Benchmarking, Eval Studio

Varies by role

Permission-gated menus: configured, not missing

H2O.ai University

Analyst

- **Collections**
- **Chats**
- **Documents**
- Agents
- Memory
- Models
- Prompts
- Extractors
- Eval

Administrator

- **Collections**
- **Chats**
- **Documents**
- Agents
- Memory
- Models
- Prompts
- Extractors
- Eval

Same deployment
Two people signed in can see different sidebars.

Your admin decides
Items appear only if your role allows access.

Nothing is broken
A shorter sidebar is your organization's configuration.

Configured, not missing

The profile menu: system-level options

H2O.ai University

MODULE 03 · INTERFACE TOUR: LAYOUT AND SIDEBAR

Account
Which email you're signed in with

Platform info
Version, build, dependencies

Usage & quota
Plus terms of service

Preferences
Appearance and behaviour

Documentation
Docs site and connectors

API & keys
Guidance on API keys

Impersonate
Admins: see a user's exact view

Device pairing
QR code to connect

Sign out
Plus global & user settings

Opened from the profile icon at the bottom of the sidebar. The sidebar itself can be collapsed or expanded.

MODULE 04

Chat & Input Controls



Two ways a chat starts

H2O.ai University

MODULE 04 · INTERFACE TOUR: CHAT AND INPUT CONTROLS

NO COLLECTION SELECTED



A simple greeting

- Answers come from the model's general knowledge
- No document sources to cite

vs

COLLECTION SELECTED



Collection name and description at the top

- You always know which documents the AI draws on
- Answers come with citations
- Same question, different access → different answer

Context changes the answer

The input controls

MODULE 04 · INTERFACE TOUR: CHAT AND INPUT CONTROLS



LEFT OF THE INPUT

1. **Customize** Opens the right panel
2. **Add documents** Upload, or drag & drop
3. **Agents** Switch to task execution
4. **Schedule this prompt** Turn it into a recurring task

RIGHT OF THE INPUT

5. **Model** Choose the language model
6. **Microphone** Dictate instead of typing
7. **Stop / pause** Control generation
8. **Send** When your message is ready

Text field habits Enter sends · Shift+Enter adds a line · click an earlier message to edit and resend — refining beats arguing.

User persona: same agent, different explanation

Business Analyst

Plain-language findings, simple charts

Citizen Data Scientist

Charts plus tables and method notes

Kaggle Grandmaster

Dense, technical, formulas and metrics

Same agent

What it does

Tailors the agent's level of technical detail and the kind of recommendations it makes.

When to change it

Output feels too technical, or too shallow? Change this before anything else. Options depend on the agent flavor — shown here: Data Science Agent.

Accuracy: how hard the agent works

H2O.ai University

MODULE 04 · INTERFACE TOUR: CHAT AND INPUT CONTROLS

DEFAULT

Quick	Basic	Standard	Maximum
Simple lookups	A few more steps	Right for most tasks	When accuracy matters more than speed

STEPS ALLOWED



Higher levels allow more steps and more time per step.

More steps, more time

MODULE 05

Right Panel & Agents



The right panel: where you refine and inspect

Customize chat

Three tabs: Collection (documents this chat draws on), Configuration (model, how answers are built), Prompts (the governing template).

References

Highlights the passages an answer came from. The slider focuses on the highest-scoring passages — verify rather than trust.

Agent Details

Opened with Details on an agent response: steps, files, sources and the agent's reasoning.

Configuration · sources · agent behaviour

Change it for this chat — or for everyone?

APPLY TO THIS CHAT



Only this conversation changes

- Right for experiments and one-off tests
- Nobody else is affected

vs

APPLY AS COLLECTION DEFAULT



The starting point for everyone after you

- Every future chat on this collection inherits it
- Choose deliberately

Testing a setting ≠ changing it for everyone

Agent view modes: how much thinking you see

01

Simplified

Only the final answer.

→

02

Standard

Chain of thought in the main view; right panel stays closed.

→

03

Detailed

Chain of thought, and the right panel opens automatically while the agent works.

Choose from View at the top right. Agent work streams in the background — move to another chat or page without losing progress.

Watch it think → Detailed

Inside agent Details

H2O.ai University

MODULE 05 · INTERFACE TOUR: RIGHT PANEL, THEMES AND AGENTS

Steps

Timeline of code generation, execution and files produced

Files

File explorer for the agent's workspace

Sources

External web sources with titles and snippets — when they exist

Thoughts

The agent's analysis

Chat

Sometimes: internal agent-to-agent logs

Click Details on an agent response to open the right panel.

Everything the agent did, inspectable

Preferences: two settings that matter most

H2O.ai University

MODULE 05 · INTERFACE TOUR: RIGHT PANEL, THEMES AND AGENTS

Appearance
Light or Dark

Panel width
Compact, Standard or Full

Advanced rendering
Math formulas via KaTeX

Agent tools in / commands
Once agent tools are set up

Auto-play responses
Read answers aloud

Open Preferences from the profile menu. Some changes need a page reload.

Inline Shortcuts — the time saver

@ points at a collection or document; / opens commands. On by default.

Private mode — the safety switch

Shows only private LLMs running in your own environment. Use it for sensitive material.

The agent selector: nine flavors

H2O.ai University

MODULE 05 · INTERFACE TOUR: RIGHT PANEL, THEMES AND AGENTS

General Agent
Code execution + browser. The default.

Deep Research
General Agent with self-critique

Deep Research Zero
Builds its own tools from a minimal set

Data Science Agent
EDA, models, Driverless AI

Web search
Targeted searches, no code

Tool Builder
Builds MCP, browser or general tools

Agents Builder
LangGraph, OpenAI Agents SDK, CrewAI

MCP-only Runner
MCP tools, no reasoning layer

Code Agent
Generation, debugging, reviews

Start with General


Click Agents in the chat composer.

Your deployment may show fewer — or custom, in-house agents. That's configuration, not a problem.

When active, the agent's name shows as a badge near the controls, with a quick way back to standard chat.

MODULE 06

Collections & Documents



A collection is a workspace with a subject



One annual report

Ask a question → an answer from that report. Crisp.



400 mixed documents

The system works harder to find what matters. Blurrier.



Sorted into collections

One project, department, client or regulation each. Crisp again.

Scope = quality

Create your collection

MODULE 06 · COLLECTIONS AND DOCUMENTS

COURSE DOCUMENT



Wells Fargo 2025 Annual Report

Public, a couple of hundred pages of dense financial and regulatory text — the kind of thing people actually need help reading. Download from Wells Fargo investor relations (link in resources). Used for Modules 6–8.

1. Click Collections in the navigation menu
2. Click + New collection
3. Name it: Annual Report Analysis
4. Click + Create (description optional — generated if empty)
5. Open the collection and add the PDF (drag & drop or upload)
6. Start a chat — check the collection name at the top

Hands-on: follow along at genai.h2o.ai

What happens when you add a document

H2O.ai University

MODULE 06 · COLLECTIONS AND DOCUMENTS



Read

The document is read in full.



Chunk

It is split into smaller passages.



Index

Chunks are indexed so they can be searched by meaning, not keyword.



Retrieve

Your question pulls the nearest passages — not the whole document.

Large documents take a moment — watch progress under Jobs in the sidebar.

Read · Chunk · Index


Ask, then check the source

H2O.ai University

MODULE 06 · COLLECTIONS AND DOCUMENTS

What were the main risk factors identified in this report?

1 2



Source panel: passage highlighted

Try next

“Summarize the company's performance in 2025 in five bullet points.”

“What does this report say about credit losses?”

Check, don't trust

Guardrails and PII detection

MODULE 06 · COLLECTIONS AND DOCUMENTS

None	Allow PII	Redact sensitive	Redact any PII	Custom
No guardrails	Guardrails on; personal data passes	e.g. social security numbers	Including email addresses	Fully customizable



Set at collection level, when you create it. For a public annual report it doesn't matter. For HR records or customer data it matters enormously.

Know it before you need it

Build a collection and verify an answer

H2O.ai University

H2O.ai

ASSIGNMENT 1 · HANDS-ON AFTER MODULE 06

You've watched a collection being built — now do it yourself. The real exercise is the last step: checking whether the document actually supports the answer.

Done when

You have the collection, answers to both questions, and you've clicked through to at least one source.

Watch for

Collection name at the top of the chat. No collection = no retrieval = no sources. Use the references slider on long answers.

1. Create a collection named Annual Report Analysis
2. Add the Wells Fargo 2025 Annual Report
3. Ask: What were total revenues in 2025?
4. Ask: What does the report say about the company's approach to risk management?
5. Click through to the source on one answer. Does the document support it?


H2O.ai
MODULE 07
RAG Fundamentals

The problem: confident, fluent, wrong



A question

About your organization — contracts, policies, numbers.



No documents

It knows a lot in general, nothing about you.



A polished answer

Fluent and confident. Look for the source — there is none.

In a consumer setting, that's annoying. **In a bank, it's a compliance incident.**

No source

RAG changes the order of operations

H2O.ai University

MODULE 07 · RAG FUNDAMENTALS

WITHOUT RAG

Question → Model answers from memory → Answer

WITH RAG

01
Question
What you ask

→

02
Retrieve
Relevant passages from your documents

→

03
Read
The model reads and explains them

→

04
Answer
Built from retrieved text — with citations

The model becomes the reader, not the source

Four steps behind every answer

H2O.ai University

MODULE 07 · RAG FUNDAMENTALS

Ingestion

Already done: the document is chunked and turned into embeddings in a vector database.

Retrieval

Your question is converted the same way; the closest chunks in meaning are found.

Augmentation


Those chunks are placed into the prompt alongside your question.

Generation

The model writes a grounded answer; the system records which chunks it used.

Meaning, not keywords

MODULE 07 · RAG FUNDAMENTALS



Generation approaches: four to know

H2O.ai University

MODULE 07 · RAG FUNDAMENTALS

Automatic

The system picks the best approach per query. The default, and a sensible one.

LLM Only

Skips retrieval — general knowledge rather than a document answer.

RAG

Standard retrieval. Fast and effective for direct questions.

Agentic RAG

An agent searches, reads, reconsiders and searches again.

The other seven, for later: composite approaches (your question plus a hypothetical answer), summary-based approaches for whole-document questions, and approaches that load an entire small collection at once.

Found in chat settings › Generation Approach

Standard RAG vs Agentic RAG

STANDARD RAG

Retrieves once

- Fast and cheap
- Great for direct questions
- May miss a connection between two distant parts of a long document

vs

AGENTIC RAG

Searches, reads, reconsiders, searches again

- Connects facts from different sections
- Slower and more expensive — not the default
- For genuinely complex questions: a useful answer instead of a shrug

Fast vs deeper

Weak answer? Check retrieval first

H2O.ai University

H2O.ai

USUAL CAUSES



Not in the docs

The information simply isn't there.



Phrased differently

The question doesn't match how the document says it.

FIXES



Be more specific

Sharpen the question.



Change approach

Try another generation approach, e.g. Agentic RAG.

Not: “the platform can't do it.”

One hard question, two approaches

H2O.ai University

ASSIGNMENT 2 · HANDS-ON AFTER MODULE 07

Prove to yourself that changing the generation approach can fix a weak answer. A simple lookup won't show a difference — you need a question whose answer lives in two places.

Done when

You have both answers side by side and an opinion on which was better — and what it cost you.

Watch for

If asked to apply as a collection default, say no: you're testing a setting, not changing it for everyone.

1. Ask a question that connects two parts of the report — e.g. credit-quality risks vs the provision figures for the year
2. Note the answer: what did it cover, and what did it miss?
3. Open Customize › Configuration › Generation Approach → Agentic RAG
4. Ask the same question again
5. Compare: better? slower? both?

MODULE 08

Using Prompts



Two layers of instruction

What were the main risk factors?

What does it say about credit losses?

Summarize 2025 performance

Your question — what you want to know right now. Changes each time.

System prompt
Persona · tone · format · constraints


Standing instruction — applies to every exchange, whether or not you restate it. Always on.

The system prompt is where consistency lives



Confusing the two layers causes most prompt frustration. Want every answer as bullets with sources? Set it once in the system prompt — don't retype it.

Five analysts, one template



Five phrasings → five formats, levels of detail and interpretations of “review”.

Anatomy of a prompt template

H2O.ai University

System prompt Personality and standing instructions

Before chunks Text placed before retrieved passages

Retrieved chunks Inserted by RAG at question time

After chunks Text placed after retrieved passages

Self-reflection The model checks its own work

Answer only from context

> ***"Answer only from the provided context, and say so if the context is insufficient."***

Because RAG inserts passages into the prompt, the text around them shapes how the model treats them. This line reduces the chance of filling gaps from general knowledge.

Create, share and clone templates

H2O.ai University

MODULE 08 · USING PROMPTS

CREATE

Tip: clone an existing template

01	02	03	04
Prompts	**+ New template**	**Configure**	**+ Create**
In the navigation menu	Give it a name	System prompt and extensions	Ready to apply

SHARE

01	02	03	04
Prompts	**Actions**	**Set access**	**Save**
Find your template	Select Share Prompt	Who can use it	Team-wide behaviour

Working in another language? Align all three

System prompt

Written in your team's language.

Prompt extensions

Before/after-chunk text in the same language.

Embedding model

One that supports that language.

Getting one of the three wrong is the usual cause of disappointing multilingual results.

All three aligned

A template that admits what it doesn't know

H2O.ai University

H2O.ai

ASSIGNMENT 3 · HANDS-ON AFTER MODULE 08

The test at the end matters more than the template. Ask something the document cannot possibly answer — and see whether your configuration is honest about it.

Done when

You have a working template and you know how your configuration behaves when the answer is missing.


Watch for

A confident figure from general knowledge, presented as if it came from the report. That's the failure mode to catch.

1. Create a template: answer only from provided documents; bullet points; say clearly when information is unavailable
2. Apply it to Annual Report Analysis (Customize › Prompts)
3. Ask something the report can't answer — e.g. What were JPMorgan's total revenues, according to this document?
4. Does it say it doesn't know — or invent something?

MODULE 09

Introduction to Agents



Ask it to analyze a spreadsheet...

CHATBOT



...it tells you how it would be done

- Returns text
- Then stops

vs

AGENT




...it does it

- Writes the code and runs it
- Looks at the output, fixes its mistakes
- Hands you the result — and the chart it produced

Answers vs acts

The loop that makes something an agent



Act
Run code, browse, read or create files, call external systems.


Observe
Look at what happened — including errors.

Adjust
If code fails, read the error and try again.

Exit with a result
Loop until the task is finished.

Act. Observe. Adjust.

The agent toolbelt — no configuration needed



Choosing a flavor: start with General

H2O.ai University

H2O.ai

EVERYDAY WORK



General Agent
Broadest: code + browser. Start here.



Deep Research
Self-critique — when being right beats being fast



Deep Research Zero
Builds tools it doesn't ship with



Data Science Agent
Analysis and models, Driverless AI

+ Web search: targeted searches without code-execution overhead.

DEVELOPER TERRITORY



Tool Builder Tools other agents use



Agents Builder Whole custom agents



MCP-only Runner MCP tools, no reasoning layer



Code Agent Software development

Start with General

Answering from memory vs going to look

AGENTS OFF

From memory

- Figures are as current as the training data
- No way to signal its own staleness
- No sources to click — equally confident either way

vs


GENERAL AGENT ON

Went to look

- Plans, then searches for current figures
- Takes longer — the right trade-off for current facts
- Returns figures with sources you can check

Spend agents where they earn it

Show the work



If it lands in a report, someone will ask how

Same question: from memory, then with an agent

H2O.ai University

H2O.ai

ASSIGNMENT 4 · HANDS-ON AFTER MODULE 09

The difference between a system that answers from memory and one that goes and looks is easy to describe — and much more convincing to see.

Done when

You have both answers and you've watched the agent work in the right panel.

Watch for

Right panel not open? Click Details — or switch View to Detailed so it opens automatically. Agents use more of your allowance.

1. Agents OFF, no collection: What are the three largest banks in the United States by total assets, and what are their current figures?
2. Note the answer — is it current? Does it say where it came from?
3. Turn on the General Agent; ask the same question
4. Watch the right panel while it works
5. Compare the two answers

MODULE 10

Agents in Practice



Anatomy of a good agent prompt

WHERE	Go to h2o.ai/university.
WHAT	Extract the titles of the training courses listed on the page.
PROCESS	Then use Python to clean the list, remove duplicates,
OUTPUT	and produce a structured JSON file with the final set of titles.

Name the deliverable

Vague → a paragraph
"Tell me about h2o.ai university courses"

Specific → a file
Where, what, process, output — as on the left

Watching it run: three phases



Browser

Opens the page, scrolls to load content, identifies course listings, extracts text. A real browser, not a simulation.



Code execution

Writes Python to clean, dedupe and structure the result. You see the actual code in Steps.



Final answer

A summary of what it did — plus the JSON file to download from Files.

Something fails? Don't restart — watch it read the error and try another way. Self-correction is normal.

One pattern, several specializations



General Agent

Browse, extract, process, produce a file.

Deep Research

Same task + self-critique before presenting. Slower, stronger where errors matter.

Data Science Agent

Give it a CSV: profiles the data, charts, builds models — Driverless AI where available.

Change the dropdown, not your approach

Where the same shape applies

Competitive analysis

Visit competitor sites, extract positioning and pricing, produce a comparison.

Content audit

Crawl your documentation, extract titles and categories, identify gaps.

Market research

Gather recent announcements, categorize by relevance, produce a briefing.

Compliance monitoring

Check regulatory sites for new guidance, compare against policy, flag what needs review.

Use agents for work you can check



Works best

Tasks that are clearly specified and verifiable.



Struggles

Ambiguous goals, or success that is subjective.

They occasionally get things wrong — which is precisely why the platform shows you the code and the sources.

Work you can check

Hand an agent a multi-step job

ASSIGNMENT 5 · HANDS-ON AFTER MODULE 10

The goal isn't just the file — it's following what the agent does, so you can read its work when you give it something that matters.

Done when

You have the file downloaded and can describe roughly what happened at each stage.

Watch for

Open the file and check it against the page. The agent did the work — verification is still yours.

1. Select the General Agent (tip: set View to Detailed first)
2. Run: Go to h2o.ai/university. Extract the course titles. Use Python to clean the list, remove duplicates, and produce a structured JSON file.
3. Follow the right panel — can you tell what it's doing at each step?
4. Download the output file
5. Optional: run it again with Deep Research and compare

MODULE 11

Governance & Security



Role-based access control

MODULE 11 · GOVERNANCE, PERMISSIONS AND SECURITY

Roles

An administrator defines roles, from the System Dashboard › Roles and permissions.

Permissions

Each role carries permissions mapped to actions — add a collection, delete a collection...

Users

Every user is assigned a role. Two users can see different interfaces.


The built-in “default” role

Auto-assigned on first sign-in with common permissions — productive immediately; sensitive capabilities stay closed.

Connects to your identity provider

Map an IdP role to an h2oGPTe role and manage access through SSO alongside your other apps.

Redaction at three checkpoints



Jailbreak detection identifies prompts designed to bypass the model's safety mechanisms. If one of your prompt templates triggers it, rewrite the template.

Caught on the way in and on the way out

Your data. Your jurisdiction.



Air-gapped

No internet connectivity whatsoever — for defence, intelligence and the most sensitive regulated work. The platform functions fully; agents lose internet-dependent tools. That's the intended trade-off.

On-premise

Entirely in your own data center. Nothing leaves your infrastructure.

Private cloud

Your own VPC on AWS, Azure or Google Cloud. Cloud economics, your security boundary.

Hybrid & multi-cloud

Combinations, where different workloads have different requirements.

What admins control: the System Dashboard

H2O.ai University

MODULE 11 · GOVERNANCE, PERMISSIONS AND SECURITY

Roles & permissions
Who can do what

Models
e.g. commercial for general work, local for sensitive collections

Agent tools
Which capabilities; internet can be switched off

API keys
Programmatic access, and to what

Secret Manager
Credentials kept out of the database

Rate limits
Usage limits and fairness

Lifecycle & deletion
Retention and right-to-erasure

Live logs & jobs
Day-to-day operations

One dashboard

A compliance-grade audit trail

Who did what, where, and when

Security-relevant user actions stream to the H2O AI Cloud (HAIC) Audit Trail service.

Enabled at infrastructure level

By your deployment administrator — not a switch inside the platform.

Viewed outside h2oGPTe

Audit events aren't visible in the h2oGPTe interface; use the HAIC Audit Trail service.

Records successful direct actions

Failed attempts generally don't produce events...

...with one deliberate exception

Guardrail violations are always recorded — regardless of outcome.

If someone tries to push sensitive data through the system, you want that recorded whether or not it succeeded.

Governance is a green light, not a brake

H2O.ai University

H2O.ai

“What happens to our data?”

Pilot | **Production**

Why projects stall

Rarely because the technology fails — because nobody can answer “what happens to our data?”

What moves them

Answering it precisely, with evidence: permissions, guardrails, deployment, audit.

Not a brake




MODULE 12

Recap & Next Steps

The journey you've completed

MODULE 12 · RECAP AND NEXT STEPS



Connect
First question

Navigate
Sidebar, chat, panel

Collections
Real document, real sources

RAG
Why retrieval matters

Prompts
Repeatable instructions

Agents
Answers vs acts

Governance
Permissions to deployment

Course complete. Certification — courses, quizzes and certificates — lives at h2o.ai/university.

Three questions you can now answer

01

Where did this answer come from?

You know how retrieval works — and how to click through to the source instead of trusting the output.

02

What happens to our data?

Deployment models, guardrails and PII redaction at collection level, and what an administrator controls.

03

Can we trust it with real work?

You've used agents, seen their reasoning, and know where they're strong and where they need checking.

What separates a pilot that stalls from one that reaches production

Where to go next

MODULE 12 · RECAP AND NEXT STEPS



Enterprise h2oGPTe for Practitioners

Configure and customize agents · build custom tools and agent frameworks · work with the APIs · advanced retrieval incl. knowledge graphs · integrate with your systems




h2o.ai/university

More learning paths and certifications — courses, quizzes and certificates are all there.



Evaluating for your org?

Contact sales@h2o.ai for a proof of concept: your documents, your security requirements. Existing customers: talk to your administrator.


H2O.ai
University
Thank You
Open the platform and try something that matters to you.
h2o.ai/university · genai.h2o.ai · sales@h2o.ai
H2O.ai