

Pagella homework

Same notation and environment content in each font profile.

Notation specimen

Inline mathematics:  $\int_0^\infty e^{-x^2} \, \mathrm{d}x$ ,  $\frac{\mathrm{d}^2 f}{\mathrm{d}x^2}$ ,  $\frac{\partial F}{\partial T}$ ,  $\hat{\mathbf{z}}$ , and  $\hat{\mathbf{x}}$ . Text accents remain intact: Ĺ and ř.

$\mathbb{N}, \mathbb{Z}, \mathbb{Q}, \mathbb{R}, \mathbb{C}; \quad \alpha\beta\gamma\delta\epsilon\theta\phi\psi\omega$

$\langle x \rangle, \left(\frac{1}{x}\right), [x], |x|, \|\mathbf{x}\|$

$\langle x \rangle, \mathbb{E}[X], \mathrm{Var}(X), \mathrm{Cov}(X, Y), P(A), P(A \mid B)$

$\int_0^1 x^2 \, \mathrm{d}x, \int f(x) \, \mathrm{d}x, x^3/3\big|_0^1, [f(x)]_a^b$

$\frac{\mathrm{d} f}{\mathrm{d} x}, \frac{\mathrm{d}^2 f}{\mathrm{d} x^2}, \frac{\partial F}{\partial T}, \frac{\partial^2 f}{\partial x^2}, \mathrm{d} x$

$\frac{\partial}{\partial x}[2x + 2y] + \frac{\mathrm{d}}{\mathrm{d} t}[t^2]$

${}^1_2, {}^nC_k, {}^nP_k, \begin{pmatrix} a \\ b \\ c \end{pmatrix}$

$a \stackrel{?}{=} b, \quad a \stackrel{<}{=} a, \quad a \stackrel{\leq}{=} b, \quad \text{comparison}$

$\alpha, \mathbf{v}, \mathbf{v}, \hat{\mathbf{v}}, \hat{\mathbf{v}}, \nabla f, \nabla^2 f$

$\hat{\mathbf{x}}, \hat{\mathbf{y}}, \hat{\mathbf{z}}, \hat{\mathbf{r}}, \hat{\mathbf{s}}, \hat{\theta}, \hat{\phi}, \mathfrak{z}, \mathfrak{z}, \mathfrak{z}$

$v, s, p, k_{\mathrm{B}}, N_{\mathrm{A}}, \mathrm{d}Q, 1.381 \times 10^{-23} \, \mathrm{J} \, \mathrm{K}^{-1}, 6.022 \times 10^{23} \, \mathrm{mol}^{-1}$

# Environment specimen

**Definition 1.1** (Vector field). A field assigns a vector  $\mathbf{v}$  to each point.

**Example 1.1** (Thermal notation). For a particle,  $E = \textstyle\frac{3}{2} k_{\text{B}} T$ .

*Remark 1.1.* Greek letters and vector accents should remain distinct at text and script sizes.

*Proof.* The notation is evaluated consistently by the selected Unicode math font. □

$$\nabla f = \hat{\mathbf{x}} \frac{\partial f}{\partial x} + \hat{\mathbf{y}} \frac{\partial f}{\partial y}$$

Reference

|     |       |
|-----|-------|
| $x$ | $x^2$ |
| 1   | 1     |
| 2   | 4     |

**Table 0.0.1.** Small math table



**Figure 0.0.1.** Figure and caption specimen

definition [1.1](#), example [1.1](#), formula [1](#), table [0.0.1](#), and fig. [0.0.1](#).

# EULER NOTES

Same notation and environment content in each font profile.

## NOTATION SPECIMEN

Inline mathematics:  $\int_0^\infty e^{-x^2} dx$ ,  $\frac{d^2 f}{dx^2}$ ,  $\frac{\partial F}{\partial T}$ ,  $\hat{\mathbf{z}}$ , and  $\hat{x}$ . Text accents remain intact:  $\text{Ł}$  and  $\text{ă}$ .

$$\mathbb{N}, \mathbb{Z}, \mathbb{Q}, \mathbb{R}, \mathbb{C}; \quad \alpha\beta\gamma\delta\epsilon\theta\phi\psi\omega$$

$$(\mathfrak{x}), \left(\frac{1}{x}\right), \left[x\right], |\mathfrak{x}|, \|\mathbf{x}\|$$

$$\langle x \rangle, \mathbb{E}[X], \text{Var}(X), \text{Cov}(X, Y), \mathbb{P}(A), \mathbb{P}(A \mid B)$$

$$\int_0^1 x^2 dx, \int f(x) dx, x^3/3 \Big|_0^1, [f(x)]_a^b$$

$$\frac{df}{dx}, \frac{d^2 f}{dx^2}, \frac{\partial F}{\partial T}, \frac{\partial^2 f}{\partial x^2}, dx$$

$$\frac{\partial}{\partial x}[2x + 2y] + \frac{d}{dt}[t^2]$$

$$1/2, {}^n\text{C}_k, {}^n\text{P}_k, \begin{pmatrix} a \\ b \\ c \end{pmatrix}$$

$$a \stackrel{?}{=} b, \quad a \stackrel{\surd}{=} a, \quad a \stackrel{\times}{=} b, \quad \text{comparison}$$

$$\alpha, \nu, \mathfrak{v}, \hat{\mathfrak{v}}, \hat{\mathfrak{v}}, \nabla f, \nabla^2 f$$

$$\hat{x}, \hat{y}, \hat{z}, \hat{r}, \hat{s}, \hat{\theta}, \hat{\phi}, \mathfrak{z}, \mathfrak{z}, \hat{\mathfrak{z}}$$

$$v, s, p, k_{\text{B}}, N_{\text{A}}, \text{đ}Q, 1.381 \times 10^{-23} \text{ J K}^{-1}, 6.022 \times 10^{23} \text{ mol}^{-1}$$

**Definition 1.1.1** (Vector field). A field assigns a vector  $\mathbf{v}$  to each point.

**Example 1.1.1** (Thermal notation). For a particle,  $E = \frac{3}{2} k_B T$ .

*Remark 1.1.1.* Greek letters and vector accents should remain distinct at text and script sizes.

*Proof.* The notation is evaluated consistently by the selected Unicode math font.  $\square$

$$\nabla f = \hat{\mathbf{x}} \frac{\partial f}{\partial x} + \hat{\mathbf{y}} \frac{\partial f}{\partial y}$$

**Reference**

| $x$ | $x^2$ |
|-----|-------|
| 1   | 1     |
| 2   | 4     |

Table 1.1: Small math table



Figure 1.1: Figure and caption specimen

definition 1.1.1, example 1.1.1, formula 1, table 1.1, and fig. 1.1.

# PAGELLA NOTES

Same notation and environment content in each font profile.

## NOTATION SPECIMEN

Inline mathematics:  $\int_0^\infty e^{-x^2} \, dx$ ,  $\frac{d^2 f}{dx^2}$ ,  $\frac{\partial F}{\partial T}$ ,  $\hat{\mathbf{z}}$ , and  $\hat{\mathbf{x}}$ . Text accents remain intact: Ĺ and ř.

$$\mathbb{N}, \mathbb{Z}, \mathbb{Q}, \mathbb{R}, \mathbb{C}; \quad \alpha\beta\gamma\delta\epsilon\theta\phi\psi\omega$$

$$(x), \left(\frac{1}{x}\right), [x], |x|, \|\mathbf{x}\|$$

$$\langle x \rangle, E[X], \text{Var}(X), \text{Cov}(X, Y), P(A), P(A|B)$$

$$\int_0^1 x^2 \, dx, \int f(x) \, dx, x^3/3|_0^1, [f(x)]_a^b$$

$$\frac{df}{dx}, \frac{d^2 f}{dx^2}, \frac{\partial F}{\partial T}, \frac{\partial^2 f}{\partial x^2}, dx$$

$$\frac{\partial}{\partial x}[2x + 2y] + \frac{d}{dt}[t^2]$$

$$^{1/2}, {}^nC_k, {}^nP_k, \begin{pmatrix} a \\ b \\ c \end{pmatrix}$$

$$a \stackrel{?}{=} b, \quad a \stackrel{<}{=} a, \quad a \stackrel{\times}{=} b, \quad \text{comparison}$$

$$\boldsymbol{\alpha}, \mathbf{v}, \mathbf{v}, \hat{\mathbf{v}}, \hat{\mathbf{v}}, \nabla f, \nabla^2 f$$

$$\hat{\mathbf{x}}, \hat{\mathbf{y}}, \hat{\mathbf{z}}, \hat{\mathbf{r}}, \hat{\mathbf{s}}, \hat{\boldsymbol{\theta}}, \hat{\boldsymbol{\phi}}, \boldsymbol{\imath}, \boldsymbol{\jmath}, \hat{\mathbf{z}}$$

$$v, s, p, k_{\text{B}}, N_{\text{A}}, \text{d}Q, 1.381 \times 10^{-23} \, \text{J K}^{-1}, 6.022 \times 10^{23} \, \text{mol}^{-1}$$

**Definition 1.1.1** (Vector field). A field assigns a vector  $\mathbf{v}$  to each point.

**Example 1.1.1** (Thermal notation). For a particle,  $E = \frac{3}{2} k_B T$ .

*Remark 1.1.1.* Greek letters and vector accents should remain distinct at text and script sizes.

*Proof.* The notation is evaluated consistently by the selected Unicode math font.  $\square$

$$\nabla f = \hat{\mathbf{x}} \frac{\partial f}{\partial x} + \hat{\mathbf{y}} \frac{\partial f}{\partial y} \quad \text{Reference}$$

| $x$ | $x^2$ |
|-----|-------|
| 1   | 1     |
| 2   | 4     |

Table 1.1: Small math table



Figure 1.1: Figure and caption specimen

definition 1.1.1, example 1.1.1, formula 1, table 1.1, and fig. 1.1.