


Leaf photo and model attention



Leaf photo as uploaded (resized, camera data removed)



Grad-CAM: where the model looked most (brighter = more)

Diagnosis

Crop	rice
Diagnosis	Bacterialblight
Model confidence	> 99.9%
Result status	Confident diagnosis
Severity (from this photo)	early
Estimated yield loss if untreated	10% (high confidence)

Severity is estimated from the share of discoloured leaf area in this one photo (early < 15%, moderate 15–40%, severe > 40%). In our test it agreed with expert grades 44% of the time.

From a lookup table of published figures (ICAR institutes, IRRI, state agricultural universities, peer-reviewed studies) by crop, disease and severity. High = India-specific or severity-resolved data; medium = international data; low = a proxy. It is not a measurement of this field.

Location

Location (rounded to about 1 km)	30.90° N, 75.80° E
Location from	phone GPS
Reported accuracy	± 8 m




© OpenStreetMap contributors

The circle marks the rounded location (about 1 km), not the field boundary. Map © OpenStreetMap contributors.

Field from space (Sentinel-2)

Verdict	In line with neighbouring fields.
Last clear image	18 Sept 2026
Clear images	14 of 31
Window	29 May 2026 – 26 Sept 2026
Latest field NDVI / NDRE	0.59 / 0.43 (18 Sept 2026)
Nearby fields NDVI (middle half)	0.41 – 0.67
Farmland share of the 30 m circle	95%



Satellites show crop stress, not which disease; the leaf photo tells which disease. Field = a 30 m circle around the location.

Weather risk: rice blast

24 Sept Low	25 Sept Low	Today Low	27 Sept Low	28 Sept Low	29 Sept Low
----------------	----------------	--------------	----------------	----------------	----------------

Infection hours today	0 (3 = medium, 6 = high)
Cool, humid days in a row (CRR)	0 (4 in a row = warning)
Cuttack rule)	
Model	Yoshino infection hours: Yoshino (1979); rules as in Katsantonis et al. (2017) Phytopathologia Mediterranea 56(2):187-216
Also shown	Padmanabhan (1965), CRR Cuttack
Risk indicator from weather, not a forecast of infection. Worked out when this report was made (26 Sept 2026): past 2 days, today and the next 3.	
Weather data by Open-Meteo.com (CC BY 4.0)	

Treatment advice

Bacterial leaf blight causes yellow-to-white drying along leaf margins and can wilt young seedlings. Grow resistant varieties, avoid excess nitrogen, and ensure good drainage. Spray streptomycin with copper oxychloride 0.25% at first symptoms — ordinary fungicides will not work since this is a bacterial disease.

Limitations: read before relying on this report

- This is an AI diagnosis from one leaf photo. It can be wrong; confirm with an agriculture officer or a KVK before acting on it.
- Yield loss is a lookup from published figures for this crop, disease and severity, not a measurement of this field.
- Severity is a heuristic from photo colours (44% agreement with expert grades).
- Satellite data shows crop stress, not which disease, and clouds can hide the field for weeks.
- The weather risk is an indicator from published models, not a forecast of infection.
- This is not an official crop-loss assessment (for example, not a PMFBY crop-cutting experiment).

Where each value comes from

Report ID	report record › reportId
Generated	report record › generatedAt
Checkup date	GET /api/predict › createdAt
Checkup ID	GET /api/predict › _id
Model version	GET /api/predict › modelVersion
Crop	GET /api/predict › crop
Diagnosis	GET /api/predict › disease
Model confidence	GET /api/predict › confidence
Result status	GET /api/predict › status
Severity (from this photo)	GET /api/predict › severity
Estimated yield loss if untreated	GET /api/predict › yieldLossPercent, yieldLossConfidence
Location (rounded to about 1 km)	stored checkup location (private; never in an API answer), rounded to 0.01°
Location from	GET /api/predict › locationSource
Reported accuracy	stored checkup locationAccuracyM (private)
Verdict	GET /api/predict/:id/field-health › flag.code, flag.since
Last clear image	GET /api/predict/:id/field-health › last_clear_date
Clear images	GET /api/predict/:id/field-health › clear_images, images
Window	GET /api/predict/:id/field-health › window.start, window.end
Latest field NDVI / NDRE	GET /api/predict/:id/field-health › series[last used].ndvi, .ndre, .date
Nearby fields NDVI (middle half)	GET /api/predict/:id/field-health › series[last used].neighbours.ndvi[p25, p75]
Farmland share of the 30 m circle	GET /api/predict/:id/field-health › field_farmland
Infection hours today	GET /api/predict/:id/disease-risk › days[today].conditions.infectionHours
Cool, humid days in a row (CRRRI Cuttack rule)	GET /api/predict/:id/disease-risk › days[today].conditions.padmanabhanStreak
Model	GET /api/predict/:id/disease-risk › model.name, model.citation
Also shown	GET /api/predict/:id/disease-risk › supporting.name
Weather risk: rice blast	GET /api/predict/:id/disease-risk › days[.date, days[.level
Treatment advice	GET /api/predict › treatment

Tamper evidence

SHA-256 of the report content `cf6ad36cdd6ba6c0279db4fe62586e5be0160a487da350e3ecee723ff628cf5b`

To check this report, open <http://localhost:4010/api/reports/PG-mhvU2cE9cPz2> : it shows the same hashes and the key values. The SHA-256 of this PDF file must match "pdfSha256" there.